

# Technical Service Bulletin

<b>Topic</b>	New Continental GT - Door 'soft close' functionality
<b>Market area</b>	Bentley: worldwide (2WBE),Hongkong-Macau (5HK)
<b>Brand</b>	Bentley
<b>Transaction No.</b>	2052092/3
<b>Level</b>	EH
<b>Status</b>	Released for publishing
<b>Release date</b>	Aug 21, 2019

## New customer code

Object of complaint	Complaint type	Position
body attachments and installations -> doors, lids operation -> door power closing	functionality -> no function	left front
body attachments and installations -> doors, lids operation -> door power closing	functionality -> no function	right front

## Vehicle data

### New Continental GT

#### Sales types

Type	MY	Brand	Designation	Engine code	Gearbox code	Final drive code
3S3*	2018	E		*	*	*
3S3*	2019	E		*	*	*
3S3*	2020	E		*	*	*

## Documents

Document name
<a href="#">master.xml</a>

-

## Condition

Correct functionality and restrictions of the door *soft close* system need to be understood to prevent unnecessary customer complaints.

## Technical Background

\*

## Production Solution

\*

## Service

### Correct operation/function restrictions:

The *soft close* feature is designed to minimize effort when closing the door. This feature operates automatically. If a door is closed with insufficient force to engage fully, i.e. the door is only closed to the 'first' catch position, the feature will automatically motor the door fully closed.

*Soft close* operation works as per any other motor system. If you work or stress the motor whilst mid-operation the motor could stop working until it is reset (i.e. if you shut the door and re-open it before the soft close has fully engaged into position).

If the door is operated over 40 times in less than 10 minutes, *soft close* operation will be deactivated for the next 10 minutes.

If the *soft close* system does stop functioning through customer misuse, there may be a DTC code stored in the memory, the fault will be active until the ignition is cycled. The DTC will be logged in the relevant door control module memory but will not inhibit the door operation and can be ignored. The DTC will read 'B122D29: Lock unit for central locking, Implausible signal'.

### Re-activation procedure:

If the door soft closure does fail to operate at any time, follow these steps;

Step 1: Hard close the failed door

Step 2: Switch Ignition ON -> Ignition OFF -> Ignition ON

Step 3: Press Central Locking Switch next to the interior door handle (lock or unlock button)

Step 4: Door *soft close* operation will be recovered.

### In the event of a valid customer complaint please provide answers to the following questions when submitting a DISS query

When did the failure occur – Normal use or PDI?

Was the door opened 40 times in 10 minutes?

Was the soft close operation interrupted mid operation?

Has the battery been disconnected at all?

Did the system start functioning again following the re-activation procedure?