

Service Campaign T4E Dealer Best Practice

Date: November 20, 2019

Attn: Dealer Principal/General Manager/Service Manager/Parts Manager

Subject: Service Campaign T4E: Nexo Hydrogen Pressure Sensor Replacement (TSB #19-01-033H) – v1

<u>Updates To This Document</u>	<u>Date</u>
Initial communication to dealers.	11/20/19

*** Dealer Stock and Retail Vehicles Only ***

Dealers must perform this Service Campaign on all affected vehicles prior to customer retail delivery and whenever an affected vehicle is in the shop for any maintenance or repair.

Affected Vehicles

Hyundai is conducting a Service Campaign to replace hydrogen pressure sensor on certain Nexo (FE) Fuel Cell vehicles.

The affected vehicles include:

Certain 2019MY Nexo (FE) Fuel Cell Electric Vehicle

Hyundai is initiating this action to ensure the quality of its vehicles and the continued satisfaction of Hyundai customers.

Description

This service campaign is to address if a vehicle is in service for any maintenance or repair, including the DTCs P315200 and P315300, both Hydrogen Pressure Sensor 1 and Hydrogen Pressure Sensor 2 must be replaced with an updated part.

Service Action



Reservation – Always check the Vehicle Information Screen in WebDCS for open campaigns and recalls, and advise the customer on time requirements.



Readiness – Review this announcement and the accompanying FAQs with all Service and Parts staff including Reservationist/BDC. Also, complete all applicable training, check your reservation capacity settings (you can set separate capacities for every recall/campaign), confirm email addresses for campaign appointments, and that you have all necessary tools, campaign parts and shop equipment as needed.



Reception – Always check the Vehicle Information Screen in WebDCS for open campaigns and recalls, and print a copy for technicians. Provide SRC or an alternative vehicle, as needed. If a customer has declined the campaign, note this on the repair order and request the customer's signature next to the statement.

- This campaign must be performed at a designated outdoor venting location.
- Nexo owners should be provided an equivalent SRC, such as an eco-friendly vehicle (electric, hybrid, plug-in hybrid vehicle) or SUV, or alternative transportation, as needed.




Repair – Always plug in the GDS before starting the repair. Make sure to complete an MPI on all vehicles and Quality Control your work.

- Perform this procedure at designated outdoor venting location.
- Follow service manual instructions to complete this TSB
- Damage to the Hydrogen Pressure Sensor will occur if the thin metal membrane (A) is touched or makes contact with other objects (See picture below).



• Use caution when handling the Hydrogen pressure sensor and during the installation of the sensor. Keep protective cap installed until ready to install sensor.





Parts Information:



Return – Review all completed campaign and repairs to answer any customer questions. Also, schedule the customer's next service.



Reconnect – Follow up for customer satisfaction.

Parts

Please review parts as outlined in the corresponding TSB (TSB #19-01-033H).

Customer Notification

None

Thank you for your prompt attention to this important matter and continued commitment to Hyundai customers.

Hyundai Motor America





Key Contact Information			
Dealer Support	Contact Information	Description	
Parts	HyundaiPartsHotline@MobisUSA.com 1-800-545-4515	Parts ordering hotline	
Techline	1-800-325-6604	Vehicle Technical Support for Hyundai Dealer Technicians	
Warranty HELPREP Line	1-877-446-2922	Warranty Claim questions for Hyundai Dealers	
Warranty Prior Approval (PA) Center	1-844-371-3808	Warranty Prior Approval (PA) Center for Hyundai Dealers	
Xtime Technical Support	Support@xtime.com 1-866-984-6355	Assistance with Car Care Scheduling: • Appointment / Shop Capacity Management / Campaign Integration / Operation Codes	
AutoLoop Technical Support	Support@autoloop.com 1-877-850-2010	Assistance with Car Care Scheduling: • Appointment / Shop Capacity Management / Campaign Integration / Operation Codes	
CDK Technical Support	https://serviceconnect.support.cdk.com/	Assistance with Car Care Scheduling: • Appointment / Shop Capacity Management / Campaign Integration / Operation Codes	
Customer Support	Contact Information	Description	
Hyundai Customer Care Center (Recall/Campaign Questions)	1-855-671-3059	Customer questions or concerns related to <u>recall or</u> <u>service campaigns</u>	
Hyundai Recall /Campaign Website	www.hyundaiusa.com/recall	Updated information related to the specific recall or service campaign	
Hyundai Customer Care Center (General Questions)	1-800-633-5151	Customers general questions, <u>non-campaign</u> <u>related</u>	
Hyundai Roadside Assistance	1-800-243-7766	Hyundai Roadside Assistance	

Key Reference Information			
Name	Source		
Campaign Central	Consolidated repository of recall and service campaign dealer best practices. Located on the service tab homepage in www.HyundaiDealer.com		
Car Care Scheduling (Xtime) - Tutorials	www.HyundaiDealer.com > Service > Dealer Resources > Documents Library > Car Care Scheduling		
Car Care Scheduling (Xtime) - Recall Appointment Notification	 Log into Xtime Under the menu at the top left, select 'CONFIGURE' Under the dealership tab, click "EMAIL COMMUNICATION" Slide the toggle to "ADVANCED" Populate as many e-mails as desired in the "PARTS DESK EMAIL FIELD" 		
Parts – Campaign Parts Management (CPM) Procedure	As applicable; www.HyundaiDealer.com > Parts > Documents Library > Campaign Parts Management		
Service Rental Car (SRC) Program	www.HyundaiDealer.com > Service tab > SRC Fleet Mgmt Software		
Technical Service Bulletin (TSB)	www.HyundaiDealer.com > Service tab > Hyundai Tech Info		
Uncompleted Campaign VIN Listing	A listing of vehicles is located on WEBDCS> SERVICE tab> select UNCOMPLETED CAMPAIGN VIN LISTING – Dealer Stock (New, SRC, CPO, etc.) and Retailed.		
Recall Campaign Website	www.hyundaiusa.com/recall		
NHTSA Website	www.safercar.gov		