

**Approved Wheels and Tires (36/19)**

Revision: This bulletin replaces bulletin, Group 4, #15/19, dated August 26, 2019.

Model Year: **As of 2017**

Vehicle Type: **All Panamera models**

Information: This bulletin contains information about

- technically permissible wheel/tire combinations,
- measures that may be required when changing the wheel/tire combination installed at the factory,
- approved original Porsche alloy wheels and
- approved summer, all-season and winter tires and their tire pressures.

Sizes: **Permissible wheel and tire sizes**  
**(RO = rim offset in mm, FA = front axle, RA = rear axle)**

| Tires   | Tire sizes   | Wheel sizes   | Snow chains |
|---|--|---|-------------|
| <b>Panamera, Panamera 4, Panamera 4 E-Hybrid, Panamera 4S, Panamera Executive, Panamera 4 Executive, Panamera 4 E-Hybrid Executive, Panamera 4S Executive, Panamera 4 Sport Turismo, Panamera 4 E-Hybrid Sport Turismo, Panamera 4 S Sport Turismo, Panamera 10 Years Special Model, Panamera 4 10 Years Special Model, Panamera 4 Hybrid 10 Years Special Model, Panamera 4 Hybrid Sport Turismo 10 Years Special Model, Panamera 4 Sport Turismo 10 Years Special Model</b> |  |   |             |
| Summer  | FA: 265/45 ZR 19 (105Y) XL<br>RA: 295/40 ZR 19 (108Y) XL   | FA: 9 J x 19 H2, RO 64<br>RA: 10.5 J x 19 H2, RO 62   | No          |
|   | FA: 275/40 ZR 20 (106Y) XL<br>RA: 315/35 ZR 20 (110Y) XL   | FA: 9.5 J x 20 H2, RO 71<br>RA: 11.5 J x 20 H2, RO 68 | No          |
|   | FA: 275/35 ZR 21 (103Y) XL<br>RA: 315/30 ZR 21 (105Y) XL   | FA: 9.5 J x 21 H2, RO 71<br>RA: 11.5 J x 21 H2, RO 69 | No          |
| Winter  | FA: 265/45 R 19 105V XL M+S<br>RA: 295/40 R 19 108V XL M+S | FA: 9 J x 19 H2, RO 64<br>RA: 10.5 J x 19 H2, RO 62   | RA only     |
|   | FA: 275/40 R 20 106V XL M+S<br>RA: 315/35 R 20 110V XL M+S | FA: 9.5 J x 20 H2, RO 71<br>RA: 10.5 J x 20 H2, RO 71 | RA only     |
|   | FA: 275/35 R 21 103V XL M+S<br>RA: 315/30 R 21 105V XL M+S | FA: 9.5 J x 21 H2, RO 71<br>RA: 10.5 J x 21 H2, RO 71 | RA only     |

| Tires   | Tire sizes   | Wheel sizes   | Snow chains |
|---|--|---|-------------|
| All-season  | FA: 275/40 R 20 106V XL M+S<br>RA: 315/35 R 20 110V XL M+S                                     | FA: 9.5 J x 20 H2, RO 71<br>RA: 11.5 J x 20 H2, RO 68 | No          |
|   | FA: 275/35 R 21 103V XL M+S<br>RA: 315/30 R 21 105V XL M+S                                     | FA: 9.5 J x 21 H2, RO 71<br>RA: 11.5 J x 21 H2, RO 69 | No          |
| <b>Panamera Turbo, Panamera Turbo Executive, Panamera Turbo Sport Turismo, Panamera GTS, Panamera GTS Sport Turismo</b> |  |   |             |
| Summer  | FA: 275/40 ZR 20 (106Y) XL<br>RA: 315/35 ZR 20 (110Y) XL                                       | FA: 9.5 J x 20 H2, RO 71<br>RA: 11.5 J x 20 H2, RO 68 | No          |
|   | FA: 275/35 ZR 21 (103Y) XL<br>RA: 315/30 ZR 21 (105Y) XL                                       | FA: 9.5 J x 21 H2, RO 71<br>RA: 11.5 J x 21 H2, RO 69 | No          |
|   | FA: 275/35 ZR 21 (103Y) XL<br>RA: 325/30 ZR 21 (108Y) XL<br>- Only for 5-seater Panamera Turbo | FA: 9.5 J x 21 H2, RO 71<br>RA: 11.5 J x 21 H2, RO 69 | No          |
| Winter  | FA: 275/40 R 20 106V XL M+S<br>RA: 315/35 R 20 110V XL M+S                                     | FA: 9.5 J x 20 H2, RO 71<br>RA: 10.5 J x 20 H2, RO 71 | RA only     |
|   | FA: 275/35 R 21 103V XL M+S<br>RA: 315/30 R 21 105V XL M+S                                     | FA: 9.5 J x 21 H2, RO 71<br>RA: 10.5 J x 21 H2, RO 71 | RA only     |
| All-season  | FA: 275/40 R 20 106V XL M+S<br>RA: 315/35 R 20 110V XL M+S                                     | FA: 9.5 J x 20 H2, RO 71<br>RA: 11.5 J x 20 H2, RO 68 | No          |
|   | FA: 275/35 R 21 103V XL M+S<br>RA: 315/30 R 21 105V XL M+S                                     | FA: 9.5 J x 21 H2, RO 71<br>RA: 11.5 J x 21 H2, RO 69 | No          |
| <b>Panamera Turbo S E-Hybrid, Panamera Turbo S E-Hybrid Executive, Panamera Turbo S E-Hybrid Sport Turismo</b>          |  |   |             |
| Summer  | FA: 275/35 ZR 21 (103Y) XL<br>RA: 325/30 ZR 21 (108Y) XL                                       | FA: 9.5 J x 21 H2, RO 71<br>RA: 11.5 J x 21 H2, RO 69 | No          |
| Winter  | FA: 275/40 R 20 (106V) XL M+S<br>RA: 315/35 R 20 (110V) XL M+S                                 | FA: 9.5 J x 20 H2, RO 71<br>RA: 10.5 J x 20 H2, RO 71 | RA only     |
|   | FA: 275/35 R 21 (103V) XL<br>RA: 315/30 R 21 (105V) XL   | FA: 9.5 J x 21 H2, RO 71<br>RA: 10.5 J x 21 H2, RO 71 | RA only     |
| All-season  | FA: 275/40 R 20 (106V) XL<br>RA: 315/35 R 20 (110V) XL   | FA: 9.5 J x 20 H2, RO 71<br>RA: 11.5 J x 20 H2, RO 68 | No          |
|   | FA: 275/35 R 21 (103V) XL<br>RA: 315/30 R 21 (105V) XL   | FA: 9.5 J x 21 H2, RO 71<br>RA: 11.5 J x 21 H2, RO 69 | No          |

Wheels:

**Overview of Porsche wheels for summer, winter and all-season tires**

Identification on inside of wheel:

Wheel size, rim offset (RO) in mm, part number (without color code FFF) and Porsche logo

**19-inch "Panamera" wheel**

FA: 9 J x 19 H2, RO 64

Part No. 971.601.025\_FFF

RA: 10.5 J x 19 H2, RO 62

Part No. 971.601.025.F\_FFF



*19-inch Panamera wheel*

**19-inch "Panamera S" wheel**

FA: 9 J x 19 H2, RO 64

Part No. 971.601.025.A\_FFF

RA: 10.5 J x 19 H2, RO 62

Part No. 971.601.025.G\_FFF



*19-inch Panamera S wheel*

**20-inch "Panamera Turbo" wheel**

FA: 9.5 J x 20 H2, RO 71

Part No. 971.601.025.B\_FFF

RA Summer: 11.5 J x 20 H2, RO 68

Part No. 971.601.025.H\_FFF

RA Winter: 10.5 J x 20 H2, RO 71

Part No. 971.698.025\_FFF

*20-inch Panamera Turbo wheel***20-inch "Panamera Design" wheel**

FA: 9.5 J x 20 H2, RO 71

Part No. 971.601.025.C\_FFF

RA Summer: 11.5 J x 20 H2, RO 68

Part No. 971.601.025.J\_FFF

*20-inch Panamera Design wheel***20-inch "Exclusive Design" wheel**

FA Winter: 9.5 J x 20 H2, RO 71

Part No. 971.698.025.B\_FFF

RA Winter: 10.5 J x 20 H2, RO 71

Part No. 971.698.025.C\_FFF

*20-inch Exclusive Design wheel*

**21-inch "Panamera Sport Design" wheel**

FA: 9.5 J x 21 H2, RO 71

Part Nos.:

971.601.025.D\_FFF (BBS)

971.601.029.D\_FFF (Riedel)

RA Summer: 11.5 J x 21 H2, RO 69

Part Nos.:

971.601.025.K\_FFF (BBS)

971.601.029.K\_FFF (Riedel)

RA Winter: 10.5 J x 21 H2, RO 71

Part No. 971.698.025.A\_FFF (BBS)



*21-inch Panamera SportDesign wheel*

**21-inch "911 Turbo Design" wheel**

FA: 9.5 J x 21 H2, RO 71

Part Nos.:

971.601.025.AB\_FFF (Super Alloy, Dou-Liu City)

971.601.025.AH (Super Alloy, Loßburg)

971.601.025.AD\_FFF (Fuchs)

RA Summer: 11.5 J x 21 H2, RO 69

Part Nos.:

971.601.025.AC\_FFF (Super Alloy, Dou-Liu City)

971.601.025.AJ\_FFF (Super Alloy, Loßburg)

971.601.025.AE\_FFF (Fuchs)



*21-inch 911 Turbo Design wheel*

**21-inch "Exclusive Design" wheel**

FA Summer: 9.5 J x 21 H2, RO 71

Part Nos.:

971.601.025.M\_FFF (BBS)

971.601.029.M\_FFF (Riedel)

RA Summer: 11.5 J x 21 H2, RO 69

Part Nos.:

971.601.025.N\_FFF (BBS)

971.601.029.N\_FFF (Riedel)



*21-inch Exclusive Design wheel*

**Information**

Improper handling can damage the wheel surface.

Carry out tire removal and mounting using a bead holding-down device only.

Use a leather pad on the rim flange to support the valve insertion tool.

Only use the Porsche centering clamping set for balancing.

Do not use brushes to clean the wheels because brushes can cause deep scratches that cannot be removed by polishing.

Never use solvents or other chemical substances on tires.

**Information**

Only fit wheels with identical part numbers on one axle.

Wheel  
Mounting:

**Tightening torque 160 Nm (118 ftlb.)**

**WARNING****Driving with different tires (mixed tires)**

- **Uncontrollable vehicle handling**

⇒ **Only use tires of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) on a vehicle.**

Summer Tires:

| Model  | Tire sizes  | Tire make and type                                  |
|--|---|---|
| Panamera,<br>Panamera<br>Executive,<br>Panamera 4,<br>Panamera 4<br>Executive,<br>Panamera 4 Sport | FA: 265/45 ZR 19 (105Y) XL<br>RA: 295/40 ZR 19 (108Y) XL              | Michelin Pilot Sport 4 N0<br>(Inside/Outside)       |
|  |   | Goodyear Eagle F1 Asymmetric N0<br>(Inside/Outside) |
|  |   | Pirelli PZero N0<br>(Inside/Outside)                |
| Turismo, Panamera<br>4S, Panamera<br>4S Executive,<br>Panamera 4S Sport                            | FA: 275/40 ZR 20 (106Y) XL<br>RA: 315/35 ZR 20 (110Y) XL<br>with foam | Michelin Pilot Sport 4 N0<br>(Inside/Outside)       |
|  |   | Pirelli PZero N0<br>(Inside/Outside)                |
| 4 E-Hybrid Sport<br>Turismo, Panamera<br>4 E-Hybrid,<br>Panamera 4                                 | FA: 275/35 ZR 21 (103Y) XL<br>RA: 315/30 ZR 21 (105Y) XL              | Pirelli P Zero N1<br>(Inside/Outside)               |
|  |   | Continental ContiSportContact 5 P<br>N0             |

| Model   | Tire sizes   | Tire make and type                                    |
|---|--|---|
| E-Hybrid Executive, Panamera 10 Years Special Model, Panamera 4 10 Years Special Model, Panamera 4 Hybrid 10 Years Special Model, Panamera 4 Hybrid Sport Turismo 10 Years Special Model, Panamera 4 Sport Turismo 10 Years Special Model |  | (Inside/Outside)                                      |
|   |  | Michelin Pilot Sport 4 NO (Inside/Outside)            |
| Panamera Turbo, Panamera Turbo Executive, Panamera Turbo Sport Turismo, Panamera GTS, Panamera GTS Sport Turismo  | FA: 275/40 ZR 20 (106Y) XL<br>RA: 315/35 ZR 20 (110Y) XL with foam                                       | Michelin Pilot Sport 4 NO (Inside/Outside)            |
|   |  | Pirelli PZero NO (Inside/Outside)                     |
|   | FA: 275/35 ZR 21 (103Y) XL<br>RA: 315/30 ZR 21 (105Y) XL   | Pirelli P Zero N1 (Inside/Outside)                    |
|   |  | Continental ContiSportContact 5 P NO (Inside/Outside) |
|   |  | Michelin Pilot Sport 4 NO (Inside/Outside)            |
|   | FA: 275/35 ZR 21 (103Y) XL<br>RA: 325/30 ZR 21 (108Y) XL<br>- Only for 5-seater Saloon; for RA with foam | Michelin Pilot Sport 4 NO (Inside/Outside)            |
| Pirelli P Zero N1 (Inside/Outside)  |  |   |
| Panamera Turbo S E-Hybrid, Panamera Turbo S E-Hybrid Executive, Panamera Turbo S E-Hybrid Sport Turismo   | FA: 275/35 ZR 21 (103Y) XL<br>RA: 325/30 ZR 21 (108Y) XL for RA with foam                                | Michelin Pilot Sport 4 NO (Inside/Outside)            |
|   |  | Pirelli P Zero N1 (Inside/Outside)                    |

## Winter Tires:

| Model  | Tire sizes   | Tire make and type                                  |
|--|--|---|
| Panamera,<br>Panamera<br>Executive,<br>Panamera 4,<br>Panamera 4<br>Executive,<br>Panamera 4 Sport<br>Turismo, Panamera<br>4S, Panamera<br>4S Executive,<br>Panamera 4S Sport<br>Turismo, Panamera<br>4 E-Hybrid Sport<br>Turismo, Panamera<br>4 E-Hybrid,<br>Panamera 4<br>E-Hybrid Executive,<br>Panamera 10 Years<br>Special Model,<br>Panamera 4 10<br>Years Special<br>Model, Panamera<br>4 Hybrid 10 Years<br>Special Model,<br>Panamera 4 Hybrid<br>Sport Turismo<br>10 Years Special<br>Model, Panamera<br>4 Sport Turismo 10<br>Years Special Model | FA: 265/45 R 19 105V XL<br>RA: 295/40 R 19 108V XL | Michelin Pilot Alpin 4 NO<br>(Rotation)             |
|  |  | Continental ContiWinterContact NO                   |
|  | FA: 275/40 R 20 106V XL<br>RA: 315/35 R 20 110V XL | Michelin Pilot Alpin 4 NO                           |
|  | FA: 275/35 R 21 103V XL<br>RA: 315/30 R 21 105V XL | Pirelli Winter Sottozero Serie III NO<br>(Rotation) |
| Panamera Turbo,<br>Panamera Turbo<br>Executive,<br>Panamera Turbo<br>Sport Turismo,<br>Panamera GTS,<br>Panamera GTS<br>Sport Turismo  | FA: 275/40 R 20 106V XL<br>RA: 315/35 R 20 110V XL | Michelin Pilot Alpin 4 NO                           |
|  | FA: 275/35 R 21 103V XL<br>RA: 315/30 R 21 105V XL | Pirelli Winter Sottozero Serie III NO<br>(Rotation) |
| Panamera Turbo<br>S E-Hybrid,<br>Panamera Turbo S<br>E-Hybrid Executive,   | FA: 275/40 R 20 106V XL<br>RA: 315/35 R 20 110V XL | Michelin Pilot Alpin 4 NO                           |
|  | FA: 275/35 R 21 103V XL                            | Pirelli Winter Sottozero III NO                     |



|  |                         |                  |
|--|-------------------------|------------------|
| <b>Panamera Turbo<br/>S E-Hybrid Sport<br/>Turismo</b> | RA: 315/30 R 21 105V XL | (Inside/Outside) |
|--|-------------------------|------------------|

All-Season Tires: – Only for c-options C02, C08, C14, C15, C17, C18, C23, C26, C32, C33, C34, C35, C36, C37, C38, C39, C42, C45, C46, C96

| Model  | Tire sizes  | Tire make and type                            |
|--|---|---|
| <b>Panamera,<br/>Panamera<br/>Executive,<br/>Panamera 4,<br/>Panamera 4<br/>Executive,<br/>Panamera 4 Sport<br/>Turismo, Panamera<br/>4S, Panamera<br/>4S Executive,<br/>Panamera 4S Sport<br/>Turismo, Panamera<br/>4 E-Hybrid,<br/>Panamera 4<br/>E-Hybrid Executive,<br/>Panamera 4<br/>E-Hybrid Sport<br/>Turismo, Panamera<br/>Turbo, Panamera<br/>Turbo Executive,<br/>Panamera Turbo<br/>Sport Turismo,<br/>Panamera Turbo<br/>S E-Hybrid,<br/>Panamera Turbo S<br/>E-Hybrid Executive,<br/>Panamera Turbo<br/>S E-Hybrid Sport<br/>Turismo, Panamera<br/>GTS, Panamera GTS<br/>Sport Turismo</b> | FA: 275/40 R 20 106V XL<br>RA: 315/35 R 20 110V XL              | Michelin Pilot Sport A/S NO<br>(Rotation)     |
|  |   | Pirelli Cinturato P7 ASN0<br>(Inside/Outside) |
|  | FA: 275/35 R 21 103V XL<br>RA: 315/30 R 21 105V XL<br>with foam | Pirelli Cinturato P7 ASN0<br>(Inside/Outside) |

**Information**

"N..." = Specification code of the tire, e.g. "N0", "N1", "N2" ... The complete "N ..." code of the tires in question must be shown on the tire sidewall near the tire type designation.

Instructions for correct mounting of the tires are also given on the tire sidewall. If there are no mounting instructions on the tire sidewall, the tire must be mounted so that the DOT marking is visible from the outside.

|   |  |
|---|--|
| Arrow with inscription "Rotation"                             | = directional mounting                         |
| "Inside/Outside" inscription or "Left" or "Right"             | = mounting on specified side only              |
| Arrow with both inscriptions "Rotation" and "Inside/Outside"  | = directional mounting on specified side only. |
| Arrow with both inscriptions "Rotation" and "Left" or "Right" | = directional mounting on specified side only. |

**Information**

If a tire is damaged and it is not possible to determine with absolute certainty that there is no ply damage - with all of its consequences - or if the tire was thermally and/or mechanically overloaded due to a loss of pressure or other prior damage, replace the tire in question for safety reasons.

Repairs to "V", "W", "Y" and "ZR" tires are not permissible, as well as the use of inner tubes in tubeless tires. Please inform your customers accordingly. It is advisable to mount winter tires at temperatures below **45° F/7°C**, because the driving characteristics of summer tires are reduced at low temperatures. Extremely low temperatures can cause permanent damage to summer tires.

**WARNING****Incorrect tire pressure**

- **Uncontrollable vehicle handling**
- ⇒ **Adjust the tire pressure according to specifications. Never allow the pressure to fall below the minimum pressure.**
- ⇒ **Check age of tires. Replace tires that are more than 6 years old.**
- ⇒ **Perform visual inspections.**
- ⇒ **Use only tires recommended by Porsche.**

Tire Pressure:

**Information**

The tire pressure applies only to the tire makes and types approved by Porsche, and is specified for cold tires (approx. **68° F/20°C**). The tire pressures must never be lower than the specified values.

Standard tire pressure

| Panamera,<br>Panamera<br>4, Panamera<br>10 Years<br>Special Model,<br>Panamera 4 10<br>Years Special<br>Model | Part load           |                     | Full load           |                     |
|---|---------------------|---------------------|---------------------|---------------------|
|   | Front axle          | Rear axle           | Front axle          | Rear axle           |
| 19-inch summer<br>tires   | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) | 2.7 bar<br>(39 psi) |
| 20-inch summer<br>tires   | 2.3 bar<br>(33 psi) | 2.1 bar<br>(30 psi) | 2.3 bar<br>(33 psi) | 2.7 bar<br>(39 psi) |
| 21-inch summer<br>tires   | 2.2 bar<br>(32 psi) | 2.7 bar<br>(39 psi) | 2.4 bar<br>(35 psi) | 2.9 bar<br>(42 psi) |
| 20-inch<br>All-season tires   | 2.3 bar<br>(33 psi) | 2.2 bar<br>(32 psi) | 2.4 bar<br>(35 psi) | 2.7 bar<br>(39 psi) |
| 21-inch<br>All-season tires   | 2.5 bar<br>(36 psi) | 2.7 bar<br>(39 psi) | 2.6 bar<br>(38 psi) | 3.1 bar<br>(45 psi) |
| 19-inch winter<br>tires   | 2.3 bar<br>(33 psi) | 2.4 bar<br>(35 psi) | 2.4 bar<br>(35 psi) | 2.8 bar<br>(41 psi) |
| 20-inch winter<br>tires   | 2.3 bar<br>(33 psi) | 2.2 bar<br>(32 psi) | 2.4 bar<br>(35 psi) | 2.7 bar<br>(39 psi) |
| 21-inch winter<br>tires   | 2.5 bar<br>(36 psi) | 2.7 bar<br>(39 psi) | 2.6 bar<br>(38 psi) | 3.1 bar<br>(45 psi) |

| Panamera<br>Executive,<br>Panamera 4<br>Executive | Part load           |                     | Full load           |                     |
|---|---------------------|---------------------|---------------------|---------------------|
|   | Front axle          | Rear axle           | Front axle          | Rear axle           |
| 19-inch summer<br>tires                           | 2.3 bar<br>(33 psi) | 2.1 bar<br>(30 psi) | 2.3 bar<br>(33 psi) | 2.7 bar<br>(39 psi) |
| 20-inch summer<br>tires                           | 2.3 bar<br>(33 psi) | 2.0 bar<br>(30 psi) | 2.3 bar<br>(33 psi) | 2.7 bar<br>(39 psi) |
| 21-inch summer<br>tires                           | 2.3 bar<br>(33 psi) | 2.7 bar<br>(39 psi) | 2.4 bar<br>(35 psi) | 2.7 bar<br>(39 psi) |
| 20-inch<br>All-season tires                       | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) | 2.4 bar<br>(35 psi) | 2.7 bar<br>(39 psi) |

| Panamera Executive,<br>Panamera 4 Executive | Part load           |                     | Full load           |                     |
|---|---------------------|---------------------|---------------------|---------------------|
|   | Front axle          | Rear axle           | Front axle          | Rear axle           |
| <b>21-inch All-season tires</b>             | 2.4 bar<br>(35 psi) | 2.7 bar<br>(39 psi) | 2.6 bar<br>(38 psi) | 2.7 bar<br>(39 psi) |
| <b>19-inch winter tires</b>                 | 2.3 bar<br>(33 psi) | 2.2 bar<br>(32 psi) | 2.4 bar<br>(35 psi) | 2.7 bar<br>(39 psi) |
| <b>20-inch winter tires</b>                 | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) | 2.4 bar<br>(35 psi) | 2.7 bar<br>(39 psi) |
| <b>21-inch winter tires</b>                 | 2.4 bar<br>(35 psi) | 2.3 bar<br>(33 psi) | 2.6 bar<br>(38 psi) | 2.7 bar<br>(39 psi) |

| Panamera 4 Sport Turismo,<br>Panamera 4 Sport Turismo<br>10 Years Special Model<br>(2 rear seats) | Part load           |                     | Full load           |                     |
|---|---------------------|---------------------|---------------------|---------------------|
|   | Front axle          | Rear axle           | Front axle          | Rear axle           |
| <b>19-inch summer tires</b>   | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) | 2.7 bar<br>(39 psi) |
| <b>20-inch summer tires</b>   | 2.3 bar<br>(33 psi) | 2.1 bar<br>(30 psi) | 2.3 bar<br>(33 psi) | 2.7 bar<br>(39 psi) |
| <b>21-inch summer tires</b>   | 2.3 bar<br>(33 psi) | 2.5 bar<br>(36 psi) | 2.4 bar<br>(35 psi) | 2.9 bar<br>(42 psi) |
| <b>20-inch All-season tires</b>   | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) | 2.4 bar<br>(35 psi) | 2.7 bar<br>(39 psi) |
| <b>21-inch All-season tires</b>   | 2.5 bar<br>(36 psi) | 2.8 bar<br>(41 psi) | 2.6 bar<br>(38 psi) | 3.2 bar<br>(46 psi) |
| <b>19-inch winter tires</b>   | 2.3 bar<br>(33 psi) | 2.5 bar<br>(36 psi) | 2.4 bar<br>(35 psi) | 2.9 bar<br>(42 psi) |
| <b>20-inch winter tires</b>   | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) | 2.4 bar<br>(35 psi) | 2.7 bar<br>(39 psi) |
| <b>21-inch winter tires</b>   | 2.5 bar<br>(36 psi) | 2.8 bar<br>(41 psi) | 2.6 bar<br>(38 psi) | 3.2 bar<br>(46 psi) |

| Panamera 4 Sport Turismo, Panamera 4 Sport Turismo 10 Years Special Model (3 rear seats) | Part load        |                  | Full load        |                  |
|--|------------------|------------------|------------------|------------------|
|  | Front axle       | Rear axle        | Front axle       | Rear axle        |
| 19-inch summer tires   | 2.4 bar (35 psi) | 2.4 bar (35 psi) | 2.3 bar (33 psi) | 2.7 bar (39 psi) |
| 20-inch summer tires   | 2.3 bar (33 psi) | 2.3 bar (33 psi) | 2.2 bar (32 psi) | 2.7 bar (39 psi) |
| 21-inch summer tires   | 2.3 bar (33 psi) | 2.7 bar (39 psi) | 2.4 bar (35 psi) | 3.1 bar (45 psi) |
| 20-inch All-season tires   | 2.3 bar (33 psi) | 2.4 bar (35 psi) | 2.4 bar (35 psi) | 2.8 bar (41 psi) |
| 21-inch All-season tires   | 2.5 bar (36 psi) | 2.9 bar (42 psi) | 2.6 bar (38 psi) | 3.4 bar (49 psi) |
| 19-inch winter tires   | 2.3 bar (33 psi) | 2.6 bar (38 psi) | 2.5 bar (36 psi) | 3.0 bar (44 psi) |
| 20-inch winter tires   | 2.3 bar (33 psi) | 2.4 bar (35 psi) | 2.4 bar (35 psi) | 2.8 bar (41 psi) |
| 21-inch winter tires   | 2.5 bar (36 psi) | 2.9 bar (42 psi) | 2.6 bar (38 psi) | 3.4 bar (49 psi) |

| Panamera GTS, Panamera GTS Sport Turismo | Part load        |                  | Full load        |                  |
|--|------------------|------------------|------------------|------------------|
|  | Front axle       | Rear axle        | Front axle       | Rear axle        |
| 20-inch summer tires                     | 2.6 bar (38 psi) | 2.4 bar (35 psi) | 2.8 bar (41 psi) | 2.9 bar (42 psi) |
| 21-inch summer tires                     | 2.8 bar (41 psi) | 2.8 bar (41 psi) | 3.0 bar (44 psi) | 3.3 bar (48 psi) |
| 20-inch All-season tires                 | 2.4 bar (35 psi) | 2.3 bar (33 psi) | 2.5 bar (36 psi) | 2.7 bar (39 psi) |
| 21-inch All-season tires                 | 2.6 bar (38 psi) | 2.7 bar (39 psi) | 2.8 bar (41 psi) | 3.2 bar (46 psi) |
| 20-inch winter tires                     | 2.4 bar (35 psi) | 2.3 bar (33 psi) | 2.5 bar (36 psi) | 2.7 bar (39 psi) |
| 21-inch winter tires                     | 2.6 bar (38 psi) | 2.7 bar (39 psi) | 2.8 bar (41 psi) | 3.2 bar (46 psi) |

| Panamera<br>4 E-Hybrid,<br>Panamera 4<br>E-Hybrid 10<br>Years Special<br>Model (2<br>rear seats),<br>Panamera<br>4 E-Hybrid<br>Executive | Part load           |                     | Full load           |                     |
|--|---------------------|---------------------|---------------------|---------------------|
|  | Front axle          | Rear axle           | Front axle          | Rear axle           |
| 19-inch summer<br>tires  | 2.4 bar<br>(35 psi) | 2.5 bar<br>(36 psi) | 2.6 bar<br>(38 psi) | 2.9 bar<br>(42 psi) |
| 20-inch summer<br>tires  | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) | 2.5 bar<br>(36 psi) | 2.8 bar<br>(41 psi) |
| 21-inch summer<br>tires  | 2.6 bar<br>(38 psi) | 2.7 bar<br>(39 psi) | 2.8 bar<br>(41 psi) | 3.2 bar<br>(46 psi) |
| 20-inch<br>All-season tires  | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) | 2.5 bar<br>(36 psi) | 2.8 bar<br>(41 psi) |
| 21-inch<br>All-season tires  | 2.6 bar<br>(38 psi) | 2.7 bar<br>(39 psi) | 2.8 bar<br>(41 psi) | 3.2 bar<br>(46 psi) |
| 19-inch winter<br>tires  | 2.4 bar<br>(35 psi) | 2.5 bar<br>(36 psi) | 2.6 bar<br>(38 psi) | 3.0 bar<br>(44 psi) |
| 20-inch winter<br>tires  | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) | 2.5 bar<br>(36 psi) | 2.8 bar<br>(41 psi) |
| 21-inch winter<br>tires  | 2.6 bar<br>(38 psi) | 2.7 bar<br>(39 psi) | 2.8 bar<br>(41 psi) | 3.2 bar<br>(46 psi) |

| Panamera<br>4 E-Hybrid<br>Sport Turismo,<br>Panamera 4<br>E-Hybrid Sport<br>Turismo 10<br>Years Special<br>Model | Part load           |                     | Full load           |                     |
|--|---------------------|---------------------|---------------------|---------------------|
|  | Front axle          | Rear axle           | Front axle          | Rear axle           |
| 19-inch summer<br>tires  | 2.3 bar<br>(33 psi) | 2.7 bar<br>(39 psi) | 2.5 bar<br>(36 psi) | 3.1 bar<br>(45 psi) |
| 20-inch summer<br>tires  | 2.3 bar<br>(33 psi) | 2.5 bar<br>(36 psi) | 2.4 bar<br>(35 psi) | 2.9 bar<br>(42 psi) |

| Panamera<br>4 E-Hybrid<br>Sport Turismo,<br>Panamera 4<br>E-Hybrid Sport<br>Turismo 10<br>Years Special<br>Model | Part load           |                     | Full load           |                     |
|--|---------------------|---------------------|---------------------|---------------------|
|  | Front axle          | Rear axle           | Front axle          | Rear axle           |
| 21-inch summer tires   | 2.5 bar<br>(36 psi) | 2.9 bar<br>(42 psi) | 2.7 bar<br>(39 psi) | 3.4 bar<br>(49 psi) |
| 20-inch All-season tires   | 2.3 bar<br>(33 psi) | 2.6 bar<br>(38 psi) | 2.5 bar<br>(36 psi) | 2.9 bar<br>(42 psi) |
| 21-inch All-season tires   | 2.5 bar<br>(36 psi) | 3.0 bar<br>(44 psi) | 2.7 bar<br>(39 psi) | 3.4 bar<br>(49 psi) |
| 19-inch winter tires   | 2.4 bar<br>(35 psi) | 2.7 bar<br>(39 psi) | 2.6 bar<br>(38 psi) | 3.1 bar<br>(45 psi) |
| 20-inch winter tires   | 2.3 bar<br>(33 psi) | 2.6 bar<br>(38 psi) | 2.5 bar<br>(36 psi) | 2.9 bar<br>(42 psi) |
| 21-inch winter tires   | 2.5 bar<br>(36 psi) | 3.0 bar<br>(44 psi) | 2.7 bar<br>(39 psi) | 3.4 bar<br>(49 psi) |

| Panamera<br>4 E-Hybrid,<br>Panamera 4<br>E-Hybrid 10<br>Years Special<br>Model (3 rear<br>seats) | Part load           |                     | Full load           |                     |
|--|---------------------|---------------------|---------------------|---------------------|
|  | Front axle          | Rear axle           | Front axle          | Rear axle           |
| 19-inch summer tires   | 2.4 bar<br>(35 psi) | 2.6 bar<br>(38 psi) | 2.6 bar<br>(38 psi) | 3.0 bar<br>(44 psi) |
| 20-inch summer tires   | 2.3 bar<br>(33 psi) | 2.5 bar<br>(36 psi) | 2.5 bar<br>(36 psi) | 2.8 bar<br>(41 psi) |
| 21-inch summer tires   | 2.5 bar<br>(36 psi) | 2.9 bar<br>(42 psi) | 2.7 bar<br>(39 psi) | 3.3 bar<br>(48 psi) |
| 20-inch All-season tires   | 2.3 bar<br>(33 psi) | 2.5 bar<br>(36 psi) | 2.5 bar<br>(36 psi) | 2.8 bar<br>(41 psi) |
| 21-inch All-season tires   | 2.5 bar<br>(36 psi) | 2.9 bar<br>(42 psi) | 2.7 bar<br>(39 psi) | 3.3 bar<br>(48 psi) |
| 19-inch winter tires   | 2.4 bar<br>(35 psi) | 2.6 bar<br>(38 psi) | 2.6 bar<br>(38 psi) | 3.0 bar<br>(44 psi) |

| Panamera<br>4 E-Hybrid,<br>Panamera 4<br>E-Hybrid 10<br>Years Special<br>Model (3 rear<br>seats) | Part load           |                     | Full load           |                     |
|--|---------------------|---------------------|---------------------|---------------------|
|  | Front axle          | Rear axle           | Front axle          | Rear axle           |
| 20-inch winter<br>tires  | 2.3 bar<br>(33 psi) | 2.5 bar<br>(36 psi) | 2.5 bar<br>(36 psi) | 2.8 bar<br>(41 psi) |
| 21-inch winter<br>tires  | 2.5 bar<br>(36 psi) | 2.9 bar<br>(42 psi) | 2.7 bar<br>(39 psi) | 3.3 bar<br>(48 psi) |

| Panamera 4S                 | Part load           |                     | Full load           |                     |
|-----------------------------|---------------------|---------------------|---------------------|---------------------|
|                             | Front axle          | Rear axle           | Front axle          | Rear axle           |
| 19-inch summer<br>tires     | 2.4 bar<br>(35 psi) | 2.6 bar<br>(38 psi) | 2.6 bar<br>(38 psi) | 3.1 bar<br>(45 psi) |
| 20-inch summer<br>tires     | 2.3 bar<br>(33 psi) | 2.4 bar<br>(35 psi) | 2.5 bar<br>(36 psi) | 2.9 bar<br>(42 psi) |
| 21-inch summer<br>tires     | 2.7 bar<br>(39 psi) | 2.9 bar<br>(42 psi) | 2.8 bar<br>(41 psi) | 3.4 bar<br>(49 psi) |
| 20-inch<br>All-season tires | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) | 2.4 bar<br>(35 psi) | 2.7 bar<br>(39 psi) |
| 21-inch<br>All-season tires | 2.5 bar<br>(36 psi) | 2.7 bar<br>(39 psi) | 2.6 bar<br>(38 psi) | 3.2 bar<br>(46 psi) |
| 19-inch winter<br>tires     | 2.3 bar<br>(33 psi) | 2.4 bar<br>(35 psi) | 2.4 bar<br>(35 psi) | 2.9 bar<br>(42 psi) |
| 20-inch winter<br>tires     | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) | 2.4 bar<br>(35 psi) | 2.7 bar<br>(39 psi) |
| 21-inch winter<br>tires     | 2.5 bar<br>(36 psi) | 2.7 bar<br>(39 psi) | 2.6 bar<br>(38 psi) | 3.2 bar<br>(46 psi) |



| Panamera 4S<br>Executive,<br>Panamera 4S<br>Sport Turismo (2<br>rear seats) | Part load           |                     | Full load           |                     |
|---|---------------------|---------------------|---------------------|---------------------|
|   | Front axle          | Rear axle           | Front axle          | Rear axle           |
| 19-inch summer<br>tires   | 2.5 bar<br>(36 psi) | 2.4 bar<br>(35 psi) | 2.6 bar<br>(38 psi) | 2.8 bar<br>(41 psi) |
| 20-inch summer<br>tires   | 2.4 bar<br>(35 psi) | 2.3 bar<br>(33 psi) | 2.5 bar<br>(36 psi) | 2.7 bar<br>(39 psi) |
| 21-inch summer<br>tires   | 2.7 bar<br>(39 psi) | 2.7 bar<br>(39 psi) | 2.8 bar<br>(41 psi) | 3.1 bar<br>(45 psi) |
| 20-inch<br>All-season tires   | 2.3 bar<br>(33 psi) | 2.2 bar<br>(31 psi) | 2.4 bar<br>(35 psi) | 2.7 bar<br>(39 psi) |
| 21-inch<br>All-season tires   | 2.5 bar<br>(36 psi) | 2.7 bar<br>(39 psi) | 2.6 bar<br>(38 psi) | 3.0 bar<br>(44 psi) |
| 19-inch winter<br>tires   | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) | 2.4 bar<br>(35 psi) | 2.7 bar<br>(39 psi) |
| 20-inch winter<br>tires   | 2.3 bar<br>(33 psi) | 2.2 bar<br>(31 psi) | 2.4 bar<br>(35 psi) | 2.7 bar<br>(39 psi) |
| 21-inch winter<br>tires   | 2.5 bar<br>(36 psi) | 2.5 bar<br>(36 psi) | 2.6 bar<br>(38 psi) | 3.0 bar<br>(44 psi) |

| Panamera 4S<br>Sport Turismo (3<br>rear seats) | Part load           |                     | Full load           |                     |
|--|---------------------|---------------------|---------------------|---------------------|
|  | Front axle          | Rear axle           | Front axle          | Rear axle           |
| 19-inch summer<br>tires                        | 2.5 bar<br>(36 psi) | 2.5 bar<br>(36 psi) | 2.5 bar<br>(36 psi) | 3.0 bar<br>(44 psi) |
| 20-inch summer<br>tires                        | 2.4 bar<br>(35 psi) | 2.4 bar<br>(35 psi) | 2.5 bar<br>(36 psi) | 2.8 bar<br>(41 psi) |
| 21-inch summer<br>tires                        | 2.5 bar<br>(36 psi) | 2.8 bar<br>(41 psi) | 2.7 bar<br>(39 psi) | 3.3 bar<br>(48 psi) |
| 20-inch<br>All-season tires                    | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) | 2.4 bar<br>(35 psi) | 2.7 bar<br>(39 psi) |
| 21-inch<br>All-season tires                    | 2.4 bar<br>(35 psi) | 2.7 bar<br>(39 psi) | 2.6 bar<br>(38 psi) | 3.1 bar<br>(45 psi) |
| 19-inch winter<br>tires                        | 2.3 bar<br>(33 psi) | 2.4 bar<br>(35 psi) | 2.4 bar<br>(35 psi) | 2.8 bar<br>(41 psi) |

| Panamera 4S<br>Sport Turismo (3<br>rear seats) | Part load           |                     | Full load           |                     |
|--|---------------------|---------------------|---------------------|---------------------|
|  | Front axle          | Rear axle           | Front axle          | Rear axle           |
| 20-inch winter<br>tires                        | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) | 2.4 bar<br>(35 psi) | 2.7 bar<br>(39 psi) |
| 21-inch winter<br>tires                        | 2.4 bar<br>(35 psi) | 2.7 bar<br>(39 psi) | 2.6 bar<br>(38 psi) | 3.1 bar<br>(45 psi) |

| Panamera<br>Turbo (2<br>rear seats),<br>Panamera<br>Turbo Executive | Part load           |                     | Full load           |                     |
|---|---------------------|---------------------|---------------------|---------------------|
|   | Front axle          | Rear axle           | Front axle          | Rear axle           |
| 20-inch summer<br>tires   | 2.8 bar<br>(41 psi) | 2.4 bar<br>(35 psi) | 2.9 bar<br>(42 psi) | 2.9 bar<br>(42 psi) |
| 21-inch summer<br>tires   | 3.0 bar<br>(44 psi) | 2.8 bar<br>(41 psi) | 3.2 bar<br>(46 psi) | 3.4 bar<br>(49 psi) |
| 20-inch<br>All-season tires   | 2.4 bar<br>(35 psi) | 2.2 bar<br>(32 psi) | 2.5 bar<br>(36 psi) | 2.7 bar<br>(39 psi) |
| 21-inch<br>All-season tires   | 2.7 bar<br>(39 psi) | 2.7 bar<br>(39 psi) | 2.8 bar<br>(41 psi) | 2.9 bar<br>(42 psi) |
| 20-inch winter<br>tires   | 2.4 bar<br>(35 psi) | 2.2 bar<br>(32 psi) | 2.5 bar<br>(36 psi) | 2.7 bar<br>(39 psi) |
| 21-inch winter<br>tires   | 2.7 bar<br>(39 psi) | 2.5 bar<br>(36 psi) | 2.8 bar<br>(41 psi) | 2.9 bar<br>(42 psi) |

| Panamera<br>Turbo (3 rear<br>seats) | Part load           |                     | Full load           |                     |
|-------------------------------------|---------------------|---------------------|---------------------|---------------------|
|                                     | Front axle          | Rear axle           | Front axle          | Rear axle           |
| 20-inch summer<br>tires             | 2.7 bar<br>(39 psi) | 2.6 bar<br>(38 psi) | 2.9 bar<br>(42 psi) | 3.0 bar<br>(44 psi) |
| 21-inch summer<br>tires             | 2.9 bar<br>(42 psi) | 2.9 bar<br>(42 psi) | 3.2 bar<br>(46 psi) | 3.2 bar<br>(46 psi) |
| 20-inch<br>All-season tires         | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) | 2.5 bar<br>(36 psi) | 2.7 bar<br>(39 psi) |
| 21-inch<br>All-season tires         | 2.6 bar<br>(38 psi) | 2.6 bar<br>(38 psi) | 2.8 bar<br>(41 psi) | 3.1 bar<br>(45 psi) |

| Panamera Turbo (3 rear seats) | Part load           |                     | Full load           |                     |
|-------------------------------|---------------------|---------------------|---------------------|---------------------|
|                               | Front axle          | Rear axle           | Front axle          | Rear axle           |
| 20-inch winter tires          | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) | 2.5 bar<br>(36 psi) | 2.7 bar<br>(39 psi) |
| 21-inch winter tires          | 2.6 bar<br>(38 psi) | 2.6 bar<br>(38 psi) | 2.8 bar<br>(41 psi) | 3.1 bar<br>(45 psi) |

| Panamera Turbo Sport Turismo | Part load           |                     | Full load           |                     |
|------------------------------|---------------------|---------------------|---------------------|---------------------|
|                              | Front axle          | Rear axle           | Front axle          | Rear axle           |
| 20-inch summer tires         | 2.7 bar<br>(39 psi) | 2.5 bar<br>(36 psi) | 2.9 bar<br>(42 psi) | 2.9 bar<br>(42 psi) |
| 21-inch summer tires         | 3.0 bar<br>(44 psi) | 2.9 bar<br>(42 psi) | 3.2 bar<br>(46 psi) | 3.4 bar<br>(49 psi) |
| 20-inch All-season tires     | 2.4 bar<br>(35 psi) | 2.2 bar<br>(32 psi) | 2.5 bar<br>(36 psi) | 2.7 bar<br>(39 psi) |
| 21-inch All-season tires     | 2.6 bar<br>(38 psi) | 2.7 bar<br>(39 psi) | 2.8 bar<br>(41 psi) | 3.0 bar<br>(44 psi) |
| 20-inch winter tires         | 2.4 bar<br>(35 psi) | 2.2 bar<br>(32 psi) | 2.5 bar<br>(36 psi) | 2.7 bar<br>(39 psi) |
| 21-inch winter tires         | 2.6 bar<br>(38 psi) | 2.5 bar<br>(36 psi) | 2.8 bar<br>(41 psi) | 3.0 bar<br>(44 psi) |

| Panamera Turbo S E-Hybrid (2 rear seats), Panamera Turbo S E-Hybrid Executive, Panamera Turbo S E-Hybrid Sport Turismo | Part load           |                     | Full load           |                     |
|--|---------------------|---------------------|---------------------|---------------------|
|  | Front axle          | Rear axle           | Front axle          | Rear axle           |
| 21-inch summer tires   | 3.2 bar<br>(46 psi) | 3.2 bar<br>(46 psi) | 3.4 bar<br>(49 psi) | 3.4 bar<br>(49 psi) |
| 20-inch All-season tires   | 2.5 bar<br>(36 psi) | 2.5 bar<br>(36 psi) | 2.7 bar<br>(39 psi) | 2.8 bar<br>(41 psi) |

| Panamera<br>Turbo S<br>E-Hybrid (2<br>rear seats),<br>Panamera<br>Turbo S<br>E-Hybrid<br>Executive,<br>Panamera<br>Turbo S<br>E-Hybrid Sport<br>Turismo | Part load           |                     | Full load           |                     |
|---|---------------------|---------------------|---------------------|---------------------|
|   | Front axle          | Rear axle           | Front axle          | Rear axle           |
| <b>21-inch<br/>All-season tires</b>   | 2.8 bar<br>(41 psi) | 3.0 bar<br>(44 psi) | 3.0 bar<br>(44 psi) | 3.3 bar<br>(48 psi) |
| <b>20-inch winter<br/>tires</b>   | 2.5 bar<br>(36 psi) | 2.5 bar<br>(36 psi) | 2.7 bar<br>(39 psi) | 2.8 bar<br>(41 psi) |
| <b>21-inch winter<br/>tires</b>   | 2.8 bar<br>(41 psi) | 3.0 bar<br>(44 psi) | 3.0 bar<br>(44 psi) | 3.3 bar<br>(48 psi) |

| Panamera<br>Turbo S<br>E-Hybrid (3 rear<br>seats) | Part load           |                     | Full load           |                     |
|---|---------------------|---------------------|---------------------|---------------------|
|   | Front axle          | Rear axle           | Front axle          | Rear axle           |
| <b>21-inch summer<br/>tires</b>                   | 3.2 bar<br>(46 psi) | 3.2 bar<br>(46 psi) | 3.4 bar<br>(49 psi) | 3.4 bar<br>(49 psi) |
| <b>20-inch<br/>All-season tires</b>               | 2.5 bar<br>(36 psi) | 2.5 bar<br>(36 psi) | 2.6 bar<br>(38 psi) | 2.8 bar<br>(41 psi) |
| <b>21-inch<br/>All-season tires</b>               | 2.8 bar<br>(41 psi) | 2.9 bar<br>(42 psi) | 3.0 bar<br>(44 psi) | 3.3 bar<br>(48 psi) |
| <b>20-inch winter<br/>tires</b>                   | 2.5 bar<br>(36 psi) | 2.5 bar<br>(36 psi) | 2.6 bar<br>(38 psi) | 2.8 bar<br>(41 psi) |
| <b>21-inch winter<br/>tires</b>                   | 2.8 bar<br>(41 psi) | 2.9 bar<br>(42 psi) | 3.0 bar<br>(44 psi) | 3.3 bar<br>(48 psi) |

Note: All-season tires only for c-options C02, C08, C14, C15, C17, C18, C23, C26, C32, C33, C34, C35, C36, C37, C38, C39, C42, C45, C46, C96



#### WARNING

Driving at high speed with low tire pressure

- Irreparable damage to tires

⇒ Set Comfort air pressure for tires only on vehicles with Tire Pressure Monitoring System (TPMS) and "Comfort" selected in the "Tire pressure" main menu in the multi-function display.



**Information**

The permitted speed threshold for Comfort tire pressure depends on the vehicle's country equipment (c-option) and cannot be selected.



**Information**

The permitted speed threshold for Comfort tire pressure depends on the vehicle's country equipment (c-option) and cannot be selected.

Comfort tire pressure up to 100 mph (160 km/h):

**Comfort tire pressure up to 100 mph (160 km/h)**

For vehicles with "Comfort pressure" selected in the Tire Pressure Monitoring (TPM) system and speed threshold "160 km/h" ("100 mph").

– Only for c-options C02, C08, C14, C15, C17, C18, C23, C34, C35, C36, C37, C38, C39, C96

| Panamera, Panamera 4, Panamera ST (2 rear seats) | Front axle       | Rear axle        |
|--|------------------|------------------|
| 19-inch summer tires                             | 2.1 bar (30 psi) | 2.1 bar (30 psi) |
| 20-inch summer tires                             | 2.0 bar (30 psi) | 2.0 bar (30 psi) |
| 21-inch summer tires                             | 2.3 bar (33 psi) | 2.3 bar (33 psi) |
| 20-inch All-season tires                         | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch All-season tires                         | 2.3 bar (33 psi) | 2.3 bar (33 psi) |
| 19-inch winter tires                             | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 20-inch winter tires                             | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch winter tires                             | 2.3 bar (33 psi) | 2.3 bar (33 psi) |

| <b>Panamera 4 S</b>             | <b>Front axle</b>   | <b>Rear axle</b>    |
|---------------------------------|---------------------|---------------------|
| <b>19-inch summer tires</b>     | 2.1 bar<br>(30 psi) | 2.1 bar<br>(30 psi) |
| <b>20-inch summer tires</b>     | 2.0 bar<br>(30 psi) | 2.0 bar<br>(30 psi) |
| <b>21-inch summer tires</b>     | 2.2 bar<br>(32 psi) | 2.4 bar<br>(35 psi) |
| <b>20-inch All-season tires</b> | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>21-inch All-season tires</b> | 2.2 bar<br>(32 psi) | 2.4 bar<br>(35 psi) |
| <b>19-inch winter tires</b>     | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>20-inch winter tires</b>     | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>21-inch winter tires</b>     | 2.2 bar<br>(32 psi) | 2.4 bar<br>(35 psi) |

| <b>Panamera 4 S Executive,<br/>Panamera Sport Turismo 4S (2 rear seats),<br/>Panamera Executive,<br/>Panamera 4 Executive</b> | <b>Front axle</b>   | <b>Rear axle</b>    |
|---|---------------------|---------------------|
| <b>19-inch summer tires</b>   | 2.0 bar<br>(30 psi) | 2.0 bar<br>(30 psi) |
| <b>20-inch summer tires</b>   | 2.0 bar<br>(30 psi) | 2.0 bar<br>(30 psi) |
| <b>21-inch summer tires</b>   | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) |
| <b>20-inch All-season tires</b>   | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>21-inch All-season tires</b>   | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>19-inch winter tires</b>   | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |

| Panamera 4 S Executive, Panamera Sport Turismo 4S (2 rear seats), Panamera Executive, Panamera 4 Executive | Front axle       | Rear axle        |
|--|------------------|------------------|
| 20-inch winter tires   | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch winter tires   | 2.2 bar (32 psi) | 2.2 bar (32 psi) |

| Panamera Sport Turismo 4S (3 rear seats) | Front axle       | Rear axle        |
|--|------------------|------------------|
| 19-inch summer tires                     | 2.0 bar (30 psi) | 2.0 bar (30 psi) |
| 20-inch summer tires                     | 2.0 bar (30 psi) | 2.0 bar (30 psi) |
| 21-inch summer tires                     | 2.3 bar (33 psi) | 2.3 bar (33 psi) |
| 20-inch All-season tires                 | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch All-season tires                 | 2.3 bar (33 psi) | 2.3 bar (33 psi) |
| 19-inch winter tires                     | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 20-inch winter tires                     | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch winter tires                     | 2.3 bar (33 psi) | 2.3 bar (33 psi) |

| <b>Panamera 4 E-Hybrid (2 rear seats), Panamera 4 E-Hybrid Executive</b> | <b>Front axle</b>   | <b>Rear axle</b>    |
|--|---------------------|---------------------|
| <b>19-inch summer tires</b>  | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>20-inch summer tires</b>  | 2.0 bar<br>(30 psi) | 2.0 bar<br>(30 psi) |
| <b>21-inch summer tires</b>  | 2.3 bar<br>(33 psi) | 2.4 bar<br>(35 psi) |
| <b>20-inch All-season tires</b>  | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>21-inch All-season tires</b>  | 2.3 bar<br>(33 psi) | 2.4 bar<br>(35 psi) |
| <b>19-inch winter tires</b>  | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>20-inch winter tires</b>  | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>21-inch winter tires</b>  | 2.3 bar<br>(33 psi) | 2.4 bar<br>(35 psi) |

| <b>Panamera Sport Turismo 4 E-Hybrid</b> | <b>Front axle</b>   | <b>Rear axle</b>    |
|--|---------------------|---------------------|
| <b>19-inch summer tires</b>              | 2.0 bar<br>(30 psi) | 2.3 bar<br>(33 psi) |
| <b>20-inch summer tires</b>              | 2.0 bar<br>(30 psi) | 2.1 bar<br>(30 psi) |
| <b>21-inch summer tires</b>              | 2.0 bar<br>(30 psi) | 2.5 bar<br>(36 psi) |
| <b>20-inch All-season tires</b>          | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>21-inch All-season tires</b>          | 2.2 bar<br>(32 psi) | 2.5 bar<br>(36 psi) |
| <b>19-inch winter tires</b>              | 2.2 bar<br>(32 psi) | 2.3 bar<br>(33 psi) |



| Panamera Sport Turismo 4 E-Hybrid | Front axle          | Rear axle           |
|-----------------------------------|---------------------|---------------------|
| 20-inch winter tires              | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| 21-inch winter tires              | 2.2 bar<br>(32 psi) | 2.5 bar<br>(36 psi) |

| Panamera Sport Turismo 4 (2 rear seats) | Front axle          | Rear axle           |
|---|---------------------|---------------------|
| 19-inch summer tires                    | 2.1 bar<br>(30 psi) | 2.1 bar<br>(30 psi) |
| 20-inch summer tires                    | 2.0 bar<br>(30 psi) | 2.0 bar<br>(30 psi) |
| 21-inch summer tires                    | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) |
| 20-inch All-season tires                | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| 21-inch All-season tires                | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) |
| 19-inch winter tires                    | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| 20-inch winter tires                    | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| 21-inch winter tires                    | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) |

| Panamera Sport Turismo 4 (3 rear seats) | Front axle          | Rear axle           |
|---|---------------------|---------------------|
| 19-inch summer tires                    | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| 20-inch summer tires                    | 2.1 bar<br>(30 psi) | 2.1 bar<br>(30 psi) |
| 21-inch summer tires                    | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) |
| 20-inch All-season tires                | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |

| <b>Panamera Sport Turismo 4 (3 rear seats)</b> | <b>Front axle</b>   | <b>Rear axle</b>    |
|--|---------------------|---------------------|
| <b>21-inch All-season tires</b>                | 2.2 bar<br>(32 psi) | 2.5 bar<br>(36 psi) |
| <b>19-inch winter tires</b>                    | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>20-inch winter tires</b>                    | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>21-inch winter tires</b>                    | 2.2 bar<br>(32 psi) | 2.5 bar<br>(36 psi) |

| <b>Panamera Turbo (2 rear seats), Panamera Turbo Executive, Panamera Sport Turismo Turbo</b> | <b>Front axle</b>   | <b>Rear axle</b>    |
|--|---------------------|---------------------|
| <b>20-inch summer tires</b>  | 2.0 bar<br>(30 psi) | 2.0 bar<br>(30 psi) |
| <b>21-inch summer tires</b>  | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) |
| <b>20-inch All-season tires</b>  | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>21-inch All-season tires</b>  | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>20-inch winter tires</b>  | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>21-inch winter tires</b>  | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |

| Panamera Turbo S E-Hybrid (2 rear seats),<br>Panamera Turbo S E-Hybrid Executive,<br>Panamera Sport Turismo Turbo S E-Hybrid | Front axle          | Rear axle           |
|--|---------------------|---------------------|
| 21-inch summer tires   | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) |
| 20-inch All-season tires   | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| 21-inch All-season tires   | 2.3 bar<br>(33 psi) | 2.5 bar<br>(36 psi) |
| 20-inch winter tires   | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| 21-inch winter tires   | 2.3 bar<br>(33 psi) | 2.5 bar<br>(36 psi) |

| Panamera GTS,<br>Panamera Sport Turismo GTS | Front axle          | Rear axle           |
|---|---------------------|---------------------|
| 20-inch summer tires                        | 2.0 bar<br>(30 psi) | 2.0 bar<br>(30 psi) |
| 21-inch summer tires                        | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) |
| 20-inch All-season tires                    | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| 21-inch All-season tires                    | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) |
| 20-inch winter tires                        | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| 21-inch winter tires                        | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) |

| <b>Panamera Turbo<br/>(3 rear seats)</b> | <b>Front axle</b>   | <b>Rear axle</b>    |
|--|---------------------|---------------------|
| <b>20-inch summer tires</b>              | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) |
| <b>21-inch summer tires</b>              | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) |
| <b>20-inch All-season tires</b>          | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>21-inch All-season tires</b>          | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>20-inch winter tires</b>              | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>21-inch winter tires</b>              | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |

| <b>Panamera 4<br/>E-Hybrid (3 rear seats)</b> | <b>Front axle</b>   | <b>Rear axle</b>    |
|---|---------------------|---------------------|
| <b>19-inch summer tires</b>                   | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>20-inch summer tires</b>                   | 2.1 bar<br>(30 psi) | 2.1 bar<br>(30 psi) |
| <b>21-inch summer tires</b>                   | 2.3 bar<br>(33 psi) | 2.5 bar<br>(36 psi) |
| <b>20-inch All-season tires</b>               | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>21-inch All-season tires</b>               | 2.3 bar<br>(33 psi) | 2.5 bar<br>(36 psi) |
| <b>19-inch winter tires</b>                   | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>20-inch winter tires</b>                   | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| <b>21-inch winter tires</b>                   | 2.3 bar<br>(33 psi) | 2.5 bar<br>(36 psi) |

| Panamera Turbo S E-Hybrid (3 rear seats) | Front axle          | Rear axle           |
|--|---------------------|---------------------|
| 21-inch summer tires                     | 2.3 bar<br>(33 psi) | 2.3 bar<br>(33 psi) |
| 20-inch All-season tires                 | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| 21-inch All-season tires                 | 2.3 bar<br>(33 psi) | 2.5 bar<br>(36 psi) |
| 20-inch winter tires                     | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| 21-inch winter tires                     | 2.2 bar<br>(32 psi) | 2.5 bar<br>(36 psi) |

| Panamera 4 E-Hybrid Executive,<br>Panamera Turbo S E-Hybrid,<br>Panamera Turbo S E-Hybrid Executive,<br>Panamera Turbo S E-Hybrid Sport Turismo | Front axle          | Rear axle           |
|---|---------------------|---------------------|
| 21-inch summer tires  | 2.2 bar<br>(32 psi) | 2.4 bar<br>(35 psi) |
| 20-inch All-season tires  | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| 21-inch All-season tires  | 2.2 bar<br>(32 psi) | 2.4 bar<br>(35 psi) |
| 20-inch winter tires  | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| 21-inch winter tires  | 2.2 bar<br>(32 psi) | 2.4 bar<br>(35 psi) |

| Panamera 4<br>E-Hybrid Sport<br>Turismo | Front axle          | Rear axle           |
|---|---------------------|---------------------|
| 21-inch summer<br>tires                 | 2.2 bar<br>(32 psi) | 2.5 bar<br>(36 psi) |
| 20-inch<br>All-season tires             | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| 21-inch<br>All-season tires             | 2.2 bar<br>(32 psi) | 2.5 bar<br>(36 psi) |
| 20-inch winter<br>tires                 | 2.2 bar<br>(32 psi) | 2.2 bar<br>(32 psi) |
| 21-inch winter<br>tires                 | 2.2 bar<br>(32 psi) | 2.5 bar<br>(36 psi) |

 **WARNING**
**Incorrectly installed snow chains**

- **Uncontrollable vehicle handling**
- ⇒ **Do not exceed the maximum speed of Speed 30 mph/50 km/h.**
- ⇒ **Observe installation instructions from the chain manufacturer.**

Snow Chains: Porsche offers the following snow chains as accessories:

| Tire size       | Porsche Part No. |
|-----------------|------------------|
| 295/40 R 19 M+S | 971.044.690.A    |
| 315/35 R 20 M+S | 971.044.690.B    |
| 315/30 R 21 M+S | 971.044.690.B    |

Snow-chain clearance is only guaranteed for the tires specified above. Can only be fitted on the rear wheels.

**Wheel Storage:** Tires must be stored in a cool, dry and dark room with adequate ventilation. Tires must never come into contact with fuel, oil, grease or chemicals. Do not store summer tires in storage areas with ambient temperatures of less than 5° F (-15 °C).

Complete wheels can be stacked for storage; we recommend that you increase the tire pressure by approx. 0.4 bar (6 psi).

If the tires are not mounted on wheels, it is best to store them in a vertical position. We recommend that you turn tires stored in this position every two weeks in order to prevent flat spots. Tires that are stacked in a horizontal position will become severely deformed and cannot be seated properly in the rim flange when they are mounted.

**General Info:** Always use new valves when changing tires.

Always observe any possible instructions concerning the rolling direction and/or specifying which side the tires must be mounted on. Refer to notes on page 1 (if applicable).

Coat the tire beads and humps with mounting lubricant before mounting the tire. This ensures that the tire beads will slide over the humps easily. In order to prevent the tire from turning on the wheel, avoid extreme driving maneuvers (acceleration and braking) during the first 100 to 200 miles with new or recently mounted tires.

In order to optimize smoothness of rolling, it is appropriate - and necessary in individual cases - to mount the tire in a certain (favorable) position with respect to the wheel (matching).

Matching (uncontrolled and controlled) is explained below:

Uncontrolled matching: Turning the tire on the wheel by 90° or 120° if necessary in order to achieve an acceptable value with regard to rolling smoothness (true running, imbalance and weight distribution of balance weights).

Controlled matching: With a balancing machine with matching program. In most cases, this produces an even better result with regard to the rolling smoothness (true running, imbalance and weight distribution of the balance weights) than can be achieved with uncontrolled matching. Maximum permissible radial runout and lateral runout of the wheels < 0.7 mm. Maximum permissible radial runout and lateral runout of the wheels with tires < 1.25 mm. Values < 1.50 mm - ideally approx. 0.5 mm - are desirable.

The mounting pressure (seating pressure) of 58 psi/4.0 bar overpressure must not be exceeded before both tire beads are evenly seated on the rim flange.

If new tires are to be mounted or the tires of one axle are to be replaced, tires of the same make, the same type and with the same specification code must always be used on each of the two axles. If tires are replaced on one axle only, the different tread depth from that on the other axle can cause a noticeable change in the familiar handling. This is especially the case if new tires are mounted on the rear axle. This effect decreases with increasing tire mileage.

When replacing a tire on an axle, make sure that the tread depth of the new tire does not differ from that of the other tire by more than 30 %.

If a tire is damaged and it cannot be determined with absolute certainty that there is no ply damage - with all of its consequences - or if the tire was thermally or mechanically overloaded due to a loss of pressure or other prior damage, we recommend replacement of the tire in question for safety reasons.

Repairs on "ZR" tires are not permissible, as is the use of inner tubes in tubeless tires. Tires age due to chemical and physical processes, which can impair their function. Tires that are stored unused for an extended period harden and become brittle faster than tires that are in continual use. Hairline aging cracks can occur on older tires. On tires in continual use, the kneading action activates the plasticizer in the rubber and thereby prevents hardening and cracking.

Therefore, attention should be paid not only to the tread depth but also to the age of the tire. Tires should not be older than 6 years. The age of the tire can be determined via the DOT code on the sidewall, which indicates the production date of the tire: e.g. DOT 2201 = 22nd week of 2001.

**Important Notice:** Technical Bulletins issued by Porsche Cars North America, Inc. are intended only for use by professional automotive technicians who have attended Porsche service training courses. They are written to inform those technicians of conditions that may occur on some Porsche vehicles, or to provide information that could assist in the proper servicing of a vehicle. Porsche special tools may be necessary in order to perform certain operations identified in these bulletins. Use of tools and procedures other than those Porsche recommends in these bulletins may be detrimental to the safe operation of your vehicle, and may endanger the people working on it. Properly trained Porsche technicians have the equipment, tools, safety instructions, and know-how to do the job properly and safely. Part numbers listed in these bulletins are for reference only. The work procedures updated electronically in the Porsche PIWIS diagnostic and testing device take precedence and, in the event of a discrepancy, the work procedures in the PIWIS Tester are the ones that must be followed.

© 2020 Porsche Cars North America, Inc.