

This Pitstop provides information on how to enable the Driver Attention Warning (DAW) feature on equipped Sedona (YP) vehicles. The default setting of this feature is set 'OFF' from the factory and needs to be enabled for operation utilizing the Kia Diagnostic System (KDS). This feature cannot be enabled via the user settings menu in the instrument cluster until it is first enabled by KDS.

Once this feature has been enabled, navigate to "Driver Assistance" under the User Settings menu in the instrument cluster and select "Driver Attention Warning". There will be 2 different sensitivity settings that can be selected, and an option to turn the system OFF.

To enable the DAW feature, follow the outline below:

1. On the main menu, select S/W Management.



Printed Pitstop copy is for reference only; information may be updated at any time. Always refer to KGIS for the latest information.

2. Scroll to Multi Function Camera and <u>select</u> Variant Coding.

=0	S/W Management	1
	Systems Component	s Unfold Al
Sm:	art Cruise Control	Œ
Tire	Pressure Monitoring	4
Par	king Guide System	4
Sur	round View Monitor System	4
Blin	d Spot Detection(BSD-Left)	(8
Blin	d Spot Detection(BSD-Right)	ł
Mul	ti Function Camera	1
System	stem Identification	8
Var	riant Coding	
 SP SP 	C Calibration	
Ada	ptive Front Lighting System	(8
Aut	o Headlamp Leveling System	Œ
Imn	nobilizer	4
Sm:	art Key Unit	đ
Am	plifier	(
	Do not touch any system buttons while	performing this function.

3. Select OK.

To optimize MFC function in according to equipped option of vehicle. 1. Engine Off 2. Ignition Switch On
1. Engine Off 2. Ignition Switch On
Forward Collision Warning System(FCWS), Autonomous Emergency Braking (AEB) Module, Speed Limit Information Function(SLIF)
C170246
Warning Lamp On
÷

4. Select ATTENTION ASSIST option: NONE.

0	S/W Manage	ement	60 C	
Variant Co	ding		-	/ariant Coding
• [Varian	t Coding]			Variant Codin
[Data V	/rite]			[Data Write]
1. Selec	t the item to modify.			1. Select the ite
2. Selec	t the value in combo box			2. Select the v
3. Press	[OK] button.			3. Press <mark>(OK)</mark> b
	Item	Setting Value		
	Country Code :	North America		
	Left/Right hand drive :	LHD		
	HBA Option :	HBA		
	LKAS/LDWS Option :	LDWS		
	ECW/AEB Option :	AER (Sensor fusion)		
	ATTENTION ASSIST Option :	NONE		ATT
	NONE	•		
	ок	Cancel		C.

5. Select ATTENTION ASSIST. Select OK.

S/W Management					
Variant Coo	ling				
• [Variant	Coding]				
[Data W	rite]				
1. Select	the item to modify.				
2. Select	the value in combo box				
3. Press	[OK] button.				
	Item	Setting Value			
	Country Code :	North America			
	Left/Right hand drive :	LHD			
	HBA Option :	HBA			
	LKAS/LDWS Option :	LDWS			
	FCW/AEB Option :	AEB (Sensor fusion)			
	ATTENTION ASSIST Option :	ATTENTION ASSIST			
	ATTENTION ASSU	ST ¥ IST •			
	ок	Cancel			
Doi	not touch any system buttons	while performing this	function.		

Printed Pitstop copy is for reference only; information may be updated at any time. Always refer to KGIS for the latest information.



Printed Pitstop copy is for reference only; information may be updated at any time. Always refer to KGIS for the latest information.