



Highland
RIDGE RV

STARCRAFT

MORryde Actuator - Power Locking Doors

Bulletin Type:	Standard Repair Procedure SRP	Publication Date:	March 2020
Bulletin #:	20-006	Make:	Entegra
Job Code(s):	**	Models:	Aspire Anthem Cornerstone
Flat Rate(s):	**	Model Years:	2017 - 2020
<i>** If affected unit has warranty remaining, submit your claim following the normal process.</i>			

Incident:	Electric Cargo Door lock actuator jams and prevents door from opening. If the compartment does not have another access from behind the compartment, only entry is by drilling out the door handle.
Affected Units:	ALL 2017-2020 Anthem and Cornerstone 2019-2020 Aspire with the optional Electric cargo door locks.
Parts:	1 Actuator per Compartment Door 1 Bracket per Compartment Door
Misc. Tools & Supplies:	Cordless Drill/Driver Philips Bit #1 Square Bit #2

Jayco's sole obligation under our limited warranty is to repair or replace defective materials and/or workmanship deemed our responsibility as determined by Jayco in our sole discretion. Jayco reserves the right to use new and/or remanufactured parts or materials of similar quality to complete any work, and to make parts and/or design changes as appropriate without notice to anyone. Jayco designs and/or materials changes are done without obligation to incorporate such changes in previously manufactured product. Jayco makes every reasonable effort to ensure field remedies will not adversely affect performance and/or safety of the unit. This field remedy is not intended to extend to future performance of this RV, or any of its materials, components or parts beyond the standard warranty period. The RV owner's obligation to notify Jayco, or one of its independent, authorized dealers, of a claimed defect does not modify any obligation placed on the RV owner to contact Jayco directly when attempting to pursue remedies under state or federal law. Jan. 2019.

903 South Main Street • P.O. Box 460 • Middlebury, IN 46540

POWER ACTUATOR


REPLACEMENT GUIDE

2017–2021

Entegra Aspire, Anthem, &
Cornerstone Power Locking Doors

TOOLS REQUIRED

- Cordless Drill/Driver
- Philips Bit #1
- Square Bit #2



Above. Beyond. Always.

574.293.1581 • MORryde.com

REPLACEMENT GUIDE:


Step 1

Use a square bit to remove (3) tek screws and loosen (1) tek screw in the plastic cover to allow access to the locking mechanism.




Step 2

Use a Phillips bit to remove the (3) pan head screws holding the handle to the bracket.





Step 3

Use a square bit to remove (2) tek screws holding the handle bracket to the rotary latch mount bracket.



Step 4

Remove the handle bracket with the actuator and disconnect the actuator from the power cable.



Step 5

If necessary, re-install a Z-bent rod in the handle as shown.




Above. Beyond. Always.

574.293.1581 • MORryde.com

Step 6


Slide the new handle bracket with the new actuator under the back skin and attach the new power actuator to the Z-bent rod as shown.

NOTE: Make sure the end of the actuator is orientated vertically as shown below by the red arrow. The picture on the left is the incorrect orientation.




Step 7

Verify that the wire is not trapped under the handle bracket.




Step 8

Use a square bit to install (2) tek screws while holding the handle bracket to the rotary latch mount bracket.



Step 9

Use a Philips bit to install (3) pan head screws while holding the handle to the bracket.





Step 10

Connect the new actuator to the power supply. The internal wire color will vary depending on the age of the unit.

Actuator: Green connects to → Wire Harness: Brown or Green

Actuator: Blue connects to → Wire Harness: White, Yellow or Blue

Lock and unlock the baggage door to make sure the door locks and unlocks correctly. If the door locks in the unlocked position, switch the actuator wires connected to the internal wire.



Step 11

Use a square bit to install (3) tek screws into the plastic cover that allows access to the locking mechanism.



If you have any questions regarding the installation procedure or have difficulty with any of the steps, please give us a call at

574-293-1581 or email parts@morryde.com.



Above. Beyond. Always.

574.293.1581 • MORryde.com