

TECHNICAL SERVICE BULLETIN



DEPARTMENT OF COMPLIANCE
VEHICLE SAFETY AND RECALL MANAGEMENT
BUILDING 11
423 N MAIN ST
MIDDLEBURY, INDIANA 46540-9218

Technical Service Bulletin: 49-1200

- o *Integrity*
- o *Safety*
- o *Quality*
- o *Customer Service*

July 17, 2020

This Notice applies to your vehicle VIN listed above.

Dear Forest River Customer:

Forest River is alerting you to an issue involving certain 2020-2021 – Sanibel Fifth Wheel Recreational Vehicles. Please see the information below, which describes the issue and provides you with details on the steps you should take to have your vehicle repaired.

WHAT IS THE ISSUE?

The check box stating that it is a “dual” tire set up is incorrect. Should be marked as “single”.

OWNERS: WHAT SHOULD YOU DO?

Federal Placard Installation:

- The new label is included with this letter
- The labels are located on the road side of the unit, low on the sidewall or on the upper deck on the same side and on the entry door;
- Wipe off the old labels with isotropic alcohol;
- Match the labels and carefully place the new labels directly on top of the old labels

If you are uncomfortable with replacing the Federal Placards, please contact your dealer without delay and request a service appointment to schedule the free repair. The vehicle Owner is responsible for making arrangements to have the work completed. Please state you have been notified by Forest River of the issue and provide the TSB number (located at the top of this page) to the dealership. It is also helpful to give the dealership a copy of this letter when you take your vehicle in for the repair.

You may visit www.forestriverinc.com to search for dealer locations.

HOW LONG WILL THE REMEDY PROCESS TAKE?

The estimated time of repair is .10 hours. However, the dealership may need to keep your vehicle or schedule an appointment with you for a later date to fit into their regular service schedule.

MAY FOREST RIVER ASSIST YOU FURTHER?

HELPFUL CONTACT INFORMATION:

CONTACT	PHONE
SANIBEL CUSTOMER SERVICE	(574) 862-1025

Repair Codes:

Pictures are required for the remedy and/or inspection after installation.

Pictures of the remedy are a condition of payment in which must be provided with a claim against the repair code(s).

DEALER REPAIR CODES: Dealer Connect

TSB NUMBER	REPAIR CODE	DESCRIPTION	ALLOWABLE HOUR(S)
49-1200	SB-511-01-00-003644	R/R FEDERAL PLACARD	.10 HRS

TECHNICAL SERVICE BULLETIN

WHAT IF YOU HAVE PREVIOUSLY PAID FOR REPAIRS TO YOUR VEHICLE FOR THIS PARTICULAR CONDITION?

If you have already paid for a repair that is within the scope of this service bulletin, you may be eligible for a refund of previously paid repairs. Refunds will only be provided within the scope of this Technical Service Bulletin.

Please send the service invoice to the following address:

SANIBEL
Forest River, Inc.
Attn: WARRANTY MANAGER
66149 SR 19
Wakarusa, IN 46573

Sincerely,

Forest River, Inc.
Engineer
Office of Corporate Compliance

RECREATIONAL VEHICLE TRAILER CARGO CARRYING CAPACITY

VIN: [REDACTED]

THE WEIGHT OF CARGO SHOULD NEVER EXCEED

1209 kg or 2665 lbs

CAUTION:

A full load of water equals 226 kg or 498 lbs of cargo @ 1 kg/L (8.3 lb/gal)

RECREATIONAL VEHICLE TRAILER CARGO CARRYING CAPACITY

Capacité de transport de chargement de caravane de véhicule de récréation

CARGO-CARRYING CAPACITY IS DETERMINED WITH THE FRESH WATER TANKS FULL AND THE WASTE TANKS EMPTY

Capacité de chargement est calculée avec les réservoirs d'eau douce pleins et les réservoirs d'eaux usées vides

Dry weight/Poids Sec:	5032 KG	VIN/NIV:	[REDACTED]
Cargo carrying capacity:	983 KG	Capacité de transport de chargement:	983 KG
Calculated with the fresh water tanks full		Calculé avec les réservoirs d'eau douce pleins	
Cold:	203 KG	Froid:	203 KG
Hot:	23 KG	Chaud:	23 KG
Mass of waste water tank full:	422 KG	Masses de réservoirs d'eaux usées pleins:	422 KG



TIRE AND LOADING INFORMATION

The combined weight of Cargo should Never Exceed:
1209 Kgs or 2665 Lbs

TIRE	SIZE	COLD TIRE PRESSURE	SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION
FRONT	ST235/80R16/E	80 PSI / 552 KPA	
REAR	ST235/80R16/E	80 PSI / 552 KPA	
SPARE	ST235/80R16/E	80 PSI / 552 KPA	



RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT

Le poids du chargement ne doit jamais dépasser
1209 Kgs or 2665 Lbs

PNEU	DIMENSIONS	PRESSION DES PNEUS À FROID	VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS
AVANT	ST235/80R16/E	80 lb/po2 552 KPA	
ARRIÈRE	ST235/80R16/E	80 lb/po2 552 KPA	
DE SECOURS	ST235/80R16/E	80 lb/po2 552 KPA	



Dry Weight: 11093 lbs



Dry Weight: 11093 lbs

MANUFACTURED BY / FABRIQUE PAR: FOREST RIVER, INC.

DATE: 10/22/2019

V.I.N./N.I.V.: 5ZT3SNWB0LG703413

GAWR/PNEU 6267 KG 13817 LB) TYPE/TYPE: TRA/REM

COUPLER SIZE:

CARRO/PNE	TIRE/PNEU	RINQUANTE	COLD INF. PRESS/PRESS DE GONFL. A FROID
FRONT/AVANT (2722 KG 6000 LB)	ST235/80R16/E	16X6.0J	552 KPA SINGLE DUAL (80 PSILPC) ☒ ☐
INTERM/TERM (0 KG 0 LB)			0 KPA SINGLE DUAL (0 PSILPC) ☐ ☐
REAR/ARRIÈRE (2722 KG 6000 LB)	ST235/80R16/E	16X6.0J	552 KPA SINGLE DUAL (80 PSILPC) ☒ ☐

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE.

CE VEHICULE EST CONFORME A TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICULES AUTOMOBILES DU CANADA EN VIGUEUR A LA DATE DE SA FABRICATION.