

Technical Information

Freigabe/Approval

25/20 ENU 1701

Overview of Approved Porsche C20 Engine Oils (25/20)

Revision: This bulletin replaces bulletin Group 1, 13/20, dated April 23, 2020

Model Year: As of 1984

Vehicle Type: All Porsche vehicles for which Porsche C20 engine oils are allocated.

Overview:



Information

The period of validity for the approved engine oil is between 2 and 3 years. The expiration date of the approval is given in the last column in the list.

Once this validity period has elapsed, the approval in question is revoked unless an extension is requested by the relevant manufacturer.

AVISTA OIL Refining & Trading Deutschland GmbH	AVISTA pace EVO FE SAE OW-20	OW-20	Worldwide	30.06.2020
	T		1	1
CASTROL Technology	Castrol EDGE Professional LL IV FE	OW-20	Worldwide	31.01.2022
Castrol Technology	Castrol EDGE 0W-20 LL IV	0W-20	Worldwide	31.01.2022
Castrol Technology	Aral Super Tronic LL IV FE 0W-20	0W-20	Worldwide	08.05.2022
Castrol Technology	Castrol EDGE Professional LL IV FE OW-20	0W-20	Worldwide	08.06.2022
Castrol Technology	Castrol EDGE Professional Longlife IV FE OW-20	0W-20	Worldwide	31.01.2022
-		-		
CEPSA LUBRICANTES S.A Spain	XTAR OW20 ECO V IV	OW-20	Worldwide	30.06.2020
	T	T	1	1
EXXONMOBIL Corporation	Mobil 1 ESP X2 OW-20	0W-20	Worldwide	15.11.2021
EXXONMOBIL Corporation	Mobil 1 ESP X2 OW-20	OW-20	Worldwide	15.11.2021

Freigabe/Approval

1701 ENU 25/20

Technical Information

LLK-Interna- tional (LUKOIL Lubricants Company)	LUKOIL GENESIS SPECIAL VN 0W-20	0W-20	Worldwide	06.07.2021
-		ı	r	1
Petrogal S.A. galp energia	Galp Formula LS FE Longlife IV OW-20	0W-20	Europe, North America	12.05.2021
		_		
Ravensberger Schmierstof- fvertrieb GmbH	RAVENOL VSE SAE OW-20	OW-20	Worldwide	21.12.2021
			-	
Total	Total Quartz Ineo Longlife OW-20	OW-20	Worldwide	13.05.2020
Valvoline Europe	Valvoline SynPower XL-IV C5 SAE OW-20	0W-20	Worldwide	08.11.2022
YACCO	YACCO LUBE W SAE OW-20	0W-20	Worldwide	30.06.2020

Sales Areas:

The respective sales area is also listed in order to clarify where the approved oils are available. Here are the meanings of the symbols:

WW	Worldwide	ESP	Spain
			•
EU	Europe	FIN	Finland
E-EU	Eastern Europe	FRA	France
USA	United States of America	GB	Great Britain and Northern Ireland
C-America	Central America	IRL	Ireland
N-America	North America	JAP	Japan
S-America	South America	MEX	Mexico
AF	Africa	NOR	Norway
Asia	Asia	NZL	New Zealand
FSU	Former Soviet Union	RUS	Russia
BS	Baltic countries	SCG	Croatia
AUS	Australia	SVK	Slovakia
AUT	Austria	SWE	Sweden
BRA	Brazil	TWN	Taiwan

Technical Information	Freigabe/Approval
	25/20 ENU 1701

CAN	Canada	UAE	United Arab Emirates
СП	Switzorland	IIVD	Ukraino

CH Switzerland UKR Ukraine

CHN China VNM Vietnam

DEU Germany ZA South Africa

Miscibility:

All engine oils approved by Porsche can be mixed provided they are of the same Porsche oil specification. This means that it is not necessary to flush the engine when the oil is changed if another type of oil is used. However, since every brand of oil has a specially adapted unique composition, the same brand and type of oil should be used for topping up between oil change intervals if possible.

Important Notice: Technical Bulletins issued by Porsche Cars North America, Inc. are intended only for use by professional automotive technicians who have attended Porsche service training courses. They are written to inform those technicians of conditions that may occur on some Porsche vehicles, or to provide information that could assist in the proper servicing of a vehicle. Porsche special tools may be necessary in order to perform certain operations identified in these bulletins. Use of tools and procedures other than those Porsche recommends in these bulletins may be detrimental to the safe operation of your vehicle, and may endanger the people working on it. Properly trained Porsche technicians have the equipment, tools, safety instructions, and know-how to do the job properly and safely. Part numbers listed in these bulletins are for reference only. The work procedures updated electronically in the Porsche PIWIS diagnostic and testing device take precedence and, in the event of a discrepancy, the work procedures in the PIWIS Tester are the ones that must be followed.