

Service

Category Audio/Visual/Telematics

Section Navigation/Multi Info Display Market USA



Applicability

YEAR(S)	MODEL(S)	ADDITIONAL INFORMATION	
2020	4Runner, Avalon, Camry, Corolla, Highlander, Mirai, RAV4, Sequoia, Sienna, Tacoma, Tundra		
2019	Avalon, Avalon HV, C-HR, Corolla Hatchback, RAV4, RAV4 HV		
2018 - 2019	Camry, Camry HV, Mirai, Sienna		

REVISION NOTICE

August 12, 2020 Rev2:

• The Parts Information section has been added.

December 13, 2019 Rev1:

- Applicability has been updated to include several 2020 model year Toyota vehicles.
- The Required Tools & Equipment section has been updated.

Any previous printed versions of this bulletin should be discarded.

Introduction

CONTACT

Some 2018 – 2020 model year Toyota vehicles equipped with a Premium Audio with Dynamic Navigation System require a Special Service Tool (SST) USB flash drive to update the map, points of interest, and system software. The SST is used with applicable vehicles to deliver the update; however, the process for generating license keys differs from previous generations.

Before attempting to perform a map update, the head unit's expiration date must be checked. If the expiration date is still valid, a license key may be generated without the use of an activation card number. Updating the maps without the use of an activation card number is considered an Embedded Navigation Update (refer to pg. 10) and performing this process does not extend the duration of telematic map services. If the head unit's expiration date is expired, or is expiring within the next 90 days, it should be recommended to the customer to purchase an activation number. Utilizing an activation number will initiate a Dynamic Navigation Update (refer to pg. 4). This Dynamic Navigation Update will perform the Embedded Navigation Update and provide telematic map services for a period of two years from the day that the Dynamic Navigation Update is performed.


Activation card numbers are provided in an activation card number pamphlet available through the normal parts ordering system. Follow the process in this bulletin to perform the update.

NOTE

Map data is released once each year through the shipment of an SST USB flash drive to each dealer. The SST MUST be stored in the SST cabinet to ensure it can be easily found.



Introduction (continued)



Warranty Information

OP CODE	DESCRIPTION	TIME	OFP	T1	T2
N/A	Not Applicable to Warranty	_	_	_	-

TOYOTA

Premium Audio Navigation Map Update Process

Parts Information

PART NUMBER	PART NAME	QTY
86271-HDD09-00	NAV ACN Card V.20.00	1

Required Tools & Equipment

SPECIAL SERVICE TOOLS (SST)	PART NUMBER	QTY	
USB Drive Navigation Update – AWTEC*	TLAW-SD017-19F	1	

^{*}Essential SST.

NOTE

Additional SSTs may be ordered by calling 1-800-933-8335.

Dynamic Navigation Update

- 1. Search TIS for ANY available firmware updates for the selected model and model year. Complete the firmware update(s) BEFORE installing the map data.
- 2. Cycle the ignition ON (Engine/Hybrid/EV system OFF).

NOTE

- Vehicles WITHOUT Smart Key system:
 Turn the ignition key to the ON position.
- Vehicles WITH Smart Key system:
 Press the Engine Start Stop switch two times with the brake pedal released.
- 3. Select the Map button on the navigation head unit.

Figure 1.





Dynamic Navigation Update (continued)

4. Select the Map Options icon on the navigation screen.

5. Select Map Data on the Map Options menu.

6. Record the map version and expiration date from the navigation screen.

7. Select Legal Info.

Figure 2.



Figure 3.




Figure 4.



Figure 5.



Dynamic Navigation Update (continued)

CONTACT

8. Record the map update ID.

Figure 6.



- 9. Login to TIS.
- 10. Log into the Navigation Update Wizard.
 - A. Select the TIS tab.
 - B. Select the Diagnostics tab.
 - C. Select the Navigation tab.
 - D. Re-enter your password.
 - E. Select Login.

Figure 7.



- 11. Select AWTEC from the Select Navigation Manufacturer dropdown menu.
- 12. Enter the vehicle's VIN and head unit expiration date.

NOTE

It is recommended to perform a Dynamic Navigation Update under the following conditions:

- The expiration date is expired.
- The expiration date will expire in 90 days or less.
- The customer would like to continue the dynamic navigation system for a period of two years from the date of the update.

Figure 8.





Dynamic Navigation Update (continued)

- Enter the activation card number from the inside of the pamphlet (obtained from the parts department).
- 14. Select Submit.

- Enter the navigation data into the Navigation Update Wizard form.
 - A. Select the correct USB part number (found on the SST packaging, starts with "TLAW").
 - B. Input the map update ID into TIS (without hyphens).
 - C. Input the map version into TIS (without hyphens).
 - D. Enter the VIN.
 - E. Enter the repair order number.
 - F. Enter the expiration date.
 - G. Select Submit.
- 16. Check off each item AFTER confirming that it is correct. If ANY of the information is incorrect, select the back button.
- 17. Select Confirm.

Figure 9.



Figure 10.



Figure 11.





Dynamic Navigation Update (continued)

18. Note the license key that is generated. (It is recommended to print this page.)

Figure 12.



- 19. Insert the USB flash drive SST into the USB port of the vehicle (usually located under the navigation head unit, in the center console/armrest, or glove box).
- 20. Select Update Map on the Map Data screen.

Figure 13.



- 21. Select YES.
- 22. Enter the license key from step 18.
- 23. Select OK.

Figure 14.



Dynamic Navigation Update (continued)

CONTACT

24. Update the navigation head unit software. If the head unit displays Figure 17, skip to step 26 when prompted.

NOTE

Navigation map data will load when this process completes.

A. Allow the update to complete.

NOTE

This process will take about 10 minutes.

Figure 15.




Figure 16.



B. The head unit will prompt to cycle the ignition. Cycle the ignition OFF, then ON (Ready OFF/Engine OFF) when prompted.

NOTE


Do NOT remove the USB flash drive during this process.

25. The Map Update screen will display and the navigation map update will begin automatically.

NOTE

This process will take about 45 minutes.

Figure 17.





Dynamic Navigation Update (continued)

- 26. When prompted, remove the USB flash drive from the vehicle's USB port.
- 27. The map update is complete.

Figure 18.



28. Verify navigation operation.

Embedded Navigation Update

- 1. Search TIS for ANY firmware updates that are available for the selected model and model year. Complete the firmware update(s) BEFORE installing the map data.
- 2. Cycle the ignition ON (Engine/Hybrid/EV system OFF).

NOTE

- Vehicles WITHOUT Smart Key system:
 Turn the ignition key to the ON position.
- Vehicles WITH Smart Key system:
 Press the Engine Start Stop switch two times with the brake pedal released.
- 3. Press the Map button on the navigation head unit.

Figure 19.





Embedded Navigation Update (continued)

4. Press the Map Options icon on the navigation screen.


Figure 20.

April 17, 2019




5. Select Map Data on the Map Options menu.

Figure 21.



6. Record the map version and expiration date from the navigation screen.

Figure 22.





Embedded Navigation Update (continued)

7. Select Legal Info.

8. Record the map update ID.

- 9. Log into TIS.
- 10. Log into the Navigation Update Wizard.
 - A. Select the TIS tab.
 - B. Select the Diagnostics tab.
 - C. Select the Navigation tab.
 - D. Re-enter your password.
 - E. Select Login.

Figure 23.



Figure 24.




Figure 25.





Embedded Navigation Update (continued)

 Select AWTEC from the Select Navigation Manufacturer dropdown menu.

12. Enter the vehicle's VIN and head unit expiration date.

NOTE

It is recommended to perform an Embedded Navigation Update under the following conditions:

- The head unit's expiration date is valid and NOT expired.
- The head unit's expiration date will NOT expire in the next 90 days.
- The customer would like to perform an Embedded Navigation Update during the last 90 days. (This process will NOT extend the dynamic navigation system.)
- 13. Select Submit.
- Enter the navigation data into the Navigation Update Wizard form. (An activation card number is NOT required.)
 - A. Select the correct USB part number (found on the SST packaging, starts with "TLAW").
 - B. Input the map update ID into TIS (without hyphens).
 - C. Input the map version into TIS (without hyphens).
 - D. Enter the VIN.
 - E. Enter the repair order number.
 - F. Enter the expiration date.
 - G. Select Submit.

Figure 26.



Figure 27.



Figure 28.





Embedded Navigation Update (continued)

- 15. Check off each item AFTER confirming that it is correct. If ANY of the information is incorrect, select the back button.
- 16. Select Confirm.

17. Note the license key that is generated. (It is recommended to print this page.)

Figure 29.

April 17, 2019



Figure 30.



- 18. Insert the USB flash drive SST into the USB port of the vehicle (usually located under the navigation head unit, in the center console/armrest, or glove box).
- Select Update Map on the Map Data screen.

Figure 31.



20. Select Yes.



Embedded Navigation Update (continued)

- 21. Enter the license key from step 18.
- 22. Select OK.

Figure 32.




23. Update the navigation head unit software. If the head unit displays the Map Update screen, go to step 25.

NOTE

Navigation map data will load when this process completes.

Figure 33.




A. Allow the update to complete.

NOTE

This process will take about 10 minutes.

Figure 34.



B. The head unit will prompt to cycle the ignition. Cycle the ignition OFF, then ON (Ready OFF/Engine OFF) when prompted.

NOTE

Do NOT remove the USB flash drive during this process.



Embedded Navigation Update (continued)

24. The Map Update screen will display and the navigation map update will begin automatically.

NOTE

This process will take about 45 minutes.

- 25. When prompted, remove the USB flash drive from the vehicle's USB port.
- 26. The map update is complete.

27. Verify navigation operation.

Figure 35.

April 17, 2019




Figure 36.

