

2021

A8 L/A8 PHEV/S8

Audi Pre-Delivery Inspection

Stock No. Deal	ler Number	R.O. No.	
VIN Road test mileage out		Road test mileage in	
Reminders			
► All items must be completed prior to custon	ner delivery by a certified A	udi technician	
► Audi recommends using an Audi approved b	attery charger to prevent ex	xcessive battery discharge during inspection	
► Guided Fault Finding must be used, session	must be completed and ser	nt to GFF Paperless	
► Total PDI Test must be completed prior to an	ny other work involving the	scan tool (special function tab -> Total PDI Test)	
► Start Guided Fault Finding with the engine	running to ensure control m	nodules in transport mode are identified	
	_	ocument posted on ServiceNet for additional information	
► For items marked with **, follow instruction		·	
,			
Vehicle Preparation	Trunk	Inspection (continued)	
Check Elsa for open campaigns and updates		spare tire pressure*	
Verify Audi phone box customer registration form is present in vehicle and add the serial number, FCC ID, and Model from Elsa (if equipped). See TSB 2051720		ck battery clamps for proper torque*	
		or	
Perform any open campaigns*	□Che	ck operation of window, lock, and seat controls*	
Perforn diagnostics work*	_	☐ Inspect mirrors for proper operation*	
$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $		ck rear view mirror operation*	
	 □ Ver	ify operation of all interior lights	
Exterior Check all key buttons and features*		ck heated steering wheel (if equipped, otherwise, ignore EB153813)	
☐ Check all doors for proper power closing*	☐ Ver	ify operation of heated/ventilated and massaging seats	
$\hfill \square$ Inspect exterior for damage, dings, dents a	na sarrace	equipped)*	
scratches. Report and repair any damage be	fore delivery to	ify operation of manual folding 2nd row	
the customer	☐ Ver	ify proper operation of climate control*	
Lighting and Windshield		pect operation of all power outlets*	
Test exterior lighting functions		ck panoramic sunroof and sunshade operation*	
Test windshield washers (and headlight wash	☐ Veritashers). Correct tion	ify operation of power rear and rear side sunshade opera [.] າ	
aim if necessary*		ify operation of front Passenger Occupant Detection tem	
Trunk Inspection		ify operation of heated surfaces (front/rear) (if	
Verify trunk is operational	•	ipped)	
Verify operation of emergency release hand	Settin	as	
☐ Install wheel bolt cover removal tool from F tool kit*	PDI KIT INTO TrunK	ify operation of MMI® touch screens, upper and lower	
Verify tool kit is installed securely in luggag	je compartment Set	Time source setting to "GPS" and set Auto daylight savstime to "on"*	

Effective 9-8-2020-US Version 1.1



2021

A8 L/A8 PHEV/S8

Audi Pre-Delivery Inspection

Settings (continued)	Driving Performance (continued)	
☐ Verify and set language and measurement units*	☐ Calibrate rear view mirror*	
☐ Verify Speech Dialog System is operating*	☐ Verify quality of radio reception in AM/FM/SiriusXM® bands	
☐ Set "Music volume while parking" to medium*		
☐ Set dealership location in navigation*	Driver Assistance	
☐ Turn off Manual Speed Warning (if equipped)*	☐ Verify all cruise control functions	
Media / Radio / SAT	☐ Verify cruise control/ACC with Stop & Go functionality (if equipped), which includes the following:	
☐ Verify operation of aux. input (if equipped)	Adaptive Cruise Assist	
☐ Verify operation of CD/DVD player (if equipped)	☐ Turn Assist	
☐ Insert SD card and test function of all slots	☐ Intersection Assistant	
Program the presets to local stations	☐ Traffic Jam Assist	
☐ Verify HD Radio is turned "off"*	☐ Predictive Efficiency Assist	
☐ Verify operation of Rear Seat Entertainment (if equipped)	Active lane assist with emergency assistant	
☐ Confirm SiriusXM is on and in an active state (can scroll	☐ Traffic sign recognition	
through channels and hear music)	☐ Verify Audi side assist functionality Pre sense® rear (if equipped)	
On-Hoist Inspection	☐ Verify operation of night vision camera (if equipped)	
Remove transport suspension blocks (follow ELSA instructions)	☐ Verify operation of parking system*	
☐ Check underside of vehicle for fluid leaks and loose compo-	☐ Verify all vehicle Head-up display functionality (if equipped)*	
nents	☐ Verify operation of High-beam assist	
☐ Check steering, boots, brake system, hoses, tires and wheels for damage	Activate NAV and follow directions back to dealership	
☐ Install wheel locks (if equipped)	Post-Road Test Inspection	
☐ Install wheel bolt covers and center caps as supplied*	☐ Verify SOS button is green and Roadside assistance button LED will remain off	
☐ Inspect wheel bolts for proper torque*		
Set and store tire pressures for either sold vehicle OR stock inventory vehicle*	☐ It may take up to 20 minutes for the emergency call system to activate (LED turns green) after flight/transport mode deactivation	
Driving Performance	$\hfill\Box$ The vehicle must not be delivered to the customer if the	
☐ Check horn operation	emergency call function has not been successfully acti- vated (LED lights up in green)	
☐ Verify hold and release of electronic parking brake		
☐ Verify engine Start-Stop System functionality*	Interrogate fault memory and upload diagnostic log to GFF Paperless Server	
☐ Verify engine performance and acceleration*	Check service interval and verify correct interval is displayed	
☐ Verify transmission operation, including shift paddles (if	☐ Check engine oil level*	
equipped)	☐ Check all fluid levels and top off if necessary	
Test drive vehicle applying brakes several times	☐ Ensure the yellow tire pressure tag is installed on the steering wheel	
☐ Check adaptive air suspension in all positions (if equipped)		
☐ Check steering/tire alignment	Apply 30 Day Inventory Maintenance Sticker**	
☐ Check for squeaks, rattles and wind noise. Repair any squeaks, rattles or wind noises before delivery to the customer	☐ Install showroom charger to ensure battery remains charged at all times**	



2021

A8 L/A8 PHEV/S8

Audi Pre-Delivery Inspection

Audi connect®	JSA ONLY)			
☐ Turn on the V	'i-Fi® hotspot (if equipped)*			
	hotspot visibility. No data available at PD: demo mode (if equipped)*	I		
☐ Enable satell	te map view for navigation (if equipped)*			
<i>''</i> //////.			7	//////
'/////			/	'///////
//// Technician				
'///	at all operations have been completed and t ndards, and has met the standards for Perfe		red in accordance with Audi Procedures and	
Technician Sig	nature	Last 8 of VIN	Completion Date	
'//////			· /	!//////



Audi Phone Box-Equipped Vehicles

Operation of the Audi Phone Box is subject to the following requirements of the Federal Communications Commission:

This is a CONSUMER device.

BEFORE USE, you MUST REGISTER THIS DEVICE with your wireless provider and have your provider's consent. Most wireless providers consent to the use of signal boosters. Some providers may not consent to the use of this device on their network. If you are unsure, contact your service provider.

You MUST operate this device with approved antennas and cables as specified by the manufacturer. Antennas MUST be installed at least 20 cm (8 inches) from any person.

You MUST cease operating this device immediately if requested by the FCC or a licensed wireless service provider.

WARNING. E911 location information may not be provided or may be inaccurate for calls served by using this device.

Make #	FKW	
Model #		
Serial #	FKW -	
FCC ID		



This Signal Booster fulfills the FCC requirements for the Network Protection Starndard (NPS). It incorporates features to prevent harmful interference to wireless networks like:

- Anti-oscillation to detect and mitigate any unintended oscillations in uplink and downlink frequency bands,
- Adaptive gain control with self-monitoring and to power down automatically as approaching any affected base station,
- Uplink Inactivity to shut down the transmit amplifiers if not serving an active device connection.

This Signal Booster includes features to prevent harmful interference. These features are enabled and operating at all times the signal booster is in use, they may not be deactivated by the operator.