

### 2021

### e-tron

# Audi Pre-Delivery Inspection

Stock No.	Dealer Number	R.O. No.						
VIN Road test mileage out		Road test mileage in						
Reminders								
► All items must be completed prior to cus	tomer delivery by a ce	ertified Audi technician						
Audi recommends using an Audi-approved battery charger to replenish the high voltage battery during inspection								
<ul> <li>Guided Fault Finding must be used, session must be completed and sent to GFF Paperless</li> <li>Total PDI Test must be completed prior to any other work involving the scan tool (special function tab -&gt; Total PDI Test)</li> <li>Start Guided Fault Finding in Drive Readiness mode to ensure control modules in transport mode are identified</li> </ul>								
						► Before using ODIS, remove any high volta	age charger, no AC or l	DC is allowed. Maintain the 12V battery as usual
						► For items marked with *, please refer to t	the PDI Technician Ref	ference Document posted on ServiceNet for additional informatio
► For items marked with **, follow instruct	tions for stock invento	ory vehicle						
Will B								
Vehicle Preparation		Trunk Inspection						
Check Elsa for open campaigns and updates		☐ Verify trunk is operational						
Verify Audi phone box customer registration form is present in vehicle and add the serial number, FCC ID, and Model from Elsa (if equipped). See TSB 2051720		<ul> <li>□ Verify operation of emergency release handle.</li> <li>□ Install wheel bolt cover removal tool from PDI kit into trutool kit*</li> </ul>						
Perform any open campaigns*								
Perform diagnostic work*		Interior						
☐ Install front license plate carrier (if necessary)*  Exterior		☐ Check operation of window, lock, and seat controls*						
		Move front passenger seat belt retainer to highest position while sitting against the b-pillar						
☐ Check all key buttons and features*		☐ Inspect mirrors for proper operation*						
Check all doors for proper power closing	*	☐ Check rear view mirror operation*						
Inspect exterior for damage, dings, dent		☐ Verify operation of all interior lights						
scratches. Report and repair any damage <b>bef</b> the customer		$\square$ Check heated steering wheel operation (if equipped)						
		Verify operation of heated/ventilated and massaging seat (front/rear) (if equipped)*						
Lighting and Windshield		☐ Verify operation of manual folding 2nd row						
☐ Test exterior lighting functions		☐ Verify proper operation of climate control*						
Test windshield washers (and headlight v	washers). Correct	☐ Inspect operation of all power outlets*						
aim if necessary*		☐ Check panoramic sunroof and sunshade operation*						
Underhood Inspection		$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $						
Remove protective packing and inspect c nents	harging compo-	☐ Verify operation of front Passenger Occupant Detection System						
☐ Verify tool kit is installed securely in stor	age compartment	Settings						
☐ Fill windshield washer fluid ☐ Check all fluid levels and top off if necessary		☐ Verify operation of MMI® touch screens, upper and lower						
		carry operation or right touch screens, upper and tower						

Effective 9-8-2020-US Version 1.1



### 2021

### e-tron

# Audi Pre-Delivery Inspection

Settings (continued)	Driver Assistance	
Set Time source setting to "GPS" and set Auto daylight sav-	☐ Verify all cruise control functions	
ings time to "on"*  ☐ Verify and set language and measurement units*	Verify cruise control/ACC (if equipped), which includes the following:	
☐ Verify Speech Dialog System is operating*	Adaptive Cruise Assist	
☐ Set "Music volume while parking" to medium*	☐ Turn Assist	
☐ Set dealership location in navigation*	☐ Intersection Assistant	
☐ Turn off Manual Speed Warning (if equipped)*	☐ Traffic Jam Assist	
☐ Disable climate control via door unlock*	☐ Predictive Efficiency Assist	
	Active lane assist with emergency assistant	
Media / Radio / SAT	☐ Traffic sign recognition	
Verify operation of aux. input (if equipped)	☐ Verify Audi side assist functionality Pre sense® rear (if	
☐ Verify operation of CD/DVD player (if equipped)	equipped	
☐ Insert SD card and test function of all slots	☐ Verify operation of parking system*	
Program the presets to local stations	☐ Verify all vehicle Head-up display functionality (if equipped)*	
☐ Verify HD Radio is turned "off"*	☐ Verify operation of High-beam assist	
Confirm SiriusXM is on and in an active state (can scroll through channels and hear music)	Activate NAV and follow directions back to dealership	
On-Hoist Inspection	Post-Road Test Inspection	
Check underside of vehicle for fluid leaks and loose components	☐ Verify SOS button is green and Roadside assistance button LED will remain off	
Check steering, boots, brake system, hoses, tires and wheels for damage	☐ It may take up to 20 minutes for the emergency call system to activate (LED turns green) after flight/transport mode deactivation	
☐ Inspect wheel bolts for proper torque*	☐ The vehicle must not be delivered to the customer if the emergency call function has not been successfully activated (LED lights up in green)	
☐ Install wheel locks (if equipped)		
☐ Install wheel bolt covers and center caps as supplied*		
☐ Set and store tire pressures for either sold vehicle OR stock inventory vehicle*	☐ Interrogate fault memory and upload diagnostic log to GFF Paperless Server	
	Check service interval and verify correct interval is displayed	
Driving Performance	Ensure the yellow tire pressure tag is installed on the steer-	
Check horn operation	ing wheel	
☐ Verify hold and release of electronic parking brake	Apply 30 Day Inventory Maintenance Sticker**	
☐ Verify electric motor performance and acceleration*	☐ Install showroom trickle charger to ensure the 12V battery remains charged at all times**	
$\square$ Verify regen operation, including steering wheel paddles	remains charged at all times	
☐ Test drive vehicle applying brakes several times*	Audi connect® (USA ONLY)	
☐ Check adaptive air suspension in all positions	☐ Turn on the Wi-Fi® hotspot (if equipped)*	
☐ Check steering/tire alignment	☐ Check Wi-Fi® hotspot visibility. No data available at PDI due	
☐ Check for squeaks, rattles and wind noise. Repair any squeaks, rattles or wind noises <b>before</b> delivery to the customer	to dealer demo mode*  Enable satellite map view for navigation*	
Calibrate rear view mirror*		
☐ Verify quality of radio reception in FM/SiriusXM® bands		

Effective 9-8-2020-US Version 1.1



### 2021

### e-tron

# Audi Pre-Delivery Inspection

`///////				<i>\\\\\\\</i>		
<i>'</i> ///,	Technician			////		
	I certify that all operations have been completed and this vehicle has been prepared in accordance with Audi Procedur Quality Standards, and has met the standards for Perfect Delivery.					
	Technician Signature	Last 8 of VIN	Completion Date	- '/////		



#### **Audi Phone Box-Equipped Vehicles**

Operation of the Audi Phone Box is subject to the following requirements of the Federal Communications Commission:

This is a CONSUMER device.

BEFORE USE, you MUST REGISTER THIS DEVICE with your wireless provider and have your provider's consent. Most wireless providers consent to the use of signal boosters. Some providers may not consent to the use of this device on their network. If you are unsure, contact your service provider.

You MUST operate this device with approved antennas and cables as specified by the manufacturer. Antennas MUST be installed at least 20 cm (8 inches) from any person.

You MUST cease operating this device immediately if requested by the FCC or a licensed wireless service provider.

WARNING. E911 location information may not be provided or may be inaccurate for calls served by using this device.

Make #	FKW	
Model #		
Serial #	FKW -	
FCC ID		



This Signal Booster fulfills the FCC requirements for the Network Protection Starndard (NPS). It incorporates features to prevent harmful interference to wireless networks like:

- Anti-oscillation to detect and mitigate any unintended oscillations in uplink and downlink frequency bands,
- Adaptive gain control with self-monitoring and to power down automatically as approaching any affected base station,
- Uplink Inactivity to shut down the transmit amplifiers if not serving an active device connection.

This Signal Booster includes features to prevent harmful interference. These features are enabled and operating at all times the signal booster is in use, they may not be deactivated by the operator.