

PRE-DELIVERY INSPECTION (PDI) | 1

2021

A5/S5/RS 5

Audi Pre-Delivery Inspection

Stock No.	Dealer Number	R.O. No.
VIN	Road test mileage out	Road test mileage in
Reminders		
► All items must be completed prior to cust	tomer delivery by a cer	tified Audi technician
► Audi recommends using an Audi approve	d battery charger to pr	event excessive battery discharge during inspection
► Guided Fault Finding must be used, sessi	on must be completed	and sent to GFF Paperless
► Total PDI Test must be completed prior to	any other work involv	ring the scan tool (special function tab -> Total PDI Test)
► Start Guided Fault Finding with the engir	ne running to ensure co	ontrol modules in transport mode are identified
	_	erence Document posted on ServiceNet for additional information
► For items marked with **, follow instruct		-
Vehicle Preparation		Interior
Check Elsa for open campaigns and updates		☐ Verify operation of all seat belts and latches
Verify Audi phone box customer registrat		☐ Check operation of window, lock, and seat controls*
in vehicle and add the serial number fror		☐ Inspect mirrors for proper operation*
Model (if equipped). See TSB 2051720		☐ Check rear view mirror operation*
☐ Perform any open campaigns* ☐ Perform diagnostic work*		── Verify operation of all interior lights
		☐ Verify operation of heated seats
Install front license plate carrier (if neces	essary)*	☐ Verify operation of heated rear seats (if equipped)
Exterior		☐ Verify operation of ventilated seats (if equipped)
☐ Check all key buttons and features*		☐ Verify proper operation of climate control*
Inspect exterior for damage, dings, dent		☐ Inspect operation of all power outlets*
scratches. Report and repair any damage		☐ Verify the glove compartment opens and closes properly
the customer		☐ Check panoramic sunroof and sunshade operation*
Lighting and Windshield		$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $
Test exterior lighting functions		System
☐ Test windshield washers. Correct aim if n	ecessary*	Settings
		☐ Verify operation of MMI® touch
Trunk Inspection		Set Time source setting to "GPS" and set Auto daylight sav-
Verify trunk is operational		ings time to "on."*
☐ Verify operation of emergency release had ☐ Install wheel bolt cover removal tool from		Set Time to "Automatic setting" and "Automatic time zone"
tool kit*	א זחא ווונ trunk	☐ Verify and set language*☐ Verify and set measurement units*
☐ Verify tool kit is installed securely in lugg	gage compartment	☐ Verify Speech Dialog System is operating*
Set spare tire pressure*		Set "Entertain. Fad." in Parking aid to an audible level*
☐ Check battery clamps for proper torqu	ıe*	Set "Music volume while parking" to medium*
		Set dealership location in navigation (if equipped)*
		☐ Turn off Manual Speed Warning (if equipped)*



2021

Version 1.4

A5/S5/RS 5

Audi Pre-Delivery Inspection

Media / Radio / SAI	Driver Assistance (continued)
☐ Verify operation of aux. input	☐ Verify Audi active lane assist functionality (if equipped)
☐ Insert SD card and test function of all slots	☐ Verify operation of parking system (if equipped)*
☐ Verify HD Radio is turned "off"*	Activate rear cross traffic assist (if equipped)
Confirm SiriusXM is on and in an active state (can scroll	☐ Verify all vehicle Head-up display functionality (if equipped)
through channels and hear music)	Activate NAV and follow directions back to dealership (if
On-Hoist Inspection	equipped)
Remove transport suspension blocks (follow ELSA instruction)	Convertible Functionality (if equipped)
Check steering, boots, brake system, hoses, tires and wheels	☐ Test operation of power folding top*
for damage	Verify convertible top manual closing tools are present
$\hfill \Box$ Check underside of vehicle for fluid leaks and loose components	verify convertible top mandat closing tools are present
☐ Install wheel locks (if equipped)	Post-Road Test Inspection
☐ Install wheel bolt covers and center caps as supplied*	☐ Verify SOS button is green and Roadside assistance button
☐ Inspect wheel bolts for proper torque*	LED will remain off
Set and store tire pressures for either sold vehicle OR stock inventory vehicle*	It may take up to 20 minutes for the emergency call sys- tem to activate (LED turns green) after flight/transport mode deactivation
Driving Performance	$\hfill\Box$ The vehicle must not be delivered to the customer if the
Check horn operation	emergency call function has not been successfully activated (LED lights up in green). See TSB 2061028
☐ Verify hold and release of electronic parking brake	☐ Interrogate fault memory and upload Diagnostic Log to GFF
☐ Verify engine Start-Stop System functionality*	Paperless Server
☐ Verify engine performance and acceleration*	Check service interval and verify correct interval is displayed
☐ Verify transmission operation, including shift paddles	Check engine oil level*
☐ Test drive vehicle applying brakes several times*	☐ Check all fluid levels and top off if necessary
Check steering/tire alignment	☐ Ensure the yellow tire pressure tag is installed on the steer-
Check for squeaks, rattles and wind noise. Repair any	ing wheel
squeaks, rattles or wind noises <u>before</u> delivery to the cus-	Apply 30 Day Inventory Maintenance Sticker**
tomer	☐ Install showroom charger to ensure battery remains
Calibrate rear view mirror*	charged at all times**
☐ Verify quality of radio reception in AM/FM/SiriusXM® bands	Audi connect® (USA ONLY) (if equipped)
Driver Assistance	☐ Turn on the Wi-Fi® hotspot (if equipped)*
☐ Verify cruise control/ACC with Stop & Go functionality (if equipped)	Check Wi-Fi® hotspot visibility. No data available at PDI (if equipped)*
☐ Verify Audi side assist functionality (if equipped)	☐ Enable satellite map view for navigation (if equipped)*
·///////	·//////
///// Technician	///
I certify that all operations have been completed and this vehing Quality Standards, and has met the standards for Perfect Deliver.	
	st 8 of VIN Completion Date
·////////	· //////
//////// Effective 5-26-2021-US	////// PRE-DELIVERY INSPECTION (PDI)



Audi Phone Box-Equipped Vehicles

Operation of the Audi Phone Box is subject to the following requirements of the Federal Communications Commission:

This is a CONSUMER device.

BEFORE USE, you MUST REGISTER THIS DEVICE with your wireless provider and have your provider's consent. Most wireless providers consent to the use of signal boosters. Some providers may not consent to the use of this device on their network. If you are unsure, contact your service provider.

You MUST operate this device with approved antennas and cables as specified by the manufacturer. Antennas MUST be installed at least 20 cm (8 inches) from any person.

You MUST cease operating this device immediately if requested by the FCC or a licensed wireless service provider.

WARNING. E911 location information may not be provided or may be inaccurate for calls served by using this device.

Make # _	FKW -
Model #	
Serial #	FKW -
FCC ID	



This Signal Booster fulfills the FCC requirements for the Network Protection Starndard (NPS). It incorporates features to prevent harmful interference to wireless networks like:

- Anti-oscillation to detect and mitigate any unintended oscillations in uplink and downlink frequency bands,
- Adaptive gain control with self-monitoring and to power down automatically as approaching any affected base station,
- Uplink Inactivity to shut down the transmit amplifiers if not serving an active device connection.

This Signal Booster includes features to prevent harmful interference. These features are enabled and operating at all times the signal booster is in use, they may not be deactivated by the operator.