

Assembly Instructions

Enhanced Rear View Mirror with HomeLink Connect® Capability

000 072 548 N 000 072 548 Q

Supplied in the kit:

- 1x Volkswagen Enhanced Rear View Mirror
- 1x User Manual (000 065 761 J) included
- Vehicles with prism (flip) mirror to require harness supplied separately (000 051 903 B)

△ WARNING

- Improper installation procedures can cause serious personal injury.
- Installation should be performed only by a qualified technician.
- Read all instructions and repair manuals thoroughly before starting the installation.
- Follow the instructions carefully.
- Observe all safety precautions when working under a vehicle.
- Beware of sharp edges to help prevent cuts.
- Always wear safety glasses to help protect eyes.
- Always wear protective gear as gloves and use caution when using hand tools.

△ WARNING

Using unsuitable or damaged sockets and connecting cables and disregarding accepted safety practices may cause short circuits, accidents, and serious or fatal personal injury.

• Never allow connectors to come into contact with moisture, water, and other fluids.

NOTE

- The installation of the original retrofitting the Gentex HomeLink Bluetooth®–Enabled Mirror feature must be carried out by a competent workshop. Special tools and the accompanying literature specific to the car are required for proper installation and function. Incorrect installation may damage the vehicle.
- Secure the wires so that they cannot come into contact with any rotating or other moving parts and so that they cannot chafe against any sharp metal or plastic edges.
- All rights to make technical changes without notice are reserved.

Applies to vehicles with factory applied auto-dimming mirrror:

- Replace the existing mirror with the Enhanced Mirror
 - o ELSA; repair group 68

Applies to vehicles with factory applied prism (flip) mirror:

- Remove the side cover from the dash panel on the driver's side.
 - o ELSA; repair group 68
- Remove the lower A-pillar trim from the driver's side.
 - o ELSA; repair group 70.
- Remove the upper A-pillar trim on the driver's side.
 - ELSA; repair group 70
- Remove the sun visor on the driver's side.

© 2021 Volkswagen Group of America, Inc.

All rights reserved. Information contained in this document is based on the latest information available at the time of printing and is subject to the copyright and other intellectual property rights of Volkswagen Group of America, Inc., its affiliated companies and its licensors. All rights are reserved to make changes at any time without notice. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, nor may these materials be modified or reposted to other sites, without the prior expressed written permission of the publisher.


- o ELSA; repair group 68
- Loosen the moulded headliner on the driver's side at the front.
 - o ELSA; repair group 70
- Replace the existing mirror with the Gentex HomeLink Bluetooth®-Enabled Mirror.
 - o ELSA; repair group 68


Vehicles with prism (flip) mirror (cont.)

- Route the mirror power cable (supplied separately 000 051 903 B)
 - Connect the cable to the mirror.
 - Route the cable from the mirror vertically up to the headliner (3).
 - o Tuck the cable into (behind) the headliner (2).
 - o Route the cable down the "A" pillar to the opening in the dash panel (1).
 - Use three wire ties (arrows) to secure the cable to the factory harness located within the "A" pillar.
 - o Route the cable to the junction block (fuse block) location.
- Plug the cable's fuse into junction block (fuse block) (location shown below).
- Connect the cable's ground ring to ground bolt location 1 (shown below).
- Secure excess cable with wire ties.



Mirror Power: (see additional information on page 3)





- Install all vehicle components in the reverse order.
- Place the operation instruction card into the vehicle glove box.

Function Check: Auto-Dimming


- With ignition on, cover the forward-looking light sensor located on the back of the mirror. In a few seconds, the mirror will begin to darken (time may vary with ambient light levels)
- Remove the cover from the forward-looking light sensor and the mirror will begin to clear.

Function Check: HomeLink

- With ignition on, press a HomeLink button. Verify the LED indicator light turns on.
- NOTE: The owner of the vehicle will need to program HomeLink

© 2021 Volkswagen Group of America, Inc.

All rights reserved. Information contained in this document is based on the latest information available at the time of printing and is subject to the copyright and other intellectual property rights of Volkswagen Group of America, Inc., its affiliated companies and its licensors. All rights are reserved to make changes at any time without notice. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, nor may these materials be modified or reposted to other sites, without the prior expressed written permission of the publisher.



Distributed by Volkswagen of America - Auburn Hills MI	
2021 Volkswagen Group of America, Inc.	

All rights reserved. Information contained in this document is based on the latest information available at the time of printing and is subject to the copyright and other intellectual property rights of Volkswagen Group of America, Inc., its affiliated companies and its licensors. All rights are reserved to make changes at any time without notice. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, nor may these materials be modified or reposted to other sites, without the prior expressed written permission of the

With ignition on, the compass will auto-calibrate when vehicle is turned slowly in two complete circles.

publisher.

Function Check: Compass