



Engine	Part	Part Number	Quantity
2.0L Turbo: DTEA	Oil Filter	06L 115 562 B	1
	VW 508 00 Use synthetic oil SAE 0W-20	N/A	5.7L (6.0qt)
	Drain Plug w/Gasket	06L 103 801	1
	Air Filter	5Q0 129 620 B	1

Miscellaneous	Part	Part Number	Quantity
Miscellaneous	Dust and Pollen Filter	5Q0 819 669	1
	Front Wiper Blade (Left)	5NN 955 425	1
	Front Wiper Blade (Right)	5NN 955 426	1
	Rear Wiper Blade (370 mm)	5NN 955 427	1
	Rear Battery (Amp. Req. Vary)	000 915 105*	1
	Battery (Amp. Req. Vary)	5TA 915 105	1

*VIN Required

2021	Engine Code		Torque Spec
Oil drain plug Torque	2.0L	DTEA	30 Nm
Wheel hub bolt Torque	2.0L	DTEA	140 Nm

Revised 6/22/2021

2021 Tiguan Service Reminder Reset

Resetting the service interval display

If the service was not performed by an authorized Volkswagen dealer or an authorized Volkswagen Service Facility, the service reminder can be reset as follows:

Vehicles with analog instrument cluster:

-
1. Switch the ignition off.

 2. Press and hold the **0.0** button in the instrument cluster.

 3. Switch the ignition back on.

 4. Release the **0.0** button when one of the following messages appears in the instrument cluster display: **Reset oil change service?** or **Reset inspection service?**

 5. Press the **0.0** button in the instrument cluster to confirm.

Vehicles with a digital instrument cluster: The service interval display can only be reset through the service menu.

Do **not** reset the service reminder between service intervals; or incorrect information will be displayed.

If the oil change service was manually reset, the service interval display then also switches to a fixed service interval, even on vehicles with **flexible oil change service**.



The service message will go out after a few seconds if the engine is running or if you acknowledge the message on the instrument cluster.



If the 12 V vehicle battery in a vehicle with flexible service was disconnected for an extended period, the time for the next service cannot be calculated. Therefore, the service interval displays may show incorrect calculations. If this is the case, follow the maximum permissible maintenance intervals.

For current fluid capacity charts, please refer to the Maintenance section in Elsa.