



INSTRUCTION TO SERVICE

ITS: 59280		DATE 06/24/2021
SECTION:	304U- Decals	
WRITTEN BY:	Daniel Tice	
SUBJECT:	R & R CNG Decal.	
ISSUE:	Decal has incorrect expiry date.	
SUMMARY:	Remove existing decal and replace with new.	

ITS59280

Ref. NHTSA Recall No.	Ref. Transport Canada Recall No.
Not Applicable	Not Applicable

THIS ITS DOCUMENT SHOULD BE RETAINED AND REFERRED TO FOR FUTURE MAINTENANCE UNTIL THE NEW FLYER PARTS AND/OR SERVICE MANUAL IS UPDATED TO REFLECT WORK DONE AS A RESULT OF THIS DOCUMENT. ENSURE THAT THIS DOCUMENT IS AVAILABLE FOR PARTS AND MAINTENANCE STAFF GOING FORWARD.

PROCEDURE:

1. Turn the main battery disconnect switch to the “OFF” position.
2. Ensure to apply parking brake.
3. Gain access to the CNG decal. See Figure 1.
4. Remove the existing decal (NF PN 858720).
5. Remove any dirt and debris and clean the area.
6. Install new decal (NF PN 901154). See Figure 1.
7. Close and latch door as required.
8. Turn the main battery disconnect switch to the “ON” position.
9. Remove all tools and debris and return the bus to service condition.




Figure 1: CNG Decal Location Reference.



LABOUR ESTIMATE				
	Operation	Number of Technician(s)	Hours	Labor Time T X HR
1	Remove and replace CNG decal.	1	.5	.5

PARTS REQUIRED					
Item	Part Number	Description	Qty. per Coach	Units	Notes
1	901154	CNG Fuel Decal	1	EA	

SPECIAL TOOLS REQUIRED					
Item	Part Number	Description	Qty.	Units	Notes
1		NO SPECIAL TOOLS REQUIRED			