



Water Heater Deflector

Bulletin Type:	SRP	Publication Date:	September 2021
Bulletin #(s):	21-031	Make(s):	SC
Job Code(s):	<i>If affected unit has warranty remaining, submit your claim following the normal process</i>	Model(s):	SuperLite TT
Flat Rate(s):		Model Year(s):	2021

Incident:	Refrigerator Exhaust Vent Installed Above Water Heater
Affected Units:	2021 Starcraft Superlite TT
Parts List:	4 Ea- RIVET, 3/16" BLIND RIVET (FASTENAL# 1141505 – Purchase Locally) 1 Ea (JAYCO# 2016727) – DEFLECTOR, WATER HEATER DOOR VENT)
Misc. Tools & Supplies:	1 Ea – No.11 DRILL BIT (0.191" DIA) 1 EA- POP RIVET TOOL 1 EA- DRILL 1 EA- SEALANT
Parts Return Information:	N/A

VISUAL INSTRUCTIONS FOR WATER HEATER DEFLECTOR INSTALLATION

1. Verify Dometic Water Heater is installed under refrigerator access cover without a water heater deflector in Fig 1.



Fig 1

2. Open access door to the Water Heater shown in Fig 2.
3. Remove water heater door from water heater.
 - a. a.) With door at 90 degrees to unit, knock door forward using hand or rubber mallet at rear hinge piece in Fig 3. Keep hinge pieces for re-installing later shown in Fig 4




Fig 2



Fig 3



Fig 4

4. Install deflector on water heater door using rivets supplied.
 - a. With holes facing down on water heater door, center deflector **above** door vent shown in Fig 5. Using deflector holes as guides, drill No.11 hole through water heater door shown in Fig 6.



Fig 5



Fig 6

b.) Insert one rivet into hole. Use pop rivet tool to install rivet shown in Fig 7.

c.) Repeat steps a through b for remaining three rivets shown in Fig 8.



5. Re-install water heater door onto water heater.

- a. With exterior of door facing down, hold water heater door 90 degrees to unit.
- b. Slide door onto front hinge piece.
- c. Slide rear hinge piece into water heater and door shown in Fig 9 & Fig 10
- d. Re-seal water heater door hinge piece to water heater.



6. Deflector installed on water heater door shown in Fig 11 & Fig 12.



Fig 11



Fig 12

Jayco's sole obligation under our limited warranty is to repair or replace defective materials and/or workmanship deemed our responsibility as determined by Jayco in our sole discretion. Jayco reserves the right to use new and/or remanufactured parts or materials of similar quality to complete any work, and to make parts and/or design changes as appropriate without notice to anyone. Jayco designs and/or materials changes are done without obligation to incorporate such changes in previously manufactured product. Jayco makes every reasonable effort to ensure field remedies will not adversely affect performance and/or safety of the unit. This field remedy is not intended to extend to future performance of this RV, or any of its materials, components or parts beyond the standard warranty period. The RV owner's obligation to notify Jayco, or one of its independent, authorized dealers, of a claimed defect does not modify any obligation placed on the RV owner to contact Jayco directly when attempting to pursue remedies under state or federal law. Jan. 2019.

903 South Main Street • P.O. Box 460 • Middlebury, IN 46540