

Special Tool Information

918 Spyder

1406b.1 USA Only

Binder - Special Tools & Equipment

This bulletin replaces bulletin SPTL 1406b dated 05-05-14.

New Special Tools – Level 2

Attention: **Service Manager/Service Technician**

Information: The following special tools will be distributed to all Porsche Dealers selling one (1) or more 918 Spyders for **Level 2** service and support.

Tool Number: 9005
Order Number: 918 721 900 50
Description: Bleeder Hose
Application: For bleeding the low-temperature cooling system.
Vendor: Porsche Cars N. A.
Model: 918 Spyder



Tool Number: 9006/1
Order Number: 918 721 900 61
Description: Spark Plug Socket Wrench
Application: For R&I of spark plugs
Vendor: Porsche Cars N. A.
Model: 918 Spyder



Tool Number: 9008
Order Number: 918 721 900 80
Description: Socket Wrench
Application: Used to install and adjust rear spoiler drive.
Vendor: Porsche Cars N. A.
Model: 918 Spyder



Tool Number: 9013
Order Number: 918 721 901 30
Description: Protective Cover
Application: Protects the center console when working inside the vehicle.
Vendor: Porsche Cars N. A.
Model: 918 Spyder



918 Spyder

1406b.1

Special Tool Information

Tool Number: 9014
Order Number: 918 721 901 40
Description: Protective Cover (Set of left & right covers)
Application: Protects the door sills when working inside the vehicle.
Vendor: Porsche Cars N. A.
Model: 918 Spyder



Tool Number: 9014/1
Order Number: 918 721 901 41
Description: Protective Cover
Application: Protects the rear spoiler when working on the engine and rear end.
Vendor: Porsche Cars N. A.
Model: 918 Spyder



Tool Number: 9014/2
Order Number: 918 721 901 42
Description: Protective Cover
Application: Protects the front of vehicle during service and repair work.
Vendor: Porsche Cars N. A.
Model: 918 Spyder



Tool Number: 9014/3
Order Number: 918 721 901 43
Description: Protective Cover
Application: Protects the heat protection cover in the engine compartment when working on the exhaust system.
Vendor: Porsche Cars N. A.
Model: 918 Spyder



Tool Number: 9017
Order Number: 918 721 901 70
Description: Retaining Device
Application: Used to R & R high-voltage battery on unit elevating platform VAS 6832.
Vendor: Porsche Cars N. A.
Model: 918 Spyder




Special Tool Information

918 Spyder

1406b.1

Tool Number: 9019/1
Order Number: 918 721 901 91
Description: Seal Installer
Application: Used to install crankshaft seal.
Vendor: Porsche Cars N. A. (rental)
Model: 918 Spyder



Tool Number: 9696/1
Order Number: 000 721 969 61
Description: Cap
Application: For filling the high-temperature cooling system.
Vendor: Porsche Cars N. A.
Model: 918 Spyder



Tool Number: 9009
Order Number: 918 721 900 90
Description: Socket Wrench (2 Piece set)
Application: For adjusting toe setting on rear axle.
Vendor: Porsche Cars N. A.
Model: 918 Spyder



Tool Number: 9014/4
Order Number: 918 721 901 44
Description: Protective Cover
Application: Protects the cover underneath the rear spoiler during service work.
Vendor: Porsche Cars N. A.
Model: 918 Spyder



Tool Number: 9014/5
Order Number: 918 721 901 45
Description: Protective Cover
Application: Protects the side panels during R & R of the exhaust system cover.
Vendor: Porsche Cars N. A.
Model: 918 Spyder



918 Spyder

1406b.1

Special Tool Information

Tool Number: 9014/6
Order Number: 918 721 901 46
Description: Protective Cover
Application: Protects the coolant expansion tank covers when installing the exhaust system cover.
Vendor: Porsche Cars N. A.
Model: 918 Spyder



Tool Number: 9016
Order Number: 918 721 901 60
Description: Wrench Set (2 Piece set)
Application: For disassembling and assembling spring struts.
Vendor: Porsche Cars N. A.
Model: 918 Spyder



Tool Number: 9020
Order Number: 918 721 902 00
Description: Caps (Set of 2)
Application: For closing off openings on the engine during assembly.
Vendor: Porsche Cars N. A.
Model: 918 Spyder



Tool Number: 9023
Order Number: 918 721 902 30
Description: Wrench Set (2 Piece set)
Application: For drive shaft threaded joint.
Vendor: Porsche Cars N. A.
Model: 918 Spyder



Tool Number: 9024
Order Number: 918 721 902 40
Description: Ball Socket Adapter
Application: For checking wear on the lower ball bearing seat on the front axle.
Vendor: Porsche Cars N. A.
Model: 918 Spyder




Special Tool Information

918 Spyder

1406b.1

Tool Number: 9025
Order Number: 918 721 902 50
Description: Spacer Fork
Application: For adjusting preload on exhaust system holder.
Vendor: Porsche Cars N. A.
Model: 918 Spyder



Tool Number: VAS 5493
Order Number: VAS 5493
Description: Circlip Pliers
Application: For R & R of circlips on tripod joints.
Vendor: Snap-on
Model: 918 Spyder



Tool Number: VAS 5581/2
Order Number: VAS 5581/2
Description: Adapter Cable
Application: Adapter cable for HV Battery to diagnostic box VAS 5581.
Vendor: Snap-on
Model: 918 Spyder



Tool Number: VAS 6096/2
Order Number: VAS 6096/2
Description: Vacuum Box
Application: For bleeding the engine cooling system in conjunction with special tool 9696/1.
Vendor: Snap-on
Model: 918 Spyder



Dealership	Service Manager	Shop Foreman	Service Technician				
Distribution							
Routing	Asst. Manager	Warranty Admin.	Service Technician				

Important Notice: Technical Bulletins issued by Porsche Cars North America, Inc. are intended only for use by professional automotive technicians who have attended Porsche service training courses. They are written to inform those technicians of conditions that may occur on some Porsche vehicles, or to provide information that could assist in the proper servicing of a vehicle. Porsche special tools may be necessary in order to perform certain operations identified in these bulletins. Use of tools and procedures other than those Porsche recommends in these bulletins may be detrimental to the safe operation of your vehicle, and may endanger the people working on it. Properly trained Porsche technicians have the equipment, tools, safety instructions, and know-how to do the job properly and safely. Part numbers listed in these bulletins are for reference only. The work procedures updated electronically in the Porsche PIWIS diagnostic and testing device take precedence and, in the event of a discrepancy, the work procedures in the PIWIS Tester are the ones that must be followed.