



Service Action Code: 91BM

REVISION

Subject Car-Net® Operating Control Unit (OCU)

Release Date May 10, 2022

REVISION SUMMARY Updated work instructions to align with updated ODIS test plans

NOTE: Updated areas in this document are indicated by an orange bar in the right margin

Affected Vehicles

Country	Beginning Model Year	Ending Model Year	Vehicle	Vehicle Count
USA	2020	2020	PASSAT	4,838

Check Campaigns/Actions screen in ELSA on the day of repair to verify that a VIN qualifies for repair under this action. ELSA is the only valid campaign inquiry & verification source.

- ✓ Campaign status must show "open."
- ✓ If ELSA shows other open action(s), inform your customer so that the work can also be completed at the same time the vehicle is in the workshop for this campaign.

Problem Description

As indicated on the Monroney label at the time of retail sale, the vehicles included in this service action were sold before July 1, 2020 with a non-functioning Car-Net® Operating Control Unit (OCU). Purchasers were advised that a functioning OCU would be installed free of charge once parts became available.

Corrective Action

Install a new/functional Operating Control Unit (OCU). Once this has been done, owners will need to complete the enrollment / registration process for Car-Net services. Dealers should assist owners with this process if necessary by either using the dealer enrollment portal or simply pressing the i-Button in the vehicle, before leaving the dealership.

Code Visibility

On or about April 13, 2021, the campaign code was applied to affected vehicles.

Owner Notification

Owner notification took place in April 2021. An owner letter example is included in this bulletin for your reference.

Campaign Expiration Date

This campaign expires on **April 13, 2026**. Repairs must be performed on or before this date to be eligible for payment. Keep this expiration date in mind when scheduling customers for this action. If a customer wishes to have this service performed after the expiration date, your dealership's normal parts and labor cost associated with this repair will apply.

Additional Information

Please alert everyone in your dealership about this action, including Sales, Service, Parts and Accounting personnel. Contact Warranty if you have any questions.

Dealers must ensure that every affected inventory vehicle has this campaign completed before delivery to consumers.

Fill out and affix Campaign Completion Label (CAMP 010 000) after work is complete. Labels can be ordered at no cost via the Compliance Label Ordering portal at www.vwvhub.com.

Parts Information

Parts Control Type:
Upper Order Limit

Parts will be managed with a weekly Upper Order Limit. Please see Parts On Command (POC) for your Upper Order Limit quantity.

Initial Allocation:
NO

There will be no parts allocation. Please reference the Repair Projection Tool (below) to view your potential VIN population.

Repair Projection Tool:
(right click to open)



Criteria	Quantity	Part Number	P.O.C. Part Description	Ordering Method
01	1	561-035-283	CONTR.UNIT	UOL

NOTE

The specified part numbers reflect the status at the start of this action. Interim updates made in ETKA can cause a listed part number to become unavailable. In this case, the new part number specified in ETKA should be used.

Claim Entry Instructions

The labor times listed here may differ from the labor operations and labor times listed in ELSA.

After campaign has been completed, enter claim as soon as possible to help prevent work from being duplicated elsewhere. Attach the ELSA screen print showing action open on the day of repair to the repair order.

If customer refused campaign work:

- ✓ U.S. dealers: Submit request via WISE under the *Campaigns/Update/Recall Closure* option.

Service Number	91BM		
Damage Code	0099		
Parts Vendor Code	WWO		
Claim Type	Sold vehicle: 7 X1		
Causal Indicator	Mark CONTR.UNIT* as causal part		
Vehicle Wash/Loaner	Do not claim wash/loaner under this action Loaner/rental coverage cannot be claimed under this action. However, loaner/rental may be covered under the Alternate Transportation Program. Please refer to the Volkswagen Warranty Policy and Procedures Manual for loaner claims information and reimbursement details.		
Criteria I.D.	01		
	Install new OCU, program new OCU and validate new OCU operation		
	LABOR		
	Labor Op	Time Units	Description
	9107 23 99	35	Install new OCU
	2706 89 50	10	Connect battery charger
	0150 00 00	Time stated on diagnostic protocol	Program new OCU
	PARTS		
	Quantity	Part Number	Description
	1.00	561035283	CONTR.UNIT*

Customer Letter Example (USA)

<MONTH YEAR>

<CUSTOMER NAME>

<CUSTOMER ADDRESS>

<CUSTOMER CITY STATE ZIPCODE>

This notice applies to your vehicle: <MODEL YEAR> <BRAND> <CARLINE>, <VIN>

Subject: Service Action 91BM - Car-Net® Operating Control Unit (OCU)

Dear Volkswagen Owner,

As part of Volkswagen's ongoing commitment to customer satisfaction, we are informing you of our decision to conduct a service action on certain 2020 model year Volkswagen Passat vehicles. Our records show that you are the owner of a vehicle affected by this action.

What is the issue? As indicated on the Monroney label at the time of retail sale, the vehicles included in this service action were sold before July 1, 2020 with a non-functioning Car-Net® Operating Control Unit (OCU). Purchasers were advised that a functioning OCU would be installed free of charge once parts became available.

What will we do? Your authorized Volkswagen dealer will install a new/functional Operating Control Unit (OCU). This work will take about an hour to complete and will be performed for you free of charge. Please keep in mind that your dealer may need additional time for the preparation of the repair, as well as to accommodate their daily workshop schedule.

Once the work has been performed, owners will need to complete the enrollment / registration process for Car-Net services. If necessary, your dealer can assist you with this process while you are at the dealership for this repair.

What should you do? Please contact your authorized Volkswagen dealer as soon as possible to schedule this service. To set up an appointment online, please visit www.vw.com/find-a-dealer.

This service action will be available for you **free of charge only until April 13, 2026**. If you wish to have this service performed after that date, your dealer's normal costs associated with this repair will apply.

Lease vehicles and address changes If you are the lessor and registered owner of the vehicle identified in this action, please forward this letter immediately via first-class mail to the lessee within ten (10) days of receipt. If you have changed your address or sold the vehicle, please fill out the enclosed prepaid Owner Reply card and mail it to us so we can update our records.

Can we assist you further? If your authorized Volkswagen dealer fails or is unable to complete this work free of charge within a reasonable time, or if you should have any questions about this communication, please reach out to us using your preferred method of communication at www.vw.com/contact or by calling us at 800-893-5298.


Checking your vehicle for open Recalls and Service Campaigns To check your vehicle's eligibility for repair under this or any other recall/service campaign, please visit www.vw.com/owners/recalls and enter your Vehicle Identification Number (VIN) into the Recall/Service Campaign Lookup tool.

We apologize for any inconvenience this matter may cause; however we are taking this action to help ensure your vehicle continues to meet and exceed your expectations.

Sincerely,

Volkswagen Customer Protection

Repair Overview



- Install a functional OCU.

NOTE

- These repair instructions may differ from the labor operations and labor times listed in ELSA.
- Damages resulting from improper repair or failure to follow these work instructions are the dealer's responsibility and are not eligible for reimbursement under this action.
- This procedure must be read in its entirety prior to performing the repair.
- Due to variations in vehicle equipment and options, the steps/illustrations in this work procedure may not identically match all affected vehicles.
- Diagnosis and repair of pre-existing conditions in the vehicle are not covered under this action.
- When working during extreme temperatures, it is recommended that the vehicle be allowed to acclimate inside the shop to avoid temperature-related component damage/breakage.

Required Tools



Battery Tester/Charger
- GRX3000VAS-
(or equivalent)



Diagnostic Tester
-VAS6150X/6160X-
(or equivalent)

Repair Instruction


Section A - Check for Previous Repair

TIP

If Campaign Completion label is present, no further work is required.

Applicable criteria ID(s)	Campaign/Action Status
01 	Open 

EXAMPLE

Campaign/Action	Start	Designation
	2015-11-10	W-SERV_ACT -
	2018-12-13	RECALL -
	2017-05-16	A-RECALL -

EXAMPLE

- Enter the VIN in Elsa and proceed to the “Campaign/Action” screen.

TIP

On the date of repair, print this screen and keep a copy with the repair order.

- Confirm the Campaign/Action is open <arrow 1>. If the status is closed, no further work is required.
- Note the Applicable Criteria ID <arrow 2> for use in determining the correct work to be done and corresponding parts associated.


CRITICAL REPAIR STEP

 **STOP!** 

If multiple software update Campaign/Actions are open, they must be performed in order of the Start date <arrow 3>. The oldest should be performed first.


- **All Safety Recalls must be completed prior to completing this campaign.**
- **Proceed to Section B.**

Section B – Repair Procedure



Installing new Control Module for Emergency Call Module and Communication Unit -J949- (OCU):


- Move the right front seat into its highest position and then move it all the way back.
- Turn off the ignition and all electrical equipment.
- If equipped remove the ignition key.
- Lift the locking tabs <1> on cover <2> and remove cover <2> in direction of <arrow>.




- Disconnect the connectors <3 and 4> on the OCU <2>.
- Lift locking tabs <1> using a small screwdriver or pick.
- Remove OCU <2> in direction of <arrow>.
- Install the new OCU <2> in the reverse order of removal.
- Reconnect connector <3>.
- **DO NOT RECONNECT THE ANTENNAS <4> AT THIS TIME!!**

Adapting new OCU:


- Apply the parking brake.
- Switch off all consumers (headlights, heated seats, climate control, etc.).
- Connect the VAS6150X/VAS6160X Diagnostic Tester to the vehicle.
- Start the ODIS program.
- Attach the GRX3000VAS Tester/Charger (or equivalent) IN POWER SUPPLY MODE to the vehicle battery.




- Confirm that scan tool is communicating with the diagnostic head by USB <Green Arrow>.
- If the Bluetooth symbol is shown <Red Arrow> then disconnect the diagnostic head from the vehicle and reconnect the USB cable to the diagnostic head and then reattach to the vehicle.
- Upon ODIS startup, verify the “Diagnosis” operating mode is selected <as shown>.




- When a message appears regarding “Vehicle position detection” and “Emergency call module and communication” modules not being coded, select “Close” <arrow>.



- Once the GFF scan is complete, perform the “Adapting Software” test plan:
- Select “Special functions” <arrow 1>
- Select “Adapting software” <arrow 2>
- Select “Perform test” <arrow 3>
- Follow the on-screen prompts




- Select the option, “Perform conversion/retrofit solution.”




- Enter the action code as listed below.

SVM code
37CEE


- Select “Accept” <arrow> and follow the on screen prompts.



- After the conversion/retrofit operation is complete, identify the new OCU:
- Select the “Control Module” tab.
- Scroll down and right click on address 0075.
- Select “Identify Control Module” <arrow>.



- After identifying the new OCU, select the Special Functions tab.
- Select Ctrl. module software configuration.
- When prompted, select the option for Diagnostic Address.
- Enter 0075 for the Diagnostic Address.
- Follow the on-screen prompts.




- After the Software Configuration operation is complete, adapt the OCU to the Anti-Theft Immobilizer:
- Right click on address 0025 and select Guided Functions
- Perform function “25 – Adapt OCU” <arrow>.
- Follow the on-screen prompts.




TIP


Additional ignition keys are NOT required for this test plan.



- After adapting the Anti-Theft Immobilizer, perform Test Plan “Teach VKMS”:
- Select the “Test Plan” tab.
- Select “Select Self Test”
- Select: Body > Electrical Systems > 01 – Systems Capable of Self Diagnosis > 25 – Immobilizer > 25 – VKMS Functions
- Select VKMS Adaptation.
- Then Attach to the test plan.
- Follow the on-screen prompts
- During this test plan, you will be prompted to hold the ignition key to the reader coil. Ensure the key is held steady against the reader coil, otherwise errors could occur.




- If there is an error during the “Teach VKMS” test plan (see example shown), repeat the test plan and ensure the key is held steady against the reader coil for the duration of the test plan.



Reconnect antennas to the OCU:

- Reconnect antennas <2> to the OCU <1>.



Exit GFF and clear repair related faults:

- Exit GFF and send diagnostic protocol online when prompted.
- Disconnect the diagnostic tester from the vehicle.



Confirm operation of Car-Net button array:

- Take the vehicle outside with clear line of sight to the sky.
- Initiate a bus sleep by locking the car with the remote.
- Recheck operation after 10 minutes.
- The 3-Button Module LED should be green and user should be able to connect to Car-Net services.

TIP

It may take a few minutes for the green light to illuminate after the bus sleep period.

- Verify the button array is working by pressing the “i” call button <arrow>.
- If the green light is not illuminated:
- There may be an issue outside of the scope of this action.
 - Contact Volkswagen Technical Assistance if further assistance is needed.
 - Any additional diagnosis and repairs if the green light does not illuminate will not be covered under this action.

TIP

If any static communication faults were stored during this procedure, these faults should be able to be erased after the bus sleep period.

Proceed to Section C

Section C – Car-Net Registration



- Advise the customer that they can now register for their Car-Net services by pressing the “i” button <arrow> in the Car-Net button array.

Volkswagen car-net Quick Reference Guide

Set up your VW Car-Net Mobile App

Standard text and data rates may apply to app-based features.

- 1. Download the VW Car-Net App**
Visit the App Store and search “Volkswagen Car-Net” to get the mobile app.
- 2. Create VW ID**
Select “Login” to get started. A secured VW ID will be required to login to access your VW Car-Net features such as in-vehicle Wi-Fi hotspot, remote start* (if equipped), unlock & lock your doors, vehicle status, create alerts and more.
- 3. Enroll**
Dealer will assist you in enrolling in VW Car-Net Services at the time of purchase using your mobile number and the email address you provide. Once enrolled, you'll be sent an email and SMS message to complete your registration. Simply login with your VW ID and then confirm your customer profile info and create a 4-Digit PIN.
If you did not enroll in VW Car-Net services at the time of purchase, login using your VW ID.
- 4. Select or Add Vehicle**
In the mobile app you will be prompted to select your newly added vehicle. If you are a new owner, you will proceed to enter your VIN and create a profile.
- If you'd like to register with a different vehicle, tap on the “Add Vehicle” button on the mobile app. You will be prompted to enter your VIN and create a profile.
- If you are an additional driver and you want to register for the VW Car-Net Account, you will be prompted to enter your email address.
- For some vehicles (model 2012 and later), you will be prompted to enter a 4-Digit PIN from the vehicle owner. This will be used to verify your identity.

Print

select your newly added vehicle and proceed to enter your VIN and create a profile.

Tap on the “Add Vehicle” button on the mobile app. You will be prompted to enter your VIN and create a profile.

Tap on the “Add Vehicle” button on the mobile app. You will be prompted to enter your VIN and create a profile.

- Print out the Car-Net Quick Reference Guide attached to end of this document and provide it to the customer.
- **Proceed to Section D.**

Section D – Campaign Completion Label

Install Campaign Completion Label

- Fill out and affix Campaign Completion Label, part number CAMP 010 000, next to the vehicle emission control information label.

 **TIP**

Ensure Campaign Completion Label does not cover any existing label(s).