

Manufacturer's Certificate

Panamera (971)

10/22 ENU 4400

4

Approved: Wheels and Tires (10/22)

Revision: This bulletin replaces bulletin Group 4 50/21, dated September 15, 2021.

Model Year: **As of 2021**

Vehicle Type: **All Panamera models**

General information: This Manufacturer's Certificate contains information about

- technically permissible wheel/tire combinations,
- measures that may be required when changing the wheel/tire combination installed at the factory,
- approved original Porsche alloy wheels and
- approved summer, all-season and winter tires and their tire pressures.

Information: Approval status: February 2022

Sizes: **Permissible summer tires and wheel sizes**
(ET = Offset depth in mm, FA = Front axle, RA = Rear axle)

| Tires | Tire sizes | Wheel sizes | Snow chains |
|---|--|---|-------------|
| Panamera, Panamera Executive, Panamera 4, Panamera 4 Executive, Panamera 4 Sport Turismo, Panamera 4 E-Hybrid, Panamera 4 E-Hybrid Executive, Panamera 4 E-Hybrid Sport Turismo, Panamera 4S, Panamera 4S Executive, Panamera 4S Sport Turismo | | | |
| Summer | FA: 265/45 ZR 19 (105Y) XL RA: 295/40 ZR 19 (108Y) XL Not for vehicles with Porsche Ceramic Composite Brake (PCCB) | FA: 9 J x 19 H2, ET 64 RA: 10.5 J x 19 H2, ET 62 | No |
| | FA: 265/45 ZR 19 105Y XL RA: 295/40 ZR 19 108Y XL Not for vehicles with Porsche Ceramic Composite Brake (PCCB) | | No |
| | FA: 275/40 ZR 20(106Y) XL RA: 315/35 ZR 20 (110Y) XL | FA: 9.5 J x 20 H2, ET 71 RA: 11.5 J x 20 H2, ET 68 | No |
| | FA: 275/35 ZR 21 (103Y) XL RA: 315/30 ZR 21 (105Y) XL | FA: 9.5 J x 21 H2, ET 71 RA: 11.5 J x 21 H2, ET 69 | No |

| Tires | Tire sizes | Wheel sizes | Snow chains |
|--|---|--|-------------|
| Winter | FA: 265/45 R 19 105V XL M+S RA: 295/40 R 19 108V XL M+S Not for vehicles with Porsche Ceramic Composite Brake (PCCB) | FA: 9 J x 19 H2, ET 64 RA: 10.5 J x 19 H2, ET 62 | Yes |
| | FA: 275/40 R 20 106V XL M+S RA: 315/35 R 20 110V XL M+S | FA: 9.5 J x 20 H2, ET 71 RA: 10,5 J x 20 H2, ET 71 | Yes |
| | FA: 275/35 R 21 103V XL M+S RA: 315/30 R 21 105V XL M+S | FA: 9.5 J x 21 H2, ET 71 RA: 10,5 J x 21 H2, ET 71 | Yes |
| All Season | FA: 275/40 R 20 106V XL M+S RA: 315/35 R 20 110V XL M+S | FA: 9.5 J x 20 H2, ET 71 RA: 11.5 J x 20 H2, ET 68 | No |
| | FA: 275/35 R 21 103V XL M+S RA: 315/30 R 21 105V XL M+S | FA: 9.5 J x 21 H2, ET 71 RA: 11.5 J x 21 H2, ET 69 | No |
| Panamera 4 S E-Hybrid, Panamera 4 S E-Hybrid Executive, Panamera 4 S E-Hybrid Sport Turismo | | | |
| Summer | FA: 265/45 ZR 19 (105Y) XL RA: 295/40 ZR 19 (108Y) XL Not for vehicles with Porsche Ceramic Composite Brake (PCCB) | FA: 9 J x 19 H2, ET 64 RA: 10.5 J x 19 H2, ET 62 Panamera S wheel only! | No |
| | FA: 265/45 ZR 19 105Y XL RA: 295/40 ZR 19 108Y XL Not for vehicles with Porsche Ceramic Composite Brake (PCCB) | | No |
| Winter | FA: 265/45 R 19 105V XL M+S RA: 295/40 R 19 108V XL M+S Not for vehicles with Porsche Ceramic Composite Brake (PCCB). | FA: 9 J x 19 H2, ET 64 RA: 10.5 J x 19 H2, ET 62 Panamera S wheel only! | Yes |

| Panamera 4 S E-Hybrid, Panamera 4 S E-Hybrid Executive, Panamera 4 S E-Hybrid Sport Turismo, Panamera Turbo S, Panamera Turbo S Executive, Panamera Turbo S Sport Turismo, Panamera Turbo S E-Hybrid, Panamera Turbo S E-Hybrid Executive, Panamera Turbo S E-Hybrid Sport Turismo, Panamera GTS, Panamera GTS Sport Turismo | | | |
|--|--|---|-------------|
| Tires | Tire sizes | Wheel sizes | Snow chains |
| Summer | FA: 275/40 ZR 20(106Y) XL RA: 315/35 ZR 20 (110Y) XL Not for Turbo S E-Hybrid versions | FA: 9.5 J x 20 H2, ET 71 RA: 11.5 J x 20 H2, ET 68 | No |
| | FA: 275/35 ZR 21 (103Y) XL RA: 315/30 ZR 21 (105Y) XL | FA: 9.5 J x 21 H2, ET 71 RA: 11.5 J x 21 H2, ET 69 | No |
| | FA: 275/35 ZR 21 (103Y) XL RA: 325/30 ZR 21 (108Y) XL | FA: 9.5 J x 21 H2, ET 71 RA: 11.5 J x 21 H2, ET 69 | No |
| Winter | FA: 275/40 R 20 106V XL M+S RA: 315/35 R 20 110V XL M+S | FA: 9.5 J x 20 H2, ET 71 RA: 10.5 J x 20 H2, ET 71 | Yes |
| | FA: 275/35 R 21 103V XL M+S RA: 315/30 R 21 105V XL M+S | FA: 9.5 J x 21 H2, ET 71 RA: 10,5 J x 21 H2, ET 71 | Yes |
| All Season | FA: 275/40 R 20 106V XL M+S RA: 315/35 R 20 110V XL M+S | FA: 9.5 J x 20 H2, ET 71 RA: 11.5 J x 20 H2, ET 68 | No |
| | FA: 275/35 R 21 103V XL M+S RA: 315/30 R 21 105V XL M+S | FA: 9.5 J x 21 H2, ET 71 RA: 11.5 J x 21 H2, ET 69 | No |

Wheels:

Overview of Porsche wheels for summer, winter and all-season tires

Identification on the inside of the wheel:

Wheel size, rim offset (ET) in mm, part number (without color code marking FFF) and Porsche logo

Wheels:

Overview of Porsche wheels for summer, winter and all-season tires

Identification on the inside of the wheel:

Wheel size, rim offset (ET) in mm, part number (without color code marking FFF) and Porsche logo

19-inch "Panamera" wheel

FA: 9 J x 19 H2, ET 64

Part No. 971.601.025.___FFF

RA: 10.5 J x 19 H2, ET 62

Part No. 971.601.025.F__FFF

*19-inch Panamera wheel***19-inch "Panamera S" wheel**

FA: 9 J x 19 H2, ET 64

Part No. 971.601.025.A__FFF

RA: 10.5 J x 19 H2, ET 62

Part No. 971.601.025.G__FFF

*19-inch Panamera S wheel*

20-inch "Panamera Turbo" wheel

FA: 9.5 J x 20 H2, ET 71

Part No. 971.601.025.B__FFF

RA Summer: 11.5 J x 20 H2, ET 68

Part No. 971.601.025.H__FFF

RA Winter: 10.5 J x 20 H2, ET 71

Part No. 971.698.025.___FFF



20-inch Panamera Turbo wheels

20-inch "Panamera Design" wheel

FA: 9.5 J x 20 H2, ET 71

Part No. 971.601.025.C__FFF

RA: 11.5 J x 20 H2, ET 68

Part No. 971.601.025.J__FFF



20-inch Panamera Design wheel

20-inch "Panamera Style" wheel

FA: 9.5 J x 20 H2, ET 71

Part No. 971.601.025.AK__FFF

RA: 11.5 J x 20 H2, ET 68

Part No. 971.601.025.AM__FFF

No image available at time of
publication.

20-inch Panamera Style

21-inch "Panamera Sport Design" wheel

FA: 9.5 J x 21 H2, ET 71

Part No.:

971.601.025.D__FFF

971.601.029.D__FFF

RA Summer: 11.5 J x 21 H2, ET 69

Part No.:

971.601.025.K__FFF

971.601.029.K__FFF

RA Winter: 10.5 J x 21 H2, ET 71

Part No. 971.698.025.A__FFF

*21-inch Panamera SportDesign wheel***21-inch "911 Turbo 4" wheel**

FA: 9.5 J x 21 H2, ET 71

Part No.:

971.601.025.AH_FFF

971.601.025.AD_FFF

RA: 11.5 J x 21 H2, ET 69

Part No.:

971.601.025.AJ_FFF

971.601.025.AE_FFF

*21-inch 911 Turbo 4 wheel***21-inch "Exclusive Design" wheel**

FA: 9.5 J x 21 H2, ET 71

Part No.:

971.601.025.M__FFF

971.601.029.M__FFF

RA: 11.5 J x 21 H2, ET 69

Part No.:

971.601.025.N__FFF

971.601.029.N__FFF

*21-inch Exclusive Design wheel*

21-inch "Turbo 5" wheel

FA Summer: 9.5 J x 21 H2, ET 71

Part No. 971.601.025.AL_FFF

RA Summer: 11.5 J x 21 H2, ET 69

Part No.: 971.601.025.AN_FFF

No image available at time of publication.

21-inch Turbo 5

21-inch "Exclusive Design Sport" wheel

FA Summer: 9.5 J x 21 H2, ET 71

Part No.:

971.601.025.AP_FFF

971.601.029.AP_FFF

RA Summer: 11.5 J x 21 H2, ET 69

Part No.:

971.601.025.AQ_FFF

971.601.029.AQ_FFF

No image available at time of publication.

RA Winter: 10.5 J x 21 H2, ET 71

Part No.:

971.698.025.D_FFF

21-inch Exclusive Design Sport



Information

Improper handling can damage the wheel surface.

Carry out tire removal and mounting using a bead holding-down device only.

Use a leather pad on the rim flange to support the valve insertion tool.

Only use the Porsche centering clamping set for balancing.

Do not use brushes to clean the wheels because brushes can cause deep scratches that cannot be removed by polishing.

Never use solvents or other chemical substances on tires.

Wheel
Mounting:

Tightening torque 160 Nm (118 ftlb.)

WARNING**Driving with different tires (mixed tires)**

- Uncontrollable vehicle handling

⇒ Only use tires of the same make, type, speed index and the same specification code (ND0, ND1, ND2, etc.) on a vehicle.

Summer Tires:

| Model | Tire sizes | Tire make and type / Label value (link to EU database) |
|---|--|---|
| Panamera, Panamera Executive, Panamera 4, Panamera 4 Executive, Panamera 4 Sport Turismo, Panamera 4 E-Hybrid, Panamera 4 E-Hybrid Executive, Panamera 4 E-Hybrid Sport Turismo, Panamera 4S, Panamera 4S Executive, Panamera 4S Sport Turismo | FA: 265/45 ZR 19 (105Y) XL RA: 295/40 ZR 19 (108Y) XL | Michelin Pilot Sport 4 NDO (Inside/Outside) FA: https://eprel.ec.europa.eu/qr/413186 RA: https://eprel.ec.europa.eu/qr/409153 |
| | FA: 265/45 ZR 19 105Y XL RA: 295/40 ZR 19 108Y XL | Hankook Ventus S1 EvoZ NDO (Inside/Outside) FA: https://eprel.ec.europa.eu/qr/476387 RA: https://eprel.ec.europa.eu/qr/476409 |
| | | Nexen N Fera Sport NDO (Inside/Outside) FA: https://eprel.ec.europa.eu/qr/600649 RA: https://eprel.ec.europa.eu/qr/600650 |
| | FA: 275/40 ZR 20 (106Y) XL RA: 315/35 ZR 20 (110Y) XL | Michelin Pilot Sport 4S NDO (Inside/Outside) FA: https://eprel.ec.europa.eu/qr/410944 RA: https://eprel.ec.europa.eu/qr/409314 |
| | | Hankook Ventus S1 EvoZ NDO (Inside/Outside) FA: https://eprel.ec.europa.eu/qr/476435 RA: https://eprel.ec.europa.eu/qr/476433 |
| | | Pirelli Pzero NDO (Inside/Outside) FA: https://eprel.ec.europa.eu/qr/596642 RA: https://eprel.ec.europa.eu/qr/596643 |
| | | FA: 275/35 ZR 21 (103Y) XL |

| Model | Tire sizes | Tire make and type / Label value (link to EU database) |
|---|--|---|
| | RA: 315/30 ZR 21 (105Y) XL | FA: https://eprel.ec.europa.eu/qr/596124 RA: https://eprel.ec.europa.eu/qr/596126 |
| Panamera 4 S E-Hybrid, Panamera 4 S E-Hybrid Executive, Panamera 4 S E-Hybrid Sport Turismo | FA: 265/45 ZR 19 (105Y) XL RA: 295/40 ZR 19 (108Y) XL Panamera S wheel only! | Michelin Pilot Sport 4 NDO (Inside/Outside) FA: https://eprel.ec.europa.eu/qr/413186 RA: https://eprel.ec.europa.eu/qr/409153 |
| | FA: 265/45 ZR 19 105Y XL RA: 295/40 ZR 19 108Y XL Panamera S wheel only! | Hankook Ventus S1 EvoZ NDO (Inside/Outside) FA: https://eprel.ec.europa.eu/qr/476387 RA: https://eprel.ec.europa.eu/qr/476409 |
| | | Nexen N Fera Sport NDO (Inside/Outside) FA: https://eprel.ec.europa.eu/qr/600649 RA: https://eprel.ec.europa.eu/qr/600650 |
| Panamera 4 S E-Hybrid, Panamera 4 S E-Hybrid Executive, Panamera 4 S E-Hybrid Sport Turismo, Panamera Turbo S, Panamera Turbo S Executive, Panamera Turbo S Sport Turismo, Panamera Turbo S E-Hybrid, Panamera Turbo S E-Hybrid Executive, Panamera Turbo S E-Hybrid Sport Turismo, Panamera GTS, Panamera GTS Sport Turismo | FA: 275/40 ZR 20 (106Y) XL RA: 315/35 ZR 20 (110Y) XL Not for Turbo S E-Hybrid versions | Michelin Pilot Sport 4S NDO (Inside/Outside) FA: https://eprel.ec.europa.eu/qr/410944 RA: https://eprel.ec.europa.eu/qr/409314 |
| | | Hankook Ventus S1 EvoZ NDO (Inside/Outside) FA: https://eprel.ec.europa.eu/qr/476435 RA: https://eprel.ec.europa.eu/qr/476433 |
| | | Pirelli Pzero NDO (Inside/Outside) FA: https://eprel.ec.europa.eu/qr/596642 RA: https://eprel.ec.europa.eu/qr/596643 |
| | FA: 275/35 ZR 21 (103Y) XL RA: 315/30 ZR 21 (105Y) XL | Pirelli P Zero NDO (Inside/Outside) FA: https://eprel.ec.europa.eu/qr/596124 RA: https://eprel.ec.europa.eu/qr/596126 |
| | FA: 275/35 ZR 21 (103Y) XL | Michelin Pilot Sport 4S NDO |

| Model | Tire sizes | Tire make and type / Label value (link to EU database) |
|-------|---|---|
| | RA: 325/30 ZR 21 (108Y) XL | (Inside/Outside) FA: https://eprel.ec.europa.eu/qr/409122 RA: https://eprel.ec.europa.eu/qr/412805 |
| | | Pirelli Pzero NDO (Inside/Outside) FA: https://eprel.ec.europa.eu/qr/596124 RA: https://eprel.ec.europa.eu/qr/596125 |
| | FA: 275/35 ZR 21 (103Y) XL RA: 325/30 ZR 21 (108Y) XL UHP tires: Only for Panamera Turbo S | Michelin Pilot Sport Cup2 NDO (Inside/Outside) FA: https://eprel.ec.europa.eu/qr/412607 RA: https://eprel.ec.europa.eu/qr/413002 |
| | | Pirelli P Zero Corsa NDO (Inside/Outside) FA: https://eprel.ec.europa.eu/qr/596644 RA: https://eprel.ec.europa.eu/qr/596645 |
| | | |
| | | |

Winter Tires:

| Model | Tire sizes | Tire make and type / Label value (link to EU database) |
|---|--|---|
| Panamera, Panamera Executive, Panamera 4, Panamera 4 Executive, Panamera 4 Sport Turismo, Panamera 4 E-Hybrid, Panamera 4 E-Hybrid Executive, Panamera 4 E-Hybrid Sport Turismo, Panamera 4S, Panamera 4S Executive, | FA: 265/45 R 19 105V XL RA: 295/40 R 19 108V XL | Michelin Pilot Alpin 4 NO (Rotation) FA: https://eprel.ec.europa.eu/qr/412550 RA: https://eprel.ec.europa.eu/qr/409156 |
| | | Continental ContiWinterContact NO (Rotation) FA: https://eprel.ec.europa.eu/qr/479585 RA: https://eprel.ec.europa.eu/qr/479576 |
| | FA: 275/40 R 20 106V XL RA: 315/35 R 20 110V XL | Michelin Pilot Alpin 4 NO (Rotation) FA: https://eprel.ec.europa.eu/qr/409453 RA: https://eprel.ec.europa.eu/qr/409024 |
| | | |
| | | |
| | | |

| Model | Tire sizes | Tire make and type / Label value (link to EU database) |
|---|---|--|
| Panamera 4S Sport Turismo | FA: 275/35 R 21 103V XL RA: 315/30 R 21 105V XL | Pirelli Winter Sottozero Serie III NO (Inside/Outside) FA: https://eprel.ec.europa.eu/qr/595078 RA: https://eprel.ec.europa.eu/qr/595079 |
| Panamera 4 S E-Hybrid, Panamera 4 S E-Hybrid Executive, Panamera 4 S E-Hybrid Sport Turismo | FA: 265/45 R 19 105V XL RA: 295/40 R 19 108V XL Panamera S wheel only! | Michelin Pilot Alpin 4 NO (Rotation) FA: https://eprel.ec.europa.eu/qr/412550 RA: https://eprel.ec.europa.eu/qr/409156 |
| | | Continental ContiWinterContact NO (Rotation) FA: https://eprel.ec.europa.eu/qr/479585 RA: https://eprel.ec.europa.eu/qr/479576 |
| Panamera 4 S E-Hybrid, Panamera 4 S E-Hybrid Executive, Panamera 4 S E-Hybrid Sport Turismo, Panamera Turbo S, Panamera Turbo S Executive, Panamera Turbo S Sport Turismo, Panamera Turbo S E-Hybrid, Panamera Turbo S E-Hybrid Executive, Panamera Turbo S E-Hybrid Sport Turismo, Panamera GTS, Panamera GTS Sport Turismo | FA: 275/40 R 20 106V XL RA: 315/35 R 20 110V XL | Michelin Pilot Alpin 4 NO (Rotation) FA: https://eprel.ec.europa.eu/qr/409453 RA: https://eprel.ec.europa.eu/qr/409024 |
| | FA: 275/35 R 21 103V XL RA: 315/30 R 21 105V XL | Pirelli Winter Sottozero Serie III NO (Inside/Outside) FA: https://eprel.ec.europa.eu/qr/595078 RA: https://eprel.ec.europa.eu/qr/595079 |

All-season tires: – Only for c-options C02, C08, C14, C15, C17, C18, C23, C26, C32, C33, C34, C35, C36, C37, C38, C39, C42, C45, C46, C96

| Model | Tire sizes | Tire make and type / Label value (link to EU database) |
|--|--|--|
| Panamera, Panamera Executive, Panamera 4, Panamera 4 Executive, Panamera 4 Sport Turismo, Panamera 4 E-Hybrid, Panamera 4 E-Hybrid Executive, Panamera 4 E-Hybrid Sport Turismo, Panamera 4S, Panamera 4S Executive, Panamera 4S Sport Turismo, Panamera 4 S E-Hybrid, Panamera 4 S E-Hybrid Executive, Panamera 4 S E-Hybrid Sport Turismo, Panamera Turbo S, Panamera Turbo S Executive, Panamera Turbo S Sport Turismo, Panamera Turbo S E-Hybrid, Panamera Turbo S E-Hybrid Executive, Panamera Turbo S E-Hybrid Sport Turismo, Panamera GTS, Panamera GTS Sport Turismo | FA: 275/40 R 20 106V XL RA: 315/35 R 20 110V XL | Michelin Pilot Sport A/S NO (Rotation) FA: https://eprel.ec.europa.eu/qr/410576 RA: https://eprel.ec.europa.eu/qr/412099 |
| | FA: 275/35 R 21 103V XL RA: 315/30 R 21 105V XL | Pirelli Cinturato P7 AS NO (Inside/Outside) FA: https://eprel.ec.europa.eu/qr/595046 RA: https://eprel.ec.europa.eu/qr/595045 Pirelli Cinturato P7 AS NO (Inside/Outside) FA: https://eprel.ec.europa.eu/qr/595779 RA: https://eprel.ec.europa.eu/qr/595778 |



Information

Self-sealing tires differ from conventional tires in that they have a self-adhesive, viscous layer that covers the inside of the tire from shoulder to shoulder. If a foreign object with a diameter of up to 5 mm penetrates the tread of a self-sealing tire, this layer closes in around the foreign object and prevents any air loss by immediately sealing the area. If the foreign object becomes dislodged from the tire, the self-adhesive viscous layer is designed to seal most puncture channels caused by foreign object with a diameter of up to 5 mm.

It is not intended as a permanent tire repair solution following a puncture and is not designed to allow tires to be driven under-inflated or flat.

- Regularly check self-sealing tires – just like any other tires – for signs of cuts, punctures and loss of tire pressure.
- Carefully remove foreign object from the tread.
- Replace damaged tires.



Information

"N..." = Specification code of the tire, e.g. "ND0", "ND1", "ND2" ... The complete "N ..." code of the relevant tire makes must be shown on the tire sidewall near the type designation.

Instructions for correct mounting of the tires are also given on the tire sidewall. If there are no mounting instructions on the tire sidewall, the tire must be mounted so that the DOT marking is visible from the outside.

| | |
|---|--|
| Arrow with inscription "Rotation" | = directional mounting |
| "Inside/Outside" inscription or "Left" or "Right" | = mounting on specified side only |
| Arrow with both inscriptions "Rotation" and "Inside/Outside" | = directional mounting on specified side only. |
| Arrow with both inscriptions "Rotation" and "Left" or "Right" | = directional mounting on specified side only. |



Information

If a tire is damaged and it is not possible to determine with absolute certainty that there is no ply damage - with all of its consequences - or if the tire was thermally and/or mechanically overloaded due to a loss of pressure or other prior damage, replace the tire in question for safety reasons.

Repairs to "V", "W", "Y" and "ZR" tires are not permissible, as well as the use of inner tubes in tubeless tires. Please inform your customers accordingly. It is advisable to mount winter tires at temperatures below **45° F/7°C**, because the driving characteristics of summer tires are reduced at low temperatures. Extremely low temperatures can cause permanent damage to summer tires.

WARNING**Incorrect tire pressure**

- Uncontrollable vehicle handling
- ⇒ Adjust the tire pressure according to specifications. Never allow the pressure to fall below the minimum pressure.
- ⇒ Check age of tires. Replace tires that are more than 6 years old.
- ⇒ Perform visual inspections.
- ⇒ Use only tires recommended by Porsche.

Tire Pressure:

**Information**

The tire pressure applies only to the tire makes and types approved by Porsche, and is specified for cold tires (approx. **68° F/20°C**). The tire pressures must never be lower than the specified values.

Standard tire pressure

| Panamera | Part load | | Full load | |
|---------------------------------|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 19-inch summer tires | 2.2bar (32 psi) | 2.2 bar (32 psi) | 2.2 bar (33 psi) | 2.7 bar (39 psi) |
| 20-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) | 2.3 bar (33 psi) | 2.7 bar (39 psi) |
| 21-inch summer tires | 2.2 bar (32 psi) | 2.4 bar (35 psi) | 2.3 bar (33 psi) | 2.9 bar (42 psi) |
| 20-inch all-season tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) | 2.3 bar (33 psi) | 2.7bar (39psi) |
| 21-inch all-season tires | 2.3 bar (33 psi) | 2.6 bar (38 psi) | 2.5 bar (36 psi) | 3.1 bar (45 psi) |
| 19-inch winter tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) | 2.3 bar (33 psi) | 2.7 bar (39 psi) |
| 20-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) | 2.3 bar (33 psi) | 2.7 bar (39 psi) |
| 21-inch winter tires | 2.3 bar (33 psi) | 2.6 bar (38 psi) | 2.5 bar (36 psi) | 3.1 bar (45 psi) |
| 20-inch spare wheel | 4.2 bar (60 psi) | | | |

| Panamera 4 | Part load | | Full load | |
|--------------------------|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 19-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) | 2.3 bar (33 psi) | 2.7 bar (39 psi) |
| 20-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) | 2.2 bar (32 psi) | 2.7 bar (39 psi) |
| 21-inch summer tires | 2.2 bar (32 psi) | 2.4 bar (35 psi) | 2.4 bar (35 psi) | 2.9 bar (42 psi) |
| 20-inch all-season tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) | 2.3 bar (33 psi) | 2.7 bar (39 psi) |
| 21-inch all-season tires | 2.4 bar (35 psi) | 2.6 bar (38 psi) | 2.6 bar (38 psi) | 3.1 bar (45 psi) |
| 19-inch winter tires | 2.3 bar (33 psi) | 2.3 bar (33 psi) | 2.4 bar (35 psi) | 2.7 bar (39 psi) |
| 20-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) | 2.3 bar (33 psi) | 2.7 bar (39 psi) |
| 21-inch winter tires | 2.4 bar (35 psi) | 2.6 bar (38 psi) | 2.6 bar (38 psi) | 3.1 bar (45 psi) |
| 20-inch spare wheel | 4.2 bar (60 psi) | | | |

| Panamera 4 E-Hybrid | Part load | | Full load | |
|--------------------------|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 19-inch summer tires | 2.4 bar (35 psi) | 2.6 bar (38 psi) | 2.5 bar (36 psi) | 3.0 bar (44 psi) |
| 20-inch summer tires | 2.3 bar (33 psi) | 2.5 bar (36 psi) | 2.5 bar (36 psi) | 2.8 bar (41 psi) |
| 21-inch summer tires | 2.5 bar (36 psi) | 2.9 bar (42 psi) | 2.7 bar (39 psi) | 3.3 bar (48 psi) |
| 20-inch all-season tires | 2.3 bar (33 psi) | 2.4 bar (35 psi) | 2.5 bar (36 psi) | 2.8 bar (41 psi) |
| 21-inch all-season tires | 2.5 bar (36 psi) | 2.9 bar (42 psi) | 2.7 bar (39 psi) | 3.3 bar (48 psi) |
| 19-inch winter tires | 2.4 bar (35 psi) | 2.6 bar (38 psi) | 2.5 bar (36 psi) | 3.0 bar (44 psi) |
| 20-inch winter tires | 2.3 bar (33 psi) | 2.4 bar (35 psi) | 2.5 bar (36 psi) | 2.8 bar (41 psi) |

| Panamera 4 E-Hybrid | Part load | | Full load | |
|------------------------|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 21-inch winter tires | 2.5 bar (36 psi) | 2.9 bar (42 psi) | 2.7 bar (39 psi) | 3.3 bar (48 psi) |
| 20-inch spare wheel | 4.2 bar (60 psi) | | | |

| Panamera 4S | Part load | | Full load | |
|--------------------------|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 19-inch summer tires | 2.5 bar (36 psi) | 2.5 bar (36 psi) | 2.7 bar (39 psi) | 2.9 bar (42 psi) |
| 20-inch summer tires | 2.4 bar (35 psi) | 2.3 bar (33 psi) | 2.6 bar (38 psi) | 2.7 bar (39 psi) |
| 21-inch summer tires | 2.7 bar (39 psi) | 2.7 bar (39 psi) | 2.9 bar (42 psi) | 3.2 bar (46 psi) |
| 20-inch all-season tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) | 2.4 bar (35 psi) | 2.7 bar (39 psi) |
| 21-inch all-season tires | 2.4 bar (35 psi) | 2.5 bar (36 psi) | 2.6 bar (38 psi) | 2.9 bar (42 psi) |
| 19-inch winter tires | 2.3 bar (33 psi) | 2.2 bar (32 psi) | 2.4 bar (35 psi) | 2.7 bar (39 psi) |
| 20-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) | 2.4 bar (35 psi) | 2.7 bar (39 psi) |
| 21-inch winter tires | 2.4 bar (35 psi) | 2.5 bar (36 psi) | 2.6 bar (38 psi) | 2.9 bar (42 psi) |
| 20-inch spare wheel | 4.2 bar (60 psi) | | | |

| Panamera 4 S E-Hybrid | Part load | | Full load | |
|--------------------------|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 20-inch summer tires | 2.6 bar (38 psi) | 2.8 bar (41 psi) | 2.8 bar (41 psi) | 3.2 bar (46 psi) |
| 21-inch summer tires | 2.9 bar (42 psi) | 3.0 bar (34 psi) | 3.0 bar (34 psi) | 3.4 bar (49 psi) |
| 20-inch all-season tires | 2.3 bar (33 psi) | 2.5 bar (36 psi) | 2.5 bar (36 psi) | 2.8 bar (41 psi) |

| Panamera 4 S E-Hybrid | Part load | | Full load | |
|-----------------------------|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 21-inch all-season tires | 2.6 bar (38 psi) | 2.9 bar (42 psi) | 2.7 bar (39 psi) | 3.3 bar (48 psi) |
| 20-inch winter tires | 2.3 bar (33 psi) | 2.5 bar (36 psi) | 2.5 bar (36 psi) | 2.8 bar (41 psi) |
| 21-inch winter tires | 2.6 bar (38 psi) | 2.9 bar (42 psi) | 2.7 bar (39 psi) | 3.3 bar (48 psi) |
| 20-inch spare wheel | 4.2 bar (60 psi) | | | |

| Panamera GTS | Part load | | Full load | |
|-----------------------------|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 20-inch summer tires | 2.6 bar (38 psi) | 2.5 bar (36 psi) | 2.8 bar (41 psi) | 2.9 bar (42 psi) |
| 21-inch summer tires | 2.9 bar (42 psi) | 2.9 bar (42 psi) | 3.1 bar (45 psi) | 3.4 bar (50 psi) |
| 20-inch all-season tires | 2.3 bar (33 psi) | 2.2 bar (32 psi) | 2.5 bar (36 psi) | 2.7 bar (39 psi) |
| 21-inch all-season tires | 2.6 bar (38 psi) | 2.6 bar (38 psi) | 2.8 bar (41 psi) | 3.0 bar (44 psi) |
| 20-inch winter tires | 2.3 bar (33 psi) | 2.2 bar (32 psi) | 2.5 bar (36 psi) | 2.7 bar (39 psi) |
| 21-inch winter tires | 2.6 bar (38 psi) | 2.6 bar (38 psi) | 2.8 bar (41 psi) | 3.0 bar (44 psi) |
| 20-inch spare wheel | 4.2 bar (60 psi) | | | |

| Panamera Turbo S | Part load | | Full load | |
|-------------------------|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 20-inch summer tires | 2.7 bar (39 psi) | 2.5 bar (36 psi) | 2.9 bar (42 psi) | 3.0 bar (44 psi) |
| 21-inch summer tires | 3.0 bar (44 psi) | 2.7 bar (39 psi) | 3.2 bar (46 psi) | 3.2 bar (46 psi) |

| Panamera Turbo S | Part load | | Full load | |
|---|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 21-inch summer tires Sports tires FA: 275/35, RA: 325/30 (TEQ scope, no tire-pressure plate) | 3.0 bar (44 psi) | 2.7 bar (39 psi) | 3.2 bar (46 psi) | 3.2 bar (46 psi) |
| 20-inch all-season tires | 2.4 bar (35 psi) | 2.2 bar (32 psi) | 2.5 bar (36 psi) | 2.7 bar (39 psi) |
| 21-inch all-season tires | 2.6 bar (38 psi) | 2.6 bar (38 psi) | 2.8 bar (41 psi) | 3.0 bar (44 psi) |
| 20-inch winter tires | 2.4 bar (35 psi) | 2.2 bar (32 psi) | 2.5 bar (36 psi) | 2.7 bar (39 psi) |
| 21-inch winter tires | 2.6 bar (38 psi) | 2.6 bar (38 psi) | 2.8 bar (41 psi) | 3.0 bar (44 psi) |
| 20-inch spare wheel | 4.2 bar (60 psi) | | | |

| Panamera Turbo S E-Hybrid | Part load | | Full load | |
|---------------------------------|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 21-inch summer tires | 3.1 bar (45 psi) | 3.1 bar (45 psi) | 3.3 bar (48 psi) | 3.4 bar (49 psi) |
| 20-inch all-season tires | 2.4 bar (35 psi) | 2.5 bar (36 psi) | 2.6 bar (38 psi) | 2.8 bar (41 psi) |
| 21-inch all-season tires | 2.7 bar (39 psi) | 3.0 bar (44 psi) | 2.9 bar (42 psi) | 3.3 bar (48 psi) |
| 20-inch winter tires | 2.4 bar (35 psi) | 2.5 bar (36 psi) | 2.6 bar (38 psi) | 2.8 bar (41 psi) |
| 21-inch winter tires | 2.7 bar (39 psi) | 3.0 bar (44 psi) | 2.9 bar (42 psi) | 3.3 bar (48 psi) |
| 20-inch spare wheel | 4.2 bar (60 psi) | | | |

| Panamera Executive, Panamera 4 Executive | Part load | | Full load | |
|--|------------------|------------------|------------------|------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 19-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) | 2.3 bar (33 psi) | 2.7 bar (39 psi) |
| 20-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) | 2.3 bar (33 psi) | 2.7 bar (39 psi) |
| 21-inch summer tires | 2.3 bar (33 psi) | 2.2 bar (32 psi) | 2.4 bar (35 psi) | 2.7 bar (39 psi) |
| 20-inch all-season tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) | 2.4 bar (35 psi) | 2.7 bar (39 psi) |
| 21-inch all-season tires | 2.5 bar (36 psi) | 2.2 bar (32 psi) | 2.6 bar (38 psi) | 2.7 bar (39 psi) |
| 19-inch winter tires | 2.3 bar (33 psi) | 2.2 bar (32 psi) | 2.4 bar (35 psi) | 2.7 bar (39 psi) |
| 20-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) | 2.4 bar (35 psi) | 2.7 bar (39 psi) |
| 21-inch winter tires | 2.5 bar (36 psi) | 2.2 bar (32 psi) | 2.6 bar (38 psi) | 2.7 bar (39 psi) |
| 20-inch spare wheel | 4.2 bar (60 psi) | | | |

| Panamera 4 E-Hybrid Executive | Part load | | Full load | |
|-------------------------------|------------------|------------------|------------------|------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 19-inch summer tires | 2.4 bar (35 psi) | 2.5 bar (36 psi) | 2.6 bar (38 psi) | 2.9 bar (42 psi) |
| 20-inch summer tires | 2.4 bar (35 psi) | 2.4 bar (35 psi) | 2.5 bar (36 psi) | 2.7 bar (39 psi) |
| 21-inch summer tires | 2.6 bar (38 psi) | 2.7 bar (39 psi) | 2.8 bar (41 psi) | 3.2 bar (46 psi) |
| 20-inch all-season tires | 2.3 bar (33 psi) | 2.3 bar (33 psi) | 2.5 bar (36 psi) | 2.7 bar (39 psi) |
| 21-inch all-season tires | 2.6 bar (38 psi) | 2.7 bar (39 psi) | 2.8 bar (41 psi) | 3.2 bar (46 psi) |
| 19-inch winter tires | 2.4 bar (35 psi) | 2.5 bar (36 psi) | 2.6 bar (38 psi) | 2.9 bar (42 psi) |

| Panamera 4 E-Hybrid Executive | Part load | | Full load | |
|-------------------------------------|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 20-inch winter tires | 2.3 bar (33 psi) | 2.3 bar (33 psi) | 2.5 bar (36 psi) | 2.7 bar (39 psi) |
| 21-inch winter tires | 2.6 bar (38 psi) | 2.7 bar (39 psi) | 2.8 bar (41 psi) | 3.2 bar (46 psi) |
| 20-inch spare wheel | 4.2 bar (60 psi) | | | |

| Panamera 4 S Executive | Part load | | Full load | |
|---------------------------|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 19-inch summer tires | 2.6 bar (38 psi) | 2.3 bar (33 psi) | 2.7 bar (39 psi) | 2.8 bar (41 psi) |
| 20-inch summer tires | 2.5 bar (36 psi) | 2.3 bar (33 psi) | 2.6 bar (38 psi) | 2.7 bar (39 psi) |
| 21-inch summer tires | 2.7 bar (39 psi) | 2.5 bar (36 psi) | 2.9 bar (42 psi) | 3.1 bar (45 psi) |
| 20-inch all-season tires | 2.3 bar (33 psi) | 2.2 bar (32 psi) | 2.4 bar (35 psi) | 2.7 bar (39 psi) |
| 21-inch all-season tires | 2.5 bar (36 psi) | 2.2 bar (32 psi) | 2.6 bar (38 psi) | 2.8 bar (41 psi) |
| 19-inch winter tires | 2.3 bar (33 psi) | 2.2 bar (32 psi) | 2.5 bar (36 psi) | 2.7 bar (39 psi) |
| 20-inch winter tires | 2.3 bar (33 psi) | 2.2 bar (32 psi) | 2.4 bar (35 psi) | 2.7 bar (39 psi) |
| 21-inch winter tires | 2.5 bar (36 psi) | 2.2 bar (32 psi) | 2.6 bar (38 psi) | 2.8 bar (41 psi) |
| 20-inch spare wheel | 4.2 bar (60 psi) | | | |

| Panamera 4S E-Hybrid Executive | Part load | | Full load | |
|--------------------------------------|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 20-inch summer tires | 2.7 bar (39 psi) | 2.7 bar (39 psi) | 2.9 bar (42 psi) | 3.1 bar (45 psi) |
| 21-inch summer tires | 2.9 bar (42 psi) | 2.9 bar (42 psi) | 3.1 bar (45 psi) | 3.4 bar (49 psi) |

| Panamera 4S E-Hybrid Executive | Part load | | Full load | |
|--------------------------------------|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 20-inch all-season tires | 2.4 bar (35 psi) | 2.4 bar (35 psi) | 2.5 bar (36 psi) | 2.8 bar (41 psi) |
| 21-inch all-season tires | 2.6 bar (38 psi) | 2.8 bar (41 psi) | 2.8 bar (41 psi) | 3.3 bar (48 psi) |
| 20-inch winter tires | 2.4 bar (35 psi) | 2.4 bar (35 psi) | 2.5 bar (36 psi) | 2.8 bar (41 psi) |
| 21-inch winter tires | 2.6 bar (38 psi) | 2.8 bar (41 psi) | 2.8 bar (41 psi) | 3.3 bar (48 psi) |
| 20-inch spare wheel | 4.2 bar (60 psi) | | | |

| Panamera Turb- o S Executive | Part load | | Full load | |
|---------------------------------|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 20-inch summer tires | 2.8 bar (41 psi) | 2.3 bar (33 psi) | 2.9 bar (42 psi) | 2.9 bar (42 psi) |
| 21-inch summer tires | 3.0 bar (44 psi) | 2.7 bar (39 psi) | 3.2 bar (46 psi) | 3.2 bar (46 psi) |
| 20-inch all-season tires | 2.4 bar (35 psi) | 2.2 bar (32 psi) | 2.6 bar (38 psi) | 2.7 bar (39 psi) |
| 21-inch all-season tires | 2.7 bar (39 psi) | 2.4 bar (35 psi) | 2.8 bar (41 psi) | 2.9 bar (42 psi) |
| 20-inch winter tires | 2.4 bar (35 psi) | 2.2 bar (32 psi) | 2.6 bar (38 psi) | 2.7 bar (39 psi) |
| 21-inch winter tires | 2.7 bar (39 psi) | 2.4 bar (35 psi) | 2.8 bar (41 psi) | 2.9 bar (42 psi) |
| 20-inch spare wheel | 4.2 bar (60 psi) | | | |

| Panamera Turbo S E-Hybrid Executive | Part load | | Full load | |
|--|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 21-inch summer tires | 3.1 bar (45 psi) | 2.9 bar (42 psi) | 3.4 bar (49 psi) | 3.4 bar (49 psi) |
| 20-inch all-season tires | 2.5 bar (36 psi) | 2.4 bar (35 psi) | 2.7 bar (39 psi) | 2.8 bar (41 psi) |

| Panamera Turbo S E-Hybrid Executive | Part load | | Full load | |
|--|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 21-inch all-season tires | 2.7 bar (39 psi) | 2.8 bar (41 psi) | 3.0 bar (44 psi) | 3.3 bar (48 psi) |
| 20-inch winter tires | 2.5 bar (36 psi) | 2.4 bar (35 psi) | 2.7 bar (39 psi) | 2.8 bar (41 psi) |
| 21-inch winter tires | 2.7 bar (39 psi) | 2.8 bar (41 psi) | 3.0 bar (44 psi) | 3.3 bar (48 psi) |
| 20-inch spare wheel | 4.2 bar (60 psi) | | | |

| Panamera 4 Sport Turismo | Part load | | Full load | |
|-----------------------------|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 19-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) | 2.2 bar (32 psi) | 2.7 bar (39 psi) |
| 20-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) | 2.2 bar (32 psi) | 2.7 bar (39 psi) |
| 21-inch summer tires | 2.2 bar (32 psi) | 2.4 bar (35 psi) | 2.4 bar (35 psi) | 2.9 bar (42 psi) |
| 20-inch all-season tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) | 2.4 bar (35 psi) | 2.7 bar (39 psi) |
| 21-inch all-season tires | 2.4 bar (35 psi) | 2.7 bar (39 psi) | 2.6 bar (38 psi) | 3.2 bar (46 psi) |
| 19-inch winter tires | 2.3 bar (33 psi) | 2.4 bar (35 psi) | 2.4 bar (35 psi) | 2.9 bar (42 psi) |
| 20-inch winter tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) | 2.4 bar (35 psi) | 2.7 bar (39 psi) |
| 21-inch winter tires | 2.4 bar (35 psi) | 2.7 bar (39 psi) | 2.6 bar (38 psi) | 3.2 bar (46 psi) |
| 20-inch spare wheel | 4.2 bar (60 psi) | | | |

| Panamera 4 E-Hybrid Sport Turismo | Part load | | Full load | |
|---|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 19-inch summer tires | 2.3 bar (33 psi) | 2.7 bar (39 psi) | 2.5 bar (36 psi) | 3.0 bar (44 psi) |
| 20-inch summer tires | 2.3 bar (33 psi) | 2.5 bar (36 psi) | 2.5 bar (36 psi) | 2.9 bar (42 psi) |
| 21-inch summer tires | 2.5 bar (36 psi) | 2.9 bar (42 psi) | 2.7 bar (39 psi) | 3.3 bar (48 psi) |
| 20-inch all-season tires | 2.3 bar (33 psi) | 2.5 bar (36 psi) | 2.5 bar (36 psi) | 2.9 bar (42 psi) |
| 21-inch all-season tires | 2.5 bar (36 psi) | 3.0 bar (44 psi) | 2.7 bar (39 psi) | 3.4 bar (49 psi) |
| 19-inch winter tires | 2.4 bar (35 psi) | 2.7 bar (39 psi) | 2.6 bar (38 psi) | 3.1 bar (45 psi) |
| 20-inch winter tires | 2.3 bar (33 psi) | 2.5 bar (36 psi) | 2.5 bar (36 psi) | 2.9 bar (42 psi) |
| 21-inch winter tires | 2.5 bar (36 psi) | 3.0 bar (44 psi) | 2.7 bar (39 psi) | 3.4 bar (49 psi) |
| 20-inch spare wheel | 4.2 bar (60 psi) | | | |

| Panamera 4S Sport Turismo | Part load | | Full load | |
|------------------------------|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 19-inch summer tires | 2.4 bar (35 psi) | 2.5 bar (36 psi) | 2.6 bar (38 psi) | 3.0 bar (44 psi) |
| 20-inch summer tires | 2.4 bar (35 psi) | 2.4 bar (35 psi) | 2.5 bar (36 psi) | 2.8 bar (41 psi) |
| 21-inch summer tires | 2.6 bar (38 psi) | 2.7 bar (39 psi) | 2.8 bar (41 psi) | 3.3 bar (48 psi) |
| 20-inch all-season tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) | 2.4 bar (35 psi) | 2.7 bar (39 psi) |
| 21-inch all-season tires | 2.4 bar (35 psi) | 2.6 bar (38 psi) | 2.6 bar (38 psi) | 3.1 bar (45 psi) |
| 19-inch winter tires | 2.3 bar (33 psi) | 2.3 bar (33 psi) | 2.4 bar (35 psi) | 2.8 bar (41 psi) |
| 20-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) | 2.4 bar (35 psi) | 2.7 bar (39 psi) |

| Panamera 4S Sport Turismo | Part load | | Full load | |
|------------------------------|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 21-inch winter tires | 2.4 bar (35 psi) | 2.6 bar (38 psi) | 2.6 bar (38 psi) | 3.1 bar (45 psi) |
| 20-inch spare wheel | 4.2 bar (60 psi) | | | |

| Panamera 4S E-Hybrid Sport Turismo | Part load | | Full load | |
|--|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 20-inch summer tires | 2.5 bar (36 psi) | 2.8 bar (41 psi) | 2.7 bar (39 psi) | 3.2 bar (46 psi) |
| 21-inch summer tires | 2.8 bar (41 psi) | 3.0 bar (44 psi) | 3.0 bar (44 psi) | 3.4 bar (49 psi) |
| 20-inch all-season tires | 2.3 bar (33 psi) | 2.6 bar (38 psi) | 2.5 bar (36 psi) | 2.9 bar (42 psi) |
| 21-inch all-season tires | 2.6 bar (38 psi) | 3.0 bar (44 psi) | 2.7 bar (39 psi) | 3.4 bar (49 psi) |
| 20-inch winter tires | 2.3 bar (33 psi) | 2.6 bar (38 psi) | 2.5 bar (36 psi) | 2.9 bar (42 psi) |
| 21-inch winter tires | 2.6 bar (38 psi) | 3.0 bar (44 psi) | 2.7 bar (39 psi) | 3.4 bar (49 psi) |
| 20-inch spare wheel | 4.2 bar (60 psi) | | | |

| Panamera GTS Sport Turismo | Part load | | Full load | |
|-------------------------------|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 20-inch summer tires | 2.5 bar (36 psi) | 2.4 bar (35 psi) | 2.8 bar (41 psi) | 2.9 bar (42 psi) |
| 21-inch summer tires | 2.8 bar (41 psi) | 2.8 bar (41 psi) | 3.0 bar (44 psi) | 3.4 bar (49 psi) |
| 20-inch all-season tires | 2.3 bar (33 psi) | 2.2 bar (31 psi) | 2.5 bar (36 psi) | 2.7 bar (39 psi) |
| 21-inch all-season tires | 2.6 bar (38 psi) | 2.6 bar (38 psi) | 2.8 bar (41 psi) | 3.1 bar (45 psi) |
| 20-inch winter tires | 2.3 bar (33 psi) | 2.2 bar (31 psi) | 2.5 bar (36 psi) | 2.7 bar (39 psi) |

| Panamera GTS Sport Turismo | Part load | | Full load | |
|----------------------------|------------------|------------------|------------------|------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 21-inch winter tires | 2.6 bar (38 psi) | 2.6 bar (38 psi) | 2.8 bar (41 psi) | 3.1 bar (45 psi) |
| 20-inch spare wheel | 4.2 bar (60 psi) | | | |

| Panamera Turbo S Sport Turismo | Part load | | Full load | |
|--------------------------------|------------------|------------------|------------------|------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 20-inch summer tires | 2.7 bar (39 psi) | 2.5 bar (36 psi) | 2.9 bar (42 psi) | 3.0 bar (44 psi) |
| 21-inch summer tires | 3.0 bar (44 psi) | 2.7 bar (39 psi) | 3.2 bar (46 psi) | 3.2 bar (46 psi) |
| 20-inch all-season tires | 2.4 bar (35 psi) | 2.2 bar (32 psi) | 2.5 bar (36 psi) | 2.7 bar (39 psi) |
| 21-inch all-season tires | 2.6 bar (38 psi) | 2.6 bar (38 psi) | 2.8 bar (41 psi) | 3.0 bar (44 psi) |
| 20-inch winter tires | 2.4 bar (35 psi) | 2.2 bar (32 psi) | 2.5 bar (36 psi) | 2.7 bar (39 psi) |
| 21-inch winter tires | 2.6 bar (38 psi) | 2.6 bar (38 psi) | 2.8 bar (41 psi) | 3.0 bar (44 psi) |
| 20-inch spare wheel | 4.2 bar (60 psi) | | | |

| Panamera Turbo S E-Hybrid Sport Turismo | Part load | | Full load | |
|---|------------------|------------------|------------------|------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 21-inch summer tires | 3.1 bar (45 psi) | 3.1 bar (45 psi) | 3.3bar (48 psi) | 3.4bar (49 psi) |
| 20-inch all-season tires | 2.5 bar (36 psi) | 2.5 bar (36 psi) | 2.6 bar (38 psi) | 2.8 bar (41 psi) |
| 21-inch all-season tires | 2.7 bar (39 psi) | 2.9 bar (42 psi) | 2.9 bar (42 psi) | 3.3 bar (48 psi) |
| 20-inch winter tires | 2.5 bar (36 psi) | 2.5 bar (36 psi) | 2.6 bar (38 psi) | 2.8 bar (41 psi) |

| Panamera Turbo S E-Hybrid Sport Turismo | Part load | | Full load | |
|--|---------------------|---------------------|---------------------|---------------------|
| | Front axle | Rear axle | Front axle | Rear axle |
| 21-inch winter tires | 2.7 bar (39 psi) | 2.9 bar (42 psi) | 2.9 bar (42 psi) | 3.3 bar (48 psi) |
| 20-inch spare wheel | 4.2 bar (60 psi) | | | |

Note: All-season tires only for c-options C02, C08, C14, C15, C17, C18, C23, C26, C32, C33, C34, C35, C36, C37, C38, C39, C42, C45, C46, C96

**WARNING**

Driving at high speed with low tire pressure can cause irreparable damage to tires.

⇒ Set Comfort air pressure for tires only on vehicles with Tire Pressure Monitoring System (TPMS) and "Comfort" selected in the "Tire pressure" main menu in the multi-function display.

**Information**

The permitted speed threshold for Comfort tire pressure depends on the vehicle's country equipment (c-option) and cannot be selected.

Comfort tire pressure up to 270 km/h (165 mph) (part load):

Comfort tire pressure for summer tires up to 270 km/h (165 mph)

– Only for c-options C00, C05, C07, C09, C10, C11, C12, C13, C16, C, 19, C20, C21, C22, C26, C27, C28, C32, C46, C98, C99

| Panamera 4 E-Hybrid | Front axle | Rear axle |
|-------------------------|---------------------|---------------------|
| 19-inch summer tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) |
| 20-inch summer tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) |
| 21-inch summer tires | 2.4 bar (35 psi) | 2.5 bar (36 psi) |

| Panamera 4S E-Hybrid | Front axle | Rear axle |
|-------------------------|---------------------|---------------------|
| 20-inch summer tires | 2.4 bar (35 psi) | 2.4 bar (35 psi) |
| 21-inch summer tires | 2.4 bar (35 psi) | 2.4 bar (35 psi) |

| Panamera 4S, Panamera 4S Executive | Front axle | Rear axle |
|--|---------------------|---------------------|
| 19-inch summer tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) |
| 20-inch summer tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) |
| 21-inch summer tires | 2.4 bar (35 psi) | 2.4 bar (35 psi) |

| Panamera Turbo S E-Hybrid, Panamera Turbo S E-Hybrid Executive, Panamera Turbo S E-Hybrid Sport Turismo | Front axle | Rear axle |
|--|---------------------|---------------------|
| 21-inch summer tires | 2.4 bar (35 psi) | 2.4 bar (35 psi) |

| Panamera 4 E-Hybrid Executive | Front axle | Rear axle |
|-------------------------------------|---------------------|---------------------|
| 19-inch summer tires | 2.2 bar (32 psi) | 2.4 bar (35 psi) |
| 20-inch summer tires | 2.2 bar (32 psi) | 2.4 bar (35 psi) |
| 21-inch summer tires | 2.4 bar (35 psi) | 2.4 bar (35 psi) |

| Panamera GTS, Panamera Turbo S, Panamera 4S E-Hybrid Sport Turismo Sport Turismo, Panamera 4S E-Hybrid Executive, Panamera Turbo S Executive, Panamera GTS Sport Turismo, Panamera Turbo S Sport Turismo | Front axle | Rear axle |
|--|---------------------|---------------------|
| 20-inch summer tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) |
| 21-inch summer tires | 2.4 bar (35 psi) | 2.4 bar (35 psi) |

| Panamera 4S Sport Turismo | Front axle | Rear axle |
|------------------------------|---------------------|---------------------|
| 19-inch summer tires | 2.4 bar (35 psi) | 2.4 bar (35 psi) |
| 20-inch summer tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) |
| 21-inch summer tires | 2.4 bar (35 psi) | 2.4 bar (35 psi) |



Information

The permitted speed threshold for Comfort tire pressure depends on the vehicle's country equipment (c-option) and cannot be selected.

Comfort tire pressure up to 160 km/h (100 mph):

Comfort tire pressure up to 160 km/h (100 mph)

For vehicles with "Comfort pressure" selected in the Tire Pressure Monitoring (TPM) system and speed threshold "160 km/h" ("100 mph").

– Only for c-options C02, C08, C14, C15, C17, C18, C23, C34, C35, C36, C37, C38, C39, C96

| Panamera, Panamera 4 | Front axle | Rear axle |
|--------------------------|---------------------|---------------------|
| 19-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 20-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch summer tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) |
| 20-inch all-season tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch all-season tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) |
| 19-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 20-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch winter tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) |

| Panamera 4 S E-Hybrid | Front axle | Rear axle |
|--------------------------|---------------------|---------------------|
| 20-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch summer tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) |
| 20-inch all-season tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch all-season tires | 2.2 bar (32 psi) | 2.5 bar (36 psi) |
| 20-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch winter tires | 2.2 bar (32 psi) | 2.5 bar (36 psi) |

| Panamera GTS | Front axle | Rear axle |
|--------------------------|---------------------|---------------------|
| 20-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 20-inch all-season tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch all-season tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 20-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |

| Panamera Turbo S, Panamera Turbo S Sport Turismo, Panamera Turbo S Executive, Panamera 4S E-Hybrid Executive | Front axle | Rear axle |
|--|---------------------|---------------------|
| 20-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 20-inch all-season tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch all-season tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 20-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |

| Panamera Executive, Panamera 4 Executive, Panamera 4S, Panamera 4 S Executive | Front axle | Rear axle |
|---|------------------|------------------|
| 19-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 20-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 20-inch all-season tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch all-season tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 19-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 20-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |

| Panamera 4 Sport Turismo, Panamera 4 E-Hybrid Executive | Front axle | Rear axle |
|---|------------------|------------------|
| 19-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 20-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch summer tires | 2.2 bar (32 psi) | 2.4 bar (35 psi) |
| 20-inch all-season tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch all-season tires | 2.2 bar (32 psi) | 2.4 bar (35 psi) |

| Panamera 4 Sport Turismo, Panamera 4 E-Hybrid Executive | Front axle | Rear axle |
|--|---------------------|---------------------|
| 19-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 20-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch winter tires | 2.2 bar (32 psi) | 2.4 bar (35 psi) |

| Panamera 4 S E-Hybrid Sport Turismo | Front axle | Rear axle |
|--|---------------------|---------------------|
| 20-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch summer tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) |
| 20-inch all-season tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch all-season tires | 2.2 bar (32 psi) | 2.5 bar (36 psi) |
| 20-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch winter tires | 2.2 bar (32 psi) | 2.5 bar (36 psi) |

| Panamera GTS Sport Turismo | Front axle | Rear axle |
|-----------------------------------|---------------------|---------------------|
| 20-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch summer tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) |
| 20-inch all-season tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch all-season tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) |

| Panamera GTS Sport Turismo | Front axle | Rear axle |
|----------------------------|---------------------|---------------------|
| 20-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch winter tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) |

| Panamera Turbo S E-Hybrid, Panamera Turbo S E-Hybrid Executive, Panamera Turbo S E-Hybrid Sport Turismo | Front axle | Rear axle |
|---|---------------------|---------------------|
| 21-inch summer tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) |
| 20-inch all-season tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch all-season tires | 2.2 bar (32 psi) | 2.5 bar (36 psi) |
| 20-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch winter tires | 2.2 bar (32 psi) | 2.5 bar (36 psi) |

| Panamera 4 E-Hybrid Sport Turismo | Front axle | Rear axle |
|-----------------------------------|---------------------|---------------------|
| 19-inch summer tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) |
| 20-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch summer tires | 2.2 bar (32 psi) | 2.5 bar (36 psi) |
| 20-inch all-season tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch all-season tires | 2.2 bar (32 psi) | 2.5 bar (36 psi) |

| Panamera 4 E-Hybrid Sport Turismo | Front axle | Rear axle |
|---|---------------------|---------------------|
| 19-inch winter tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) |
| 20-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch winter tires | 2.2 bar (32 psi) | 2.5 bar (36 psi) |

| Panamera 4S Sport Turismo | Front axle | Rear axle |
|------------------------------|---------------------|---------------------|
| 19-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 20-inch summer tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch summer tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) |
| 20-inch all-season tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch all-season tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) |
| 19-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 20-inch winter tires | 2.2 bar (32 psi) | 2.2 bar (32 psi) |
| 21-inch winter tires | 2.2 bar (32 psi) | 2.3 bar (33 psi) |

 **WARNING**

Incorrectly installed snow chains

- Uncontrollable vehicle handling
- ⇒ Do not exceed the maximum speed of Speed 30 mph/50 km/h.
- ⇒ Observe installation instructions from the chain manufacturer.

Snow chains: Porsche offers the following snow chains as accessories:

| Tire size | Porsche Part No. |
|-----------------|------------------|
| 295/40 R 19 M+S | 971.044.690.A |
| 315/35 R 20 M+S | 971.044.690.B |
| 315/30 R 21 M+S | 971.044.690.B |

Snow chain approval is only guaranteed for the tires specified above. Can only be installed on the rear wheels.

- Wheel Storage:
- Tires must be stored in a cool, dry and dark room with adequate ventilation.
 - Tires must never come into contact with fuel, oil, grease or chemicals.
 - Do not store summer tires in storage areas with ambient temperatures of less than 5° F (-15° C).
 - Complete wheel & tire assemblies can be stacked for storage; we recommend that you increase the tire pressure by approximately 6 psi (0.4 bar).
 - Optimum conditions for storage of the complete wheels are provided by the Original Porsche storage trolley, Part No. 000.044.000.38.
 - If the tires are not mounted on wheels, it is best to store them in a vertical position.
 - We recommend that you turn tires stored in this position every two weeks in order to prevent flat spots.
 - Tires that are stacked in a horizontal position will become severely deformed and cannot be seated properly in the rim flange when they are mounted.

- General Information:
- Always use new valves when changing tires.
 - Always observe any possible instructions concerning the rolling direction and/or specifying which side the tires must be mounted on.
 - Coat the tire beads and humps with mounting lubricant before mounting the tire. This ensures that the tire beads will slide over the humps easily.
 - In order to prevent the tire from turning on the wheel, avoid extreme driving maneuvers (acceleration and braking) during the first 100 to 200 miles with new or recently mounted tires.
 - In order to optimize smoothness of rolling, it is appropriate - and necessary in individual cases - to mount the tire in a certain (favorable) position with respect to the wheel (matching).

Matching (uncontrolled and controlled) is explained below: Uncontrolled matching:

- Turning the tire on the wheel by 90° or 120° if necessary in order to achieve an acceptable value with regard to rolling smoothness (true running, imbalance and weight distribution of balance weights).

Controlled matching:

- With a balancing machine with matching program. In most cases, this produces an even better result with regard to the rolling smoothness (true running, imbalance and weight distribution of the balance weights) than can be achieved with uncontrolled matching.
- Maximum permissible radial runout and lateral runout of the wheels < 0.7 mm. Maximum permissible radial runout and lateral runout of the wheels with tires < 1.25 mm. Values < 1.50 mm -ideally approx. 0.5 mm - are desirable.

- The mounting pressure (seating pressure) of 58 psi/4.0 bar overpressure must not be exceeded before both tire beads are evenly seated on the rim flange.

New Tires (Replacements):

- If new tires are to be mounted or the tires of one axle are to be replaced, tires of the same make, type and with the same specification code must always be used on each of the two axles.
- If tires are replaced on one axle only, the different tread depth from that on the other axle can cause a noticeable change in the familiar handling.
- This is especially the case if new tires are mounted on the rear axle.
- This effect decreases with increasing tire mileage.

When replacing a tire on an axle, make sure that the tread depth of the new tire does not differ from that of the other tire on the same axle by more than 30 %.

Refer to WM 449503 for specific details of the vehicle you are working on.

- >The 2mm specification will be given here.
- > If there is none listed then the default is 30%.

Repairs to Tires:

- If a tire is damaged and it cannot be determined with absolute certainty that there is no ply damage - with all of its consequences - or if the tire was thermally or mechanically overloaded due to a loss of pressure or other prior damage, we recommend replacement of the tire in question for safety reasons.
- Repairs to "V", "W", "Y", and "ZR" tires are not permissible, as is the use of inner tubes in tubeless tires.

Tire Aging:

- Tires age due to chemical and physical processes, which can impair their function.
- Tires that are stored unused for an extended period harden and become brittle faster than tires that are in continual use.
- Hairline aging cracks can occur on older tires.
- On tires in continual use, the kneading action activates the plasticizer in the rubber and thereby prevents hardening and cracking.
- Therefore, attention should be paid not only to the tread depth but also to the age of the tire.
- Tires should not be older than 6 years.
- The age of the tire can be determined via the DOT code on the sidewall, which indicates the production date of the tire: e.g. DOT 2201 = 22nd week of 2001.

Important Notice: Technical Bulletins issued by Porsche Cars North America, Inc. are intended only for use by professional automotive technicians who have attended Porsche service training courses. They are written to inform those technicians of conditions that may occur on some Porsche vehicles, or to provide information that could assist in the proper servicing of a vehicle. Porsche special tools may be necessary in order to perform certain operations identified in these bulletins. Use of tools and procedures other than those Porsche recommends in these bulletins may be detrimental to the safe operation of your vehicle, and may endanger the people working on it. Properly trained Porsche technicians have the equipment, tools, safety instructions, and know-how to do the job properly and safely. Part numbers listed in these bulletins are for reference only. The work procedures updated electronically in the Porsche PIWIS diagnostic and testing device take precedence and, in the event of a discrepancy, the work procedures in the PIWIS Tester are the ones that must be followed.

© 2022 Porsche Cars North America, Inc.