

Overview of Approved Porsche A40 Engine Oils (36/22)



Information

The period of validity for the approved engine oil is between 2 and 3 years. The expiration date of the approval is given in the last column in the list.

Once this validity period has elapsed, the approval in question is revoked unless an extension is requested by the relevant manufacturer.

Revision: This bulletin replaces bulletin Group 1 05/22, dated February 10, 2022.

Model Year: **As of 1984 up to 2020**

Vehicle Type: **All Porsche vehicles, up to and including MY 2020, for which Porsche A40 engine oils are allocated.**

Note: Porsche offers special Classic oils for Porsche Classic vehicles (manufactured between 1948 and 2005). The individual products are listed in the Manufacturer's Certificate "Recommended engine oils for Classic vehicles". Porsche recommends that you use Classic oils for Classic vehicles.

Overview:

AVISTA OIL AG	AVISTA pace GER SAE 5W-40	5W-40	Worldwide	31/01/2024
Burj Eiffel Int Lubricants Ind. L.L.C	Eiffel - Opera Ultimate 5W40 SN	5W-40	Worldwide	30/09/2023
CASTROL Limited	Castrol Edge Professional A3 0W-40	0W-40	Worldwide	30/11/2022
CASTROL Limited	Castrol Edge 0W-40 A3/B4	0W-40	Worldwide	31/07/2022
Champion Chemicals NV	CHAMPION ECO FLOW 0W40 FE	0W-40	Worldwide	30/04/2025
Champion Chemicals NV	CHAMPION NEW ENERGY 5W40	5W-40	Worldwide	31/01/2024
DEUTSCHE ÖLWERKE LUBMIN	AVENO FS Excellence 0W-40	0W-40	Worldwide	29/04/2025

Burj Eiffel Int Lubricants Ind. L.L.C	Eiffel - Opera Ultimate 5W40 SN	5W-40	Worldwide	30/09/2023
EXXONMOBIL Corporation	Mobil Formula X2 5W-40	5W-40	Worldwide	31/07/2022
EXXONMOBIL Corporation	Mobil Super 3000 X1 5W-40	5W-40	Worldwide	31/07/2022
EXXONMOBIL Corporation	Mobil Super 3000 X2 5W-40	5W-40	Worldwide	31/07/2022
EXXONMOBIL Corporation	Mobil 1 FS 0W-40	0W-40	Worldwide	28/02/2025
EXXONMOBIL Corporation	Mobil 1 Formula 0W-40	0W-40	Worldwide	30/11/2023
EXXONMOBIL Corporation	Mobil 1 Formula 0W-40	0W-40	global	28/02/2025
EXXONMOBIL Corporation	Mobil Super Synthetic Euro 5W-40	5W-40	Worldwide	31/07/2022
EXXONMOBIL Corporation	Mobil Super Synthetic Formula B 5W-40	5W-40	Worldwide	31/07/2022
FUCHS PETROLUB AG Germany	TITAN Supersyn SAE 5W-40	5W-40	Worldwide	31.10.2023
Gesol Technologies GmbH	GESEL HEINZ SUPER ENERGY S3	0W-40	Worldwide	31/01/2024
Global Lubricant Industry LLC	Benzol Gold Performance 5W-40	5W-40	Worldwide	31/03/2025
Hindustan Petroleum Corporation Limited	HP NEOSYNTH PLUS 5W-40	5W-40	Worldwide	28/02/2023

Manufacturer's Certificate

Freigabe/Approval

36/22 ENU 1701

1

LIQUI MOLY — Germany	Liqui Moly Synthoil Energy A40	0W-40	Worldwide	30/04/2025
LIQUI MOLY — Germany	Liqui Moly Top Tec 4100	5W-40	Worldwide	29/02/2024
LIQUI MOLY — Germany	Liqui Moly Pro-Engine M 900	5W-40	Worldwide	31/05/2025
LIQUI MOLY — Germany	Liqui Moly Leichtlauf Energy	0W-40	Worldwide	30/04/2025
LIQUI MOLY — Germany	Liqui Moly Top-up Oil	5W-40	Worldwide	29/02/2024
LIQUI MOLY — Germany	Liqui Moly Leichtlauf HC7	5W-40	Worldwide	31/01/2024
LIQUI MOLY — Germany	Liqui Moly Leichtlauf High Tech	5W-40	Worldwide	31/05/2025
LUBREX FZC	LUBREX VELOCITY NANO PLUS	5W-40	Asia, Africa, Europe, North America	31/05/2024
MAG LUBE (L.L.C)	MAG PRIMA ENVO OPTIMA 5W40	5W-40	Middle East, Africa, Asia, Europe, USA	31/03/2023
MAG LUBE (L.L.C)	MAG PRIMA EXTREME SAE 5W-40	5W-40	Middle East, Africa, Asia, Europe, USA, Canada, Australia	31/03/2023
MEGUIN GmbH & Co. KG	megol Motorenoel Ultra Performance Longlife SAE 5W-40	5W-40	Worldwide	31/01/2024
MEGUIN GmbH & Co. KG	megol Motorenoel Low Emission	5W-40	Worldwide	29/02/2024
Olein Recovery Corp	BRAVA EURO SYNTHETIC SAE 5W-40	5W-40	Worldwide	30/06/2024
RALOY LUBRICANTES, S.A: DE C.V.	Raloy Syn-Tec Platinum	5W-40	Worldwide	29/02/2024

Ravensberger Schmierstoffvertrieb GmbH	RAVENOL SSL 0W-40	0W-40	Worldwide	30/04/2025
Ravensberger Schmierstoffvertrieb GmbH	RAVENOL HST 5W-40	5W-40	Worldwide	31/05/2025
Ravensberger Schmierstoffvertrieb GmbH	RAVENOL VST 5W-40	5W-40	Worldwide	31/05/2025
Ravensberger Schmierstoffvertrieb GmbH	RAVENOL SHL 0W-40	0W-40	Worldwide	30/04/2025
Ravensberger Schmierstoffvertrieb GmbH	RAVENOL VSI SAE 5W-40	5W-40	Worldwide	30/11/2023
ROWE Mineralölwerk GmbH	ROWE HIGHTEC SYNT RSi SAE 5W-40	5W-40	Worldwide	30/11/2023
Shell Global Solutions GmbH	Shell Helix Ultra	5W-40	Worldwide	31/07/2024
Shell International Petroleum Company	Shell Helix Ultra I	5W-40	Worldwide	31/07/2024
Shell International Petroleum Company	Pennzoil Platinum Euro 5W-40	5W-40	Europe, USA, Canada, Latin America	31/07/2024
Shell International Petroleum Company	Quaker State Euro Full Synthetic SAE 5W-40	5W-40	USA, Canada	31/07/2024
Swd Lubricants GmbH & Co.KG	Swd Rheinol Primus CVS SAE 5W-40	5W-40	Worldwide	31/01/2024

Manufacturer's Certificate

Freigabe/Approval

36/22 ENU 1701

1

TOTAL Deutschland GmbH	TOTAL QUARTZ INEO FGO 5W-40	5W-40	Worldwide	31/01/2024
TOTAL Deutschland GmbH	Total Quartz 9000 5W-40	5W-40	Worldwide	31/03/2025
Valvoline Europe, Ashland Nederland	Valvoline European Vehicle Full Synthetic 5W-40	5W-40	Worldwide	30/04/2025
WOLF Oil Corporation	WOLF ECOTECH 0W40 FE	0W-40	Worldwide	30/04/2025
WOLF Oil Corporation	WOLF VITALTECH 5W40	5W-40	Worldwide	31/01/2024
YACCO	YACCO VX 1000 FAP 5W-40	5W-40	Worldwide	31/03/2025

Sales areas: The respective sales area is also listed in order to clarify where the approved oils are available. The meanings of the symbols:

WW	Worldwide	ESP	Spain
EU	Europe	VIN	Finland
E-EU	Eastern Europe	FRA	France
USA	United States of America	GB	Great Britain and Northern Ireland
C-America	Central America	IRL	Ireland
N-America	North America	JAP	Japan
S-America	South America	MEX	Mexico
AF	Africa	NOR	Norway
Asia	Asia	NZL	New Zealand
FSU	Former Soviet Union	RUS	Russia
BS	Baltic countries	SCG	Croatia
AUS	Australia	SVK	Slovakia
AUT	Austria	SWE	Sweden
BRA	Brazil	TWN	Taiwan
CAN	Canada	UAE	United Arab Emirates

CH	Switzerland	UKR	Ukraine
CHN	China	VNM	Vietnam
DEU	Germany	ZA	South Africa

Miscibility: All **engine oils approved by Porsche can be mixed provided they are of the same Porsche oil specification**. This means that it is not necessary to flush the engine when the oil is changed if another type of oil is used. However, since every brand of oil has a specially adapted unique composition, the same brand and type of oil should be used for topping up between oil change intervals if possible.

Important Notice: Technical Bulletins issued by Porsche Cars North America, Inc. are intended only for use by professional automotive technicians who have attended Porsche service training courses. They are written to inform those technicians of conditions that may occur on some Porsche vehicles, or to provide information that could assist in the proper servicing of a vehicle. Porsche special tools may be necessary in order to perform certain operations identified in these bulletins. Use of tools and procedures other than those Porsche recommends in these bulletins may be detrimental to the safe operation of your vehicle, and may endanger the people working on it. Properly trained Porsche technicians have the equipment, tools, safety instructions, and know-how to do the job properly and safely. Part numbers listed in these bulletins are for reference only. The work procedures updated electronically in the Porsche PIWIS diagnostic and testing device take precedence and, in the event of a discrepancy, the work procedures in the PIWIS Tester are the ones that must be followed.

© 2022 Porsche Cars North America, Inc.