

Technical Service Bulletin

Topic	Continental GT Convertible - Front seat belt webbing twisted
Market area	Bentley: worldwide (2WBE)
Brand	Bentley
Transaction No.	2038562/5
Level	EH
Status	Released for publishing
Release date	Sep 15, 2022

New customer code

Object of complaint	Complaint type	Position
occupant protection, passenger protection -> seat belts	functionality	
occupant protection, passenger protection -> seat belts	appearance, surface	

Vehicle data

Continental GT Convertible

Sales types

Type	MY	Brand	Designation	Engine code	Gearbox code	Final drive code
394*	2012	E		*	*	*
394*	2013	E		*	*	*
394*	2014	E		*	*	*
394*	2015	E		*	*	*
394*	2016	E		*	*	*
394*	2017	E		*	*	*
394*	2018	E		*	*	*

Chassis numbers

Manufacturer	Filler	Type	Filler	MY	Factory	From	To	Prod from	Prod to
SCB	***	**	*	*	C	074021	999999		

Documents

Document name
master.xml
master.doc

Condition

Front seat belt webbing twisted



Figure 1

The front seat belt webbing is twisted this is evident in both the stowed position and also when the seat belt is worn see Figure 1



Figure 2

The front seat belt in the stowed position should be as shown in figure 2

Technical Background

The plastic seat belt webbing guide, a plastic moulding incorporated in the seat belt upper 'D' loop assembly, may not have been fully clipped onto the metal 'D' loop. When this is the case a twist in the seat belt webbing is possible

Production Solution

Assembly method revised

Service

In the event of a twist being identified in a front seat belt then carry out the following check on that specific seat belt

1. Remove the rear quarter waistrail reference workshop manual Rear quarter waistrail – To remove and fit Rep Gr.70



Figure 3



Figure 4

2. Referencing figure 3 and 4 inspect the seat belt webbing plastic guide (A). Ensure the three clipping points (C) are securely clipped to the 'D' ring (B).
3. If the guide is not securely clipped then remove and discard the guide and fit a new replacement guide.
4. On completion the guide must be correctly secured to the 'D' ring paying close attention to both outer clipping features (C)

Warranty

Please Note: Normal warranty policies are applicable

Warranty Type	110
Labour Operation Code	69 26 19 02
Damage Service Number	69 26
Damage Code	00 18
Location Code	001 left, 002 right
Time	140 TU

Required Parts and Tools

Part number	Description	Quantity
3W7857827	Belt guide left hand	1
3W7857828	Belt guide right hand	1