

Technical product information

Topic	Front seatbelt - DTC's - B130474 and/or B130574
Market area	Russische Föderation (5RU),Australia E04 Bentley rest Asia and Australia (6E04),China 796 VW Import Comp. Ltd (Vico), Beijing (6796),Germany E02 Bentley rest Europe (6E02),Japan E03 Bentley Japan (6E03),Korea, (South) E08 Bentley South Korea (6E08),United Arab Emirates E06 Bentley Middle East and Africa (6E06),United Kingdom E01 Bentley UK (6E01),United States E05 Bentley USA and rest America (6E05)
Brand	Bentley
Transaction No.	2068648/1
Level	EH
Status	Released for publishing
Release date	18-Nov-2022

Event memory entries

Diagnostic address	Event memory entry	Fault type	Fault status
0015 - Airbag	B130474: Left front seat belt tensioner control module Actuator deviated		static
0015 - Airbag	B130574: Right Front Seat Belt Tensioner Control Module Actuator deviated		Intermittent
0015 - Airbag	B130474: Left front seat belt tensioner control module Actuator deviated		Intermittent
0015 - Airbag	B130574: Right Front Seat Belt Tensioner Control Module Actuator deviated		static

New customer code

Object of complaint	Complaint type	Position
occupant protection, pedestrian protection -> seat belts, 1st row	functionality	
vehicle service -> vehicle diagnosis -> guided fault finding	control units, services -> with event log entry	

Vehicle data

New Continental GT/C and New Flying Spur

Sales types

Type	MY	Brand	Designation	Engine code	Gearbox code	Final drive code
3S3*	2018	E		*	*	*
3S3*	2019	E		*	*	*
3S3*	2020	E		*	*	*
3S3*	2021	E		*	*	*
3S3*	2022	E		*	*	*
3S3*	2023	E		*	*	*
3S4*	2019	E		*	*	*
3S4*	2020	E		*	*	*
3S4*	2021	E		*	*	*
3S4*	2022	E		*	*	*
3S4*	2023	E		*	*	*
ZG2*	2020	E		*	*	*
ZG2*	2021	E		*	*	*
ZG2*	2022	E		*	*	*
ZG2*	2023	E		*	*	*

Documents

Document name
master.xml

Customer statement / workshop findings

Diagnostic Trouble Codes (DTC's) evident in Address: 0015 System name: 15 - Airbag Control Module

B130474: Left front seat belt tensioner control module Actuator deviated

B130574: Right front seat belt tensioner control module Actuator deviated

The DTC's can be evident if the occupant uses a dummy seat belt buckle, the occupant may use the dummy seat belt buckle to prevent a warning light or audible warnings

Technical background

Dummy seat belt buckles of any description MUST NOT be used under any circumstances, Figure 1 shows an example of a dummy seat belt buckle




Figure 1

Production change

Not applicable

Measure

Should the use of a dummy seat belt buckle be suspected please advise as follows:

- The customer should follow ALL instructions within the owners handbook in relation to Safety belts, the safety belts should be used at all times, the customer should be made aware of the importance of wearing a safety belt
- The safety belt system is used in conjunction with the safeguard system, the customer should follow ALL instruction within the owners handbook regarding the safeguard system in relation to safety belt use
- Retailer to determine if a dummy buckle was in use or not in use prior to carrying out any further investigation