

MAS003472 RU 22-12

RAPID UPDATE

FROM: Maserati TSO

TO: Maserati Network



MASTERS OF CARE

Rapid Update 594 Grecale – RFHM parameter change

TECHNICAL SERVICE OPERATIONS



DATE: FEBRUARY 21 2023

Certain Maserati Grecale (M182) MY23 listed in MODISCS+ are involved in a Rapid Update to better tune some parameters of the Radio Frequency Hub Module (RFHM).

This action contains an active diagnosis to be performed with the MD-Evo to correct the debouncing time when the start button is pressed, to avoid potential and very seldom missing vehicle starting.

We remind you that all the Rapid Updates must be performed within the first workshop visit, regardless of the Mandatory setting set in Modis, as required by Maserati policies.

Also, for vehicles in Stock Dealer / PDI, it is necessary to carry out all action operations before delivery to the end customer, as required by the White Book and explicitly reported in the Pre-delivery checklist.

Please read and review this bulletin first before starting the procedure.
Contact your Regional AfterSales Manager (RAM) or the Technical Support Helpdesk if you have any questions. (Maseratitechsupport@maserati.com)

Thank You for your continued support and cooperation.

Maserati Americas
Aftersales Dept.

Technical Procedure




All images shown in this bulletin are for illustrative purposes only


1. Always check ModisCS+ to see if the vehicle is involved in this action and if it has not been previously performed.
2. Using MD-Evo, go to **RFHM ECU View** and select **Active diagnosis**, as shown in the picture below.



3. Select **Start Button Fail Time Configuration**



4. Select **OK** to return to the **Active diagnosis** section, then click on **Close** to return to the **RFHM ECU View** and exit the procedure.



5. The operation is completed.

Warranty Claim

Fill in the relative Warranty Claims as follows:

Description	Code
Campaign Number	594
Warranty Code	23
Fault Code	063
Component Code	8.53.088
Operation Code	8.53.088.A (0,15 h)