

Service Bulletin

Bulletin No.: 16-NA-244

Date: March, 2023

INFORMATION

Subject: Information on Diesel Exhaust Fluid (DEF)

Brand:	Model:	Model Year:		VIN:		Engine:	
		from	to	from	to	(Diesel)	Transmission:
Cadillac	Escalade Models	2021	2023				
	Cruze	2014	2015		_	(RPO L5D, L5P, LM2, LML, LGH, LUZ, LWN, LH7)	
	Cruze (GEN II VIN B)	2017	2019				
	Colorado	2016	2022				
	Express	2010	2022				
Chevrolet	Equinox	2018	2019				
	Silverado	2011	2018				
	Silverado 1500 (New Model)	2020	2021				
	Silverado 1500 LTD (RPO J21, VIN Digit 5 = W / Y)	2022	2022				
	Silverado 1500 New (RPO J22, VIN Digit 5 = A / D)						
	Silverado 1500	2023	2023				
	Silverado 2500HD/3500HD	2019	2024				
	Silverado 4500HD, 5500HD and 6500HD	2019	2023				
	Suburban	2021	2023				
	Tahoe						

Brand:	Model:	Model Year:		VIN:		Engine:	T
		from	to	from	to	(Diesel)	Transmission:
GMC	Canyon	2016	2022	_	_	(RPO L5D, L5P, LM2, LML, LGH, LUZ, LWN, LH7)	_
	Savana	2010	2022				
	Sierra	2011	2018				
	Sierra 1500 (New Model)	2020	2021				
	Sierra 1500	2023	2023				
	Sierra 1500 Limited (RPO J21, VIN Digit 5 = 8 / 9)	2022	2022				
	Sierra 1500 New (RPO J22, VIN Digit 5 = H / U						
	Sierra 2500HD/3500HD	2019	2024				
	Terrain	2018	2019				
	Yukon Models	2021	2023				

Involved Region or Country	North America, Europe, Uzbekistan, Russia, Middle East, Iraq, Israel, Palestine, Argentina, Brazil, Bolivia, Chile, Colombia, Ecuador, Paraguay, Peru, Uruguay, Venezuela, Japan, GM Korea Company, China, Taiwan, Thailand, Singapore, Philippines, Australia/New Zealand, Egypt, Other Africa, South Africa
----------------------------	---

General Information

Note: DEF usage will vary depending on: driving style, trailer towing, loaded vehicle weight, weather, idle time, PTO usage.

On vehicles without a DEF Gauge, As a general rule, when the DIC shows a DEF level of anything except OK, you can add at least 2.5 gallons (9.5L). The amount to add to top off will vary.

Diesel Exhaust Fluid (DEF) is required to maintain normal vehicle operation and emissions compliance. When filling the DEF tank, there may be a short delay before detecting the increased level of fluid and updating the Driver Information Center (DIC).

Diesel Exhaust Fluid (DEF) has a shelf life of 2 years. However, this can be reduced if the fluid is exposed to direct sunlight or above 30°C (86°F) for sustained periods. All DEF packaging should be labeled with a production date.

The Driver Information Center (DIC) will display a series of messages regarding the amount of DEF that is available. When mileage countdown is zero, the vehicle speed is reduced. Refer to Owners Manual.

Cold Weather Operation Information

DEF freezes when exposed to temperatures below -11° C (12°F). In cold conditions it is normal for DEF to freeze. The tank and delivery lines are heated to thaw frozen DEF. When filling the tank in cold conditions, the vehicle may not recognize the new level until the tank thaws. In certain cold conditions, it is possible to find some frozen DEF in the DEF fill pipe opening. If you are expecting to be in extremely cold areas, it is recommenced to fill the tank prior to cold temperature exposure.

Version	7
Version Modified	Released August 01, 2016 Revised December 20, 2016 – Updated the Model years and added the Chevrolet Cruze, Colorado and GMC Canyon models. Revised September 05, 2017 – Updated Model Years. Revised October 29, 2020 – Updated Model Years. Revised January 06, 2022 – Updated the Model Years and added the Chevrolet Silverado 1500 (New Model) and 4500, 5500 and 6500HD models. Revised September 14, 2022 — Added the 2023 Model Year, Added Yukon, Suburban, Escalade Models. Revised March 16, 2023 – Added the 2024 Model Year to the 2500/3500 Heavy Duty
	Trucks.