

Tech Tip T-TT-0729-23

March 30, 2023

Rear Bumper Gap Difference - Measurement Tip

USA

Vehicle Exterior

Exterior Panels/Trim

Applicability

2022 - Present - Tundra & Tundra Hybrid

APPLICABLE VEHICLES

2022-2023 Tundra

CONDITION

Some customers may share a concern of the rear bumper ends/pillar garnish not being evenly aligned in comparison to center part of the bumper see figure 1 below for reference.







Fig. 1

RECOMMENDATIONS

- 1. Use a millimeter (mm) scale to measure down from bumper styling line (see circle 1 below). Gap measurement should be taken at 50mm 70mm below styling line. (See figure 2).
- 2. Submit a Dealership Product Report (DPR) with actual measurements prior to adjustments from both RH and LH side (see figure 3).
- 3. Recommended measurements = RH/LH gap 15mm +/- 5mm, Side to Side Difference: ≤ 7mm






Figure 2

Figure 3

LINK REFERENCES

Rear Bumper Gap Difference - Measurement Tip

USA

- 1. <u>EXTERIOR PANELS / TRIM: REAR BUMPER: REMOVAL; 2022 MY Tundra Tundra HV</u> [11/2021 05/2022]
- 2. <u>EXTERIOR PANELS / TRIM: REAR BUMPER: REMOVAL; 2022 2023 MY Tundra Tundra HV</u> [05/2022 ???????]
- 3. <u>EXTERIOR PANELS / TRIM: REAR BUMPER: DISASSEMBLY; 2022 2023 MY Tundra Tundra HV [11/2021 ???????]</u>
- 4. <u>EXTERIOR PANELS / TRIM: REAR BUMPER: REASSEMBLY; 2022 2023 MY Tundra Tundra HV [11/2021 ???????]</u>
- 5. EXTERIOR PANELS / TRIM: REAR BUMPER: INSTALLATION; 2022 2023 MY Tundra Tundra HV [11/2021 ???????]