

Technical product information

Topic	New Continental GT/GTC and New Flying Spur - V8 Kovomo - Fuel Pressure Regulation - Numerous DTC's
Market area	Australia E04 Bentley rest Asia and Australia (6E04),China 723 Volkswagen (Anhui) Automotive CO (6723),China 796 VW Import Comp. Ltd (Vico), Beijing (6796),Germany E02 Bentley rest Europe (6E02),Japan E03 Bentley Japan (6E03),Korea, (South) E08 Bentley South Korea (6E08),United Arab Emirates E06 Bentley Middle East and Africa (6E06),United Kingdom E01 Bentley UK (6E01),United States E05 Bentley USA and rest America (6E05)
Brand	Bentley
Transaction No.	2061171/12
Level	EH
Status	Approval
Release date	

New customer code

Object of complaint	Complaint type	Position
information, navigation, communication, entertainment -> symbolic fault indicators -> fault indicator for fuel system	functionality -> activates	
information, navigation, communication, entertainment -> symbolic fault indicators -> emission control system fault indicator	functionality -> activates	

New workshop code

Object of complaint	Complaint type	Position
engine -> fuel supply -> low-pressure fuel pump (tank)	functionality -> uneven	
engine -> operation, engine control -> engine control unit	functionality -> misfire	
engine -> operation, engine control -> engine control unit	electrics -> ground connection damaged	
engine -> operation, engine control -> engine control unit	control units, services -> with event log entry	
engine -> operation, engine control -> engine control unit	control units, services -> measured value too high	
engine -> operation, engine control -> engine control unit	control units, services -> error message	

Vehicle data

New Continental GT/GTC and New Flying Spur - V8 Kovomo

Sales types

Type	MY	Brand	Designation	Engine code	Gearbox code	Final drive code
3S32CB	2019	E		*	*	*
3S32CB	2020	E		*	*	*
3S32CB	2021	E		*	*	*
3S42CB	2019	E		*	*	*
3S42CB	2020	E		*	*	*
3S42CB	2021	E		*	*	*
ZG22CB	2020	E		*	*	*
ZG22CB	2021	E		*	*	*

Documents

Document name
master.xml
measurement.pdf

Customer statement / workshop findings

Check Engine Lamp illuminated within the Driver Instrument Panel (DIP) with one or multiple DTC's as detailed below:

- **P310B00 Low Fuel Pressure Regulation” with symptom code 2636**
- **P014800 Fuel Deliver Error”**
- **P019100 Fuel Rail pressure Sensor ‘A’ Circuit Range/Performance**
- **P018B00 - Fuel Pressure Sensor "B" Circuit Range/Performance with symptom code 17871**
- **Misfire” DTC's**

There may be multiple DTC's and symptoms present due to fuel pressure regulation or fuel supply issues

Technical background

In the event the customer complaint relates to the following:

- Customer experienced poor start up - proceed with the remaining instructions

NOTE: The operative must gather information regarding the Customer experience regarding when the issue occurred for example: Pre-conditions, warning lights and driveability at time issue occurred, details when the vehicle was last refuelled and the grade of fuel used

The operative must now use the information contained within the “Measure” section to determine the correct analysis and repair procedure.

Revision history

- TPI 206117/12 - Measure section amended (Step 2) for DTC's P310B00 and/or P014800

Production change

All vehicles from SCBCZ13S8MC090690 are to specification, in the event the described issue is evident post the suggested VIN, please raise a DISS query and await feedback before conducting any further work

Measure

1) If not already done, raise a DISS query.

2) Check **“Low fuel pressure, specified value”** and **“Fuel low pressure, actual value”** within the fault memory, refer to ECU **“01 – Engine Control Module 1”** - From **“Extended ambient conditions”** note the values of the **“Low fuel pressure, specified value”** and **“Fuel low pressure, actual value”** - Figure 1 and Figure 2 depending on the DTC P310B00 and/or P014800

Address: 0001 System name: 01 - Engine Control Module 1 Log variant: UDS/ISOTP (Ereignisse: 9)

+ Identification:

- Entries in event memory (Data source: Vehicle):

Entries in event memory		P014800: Fuel Delivery Error
Number:		passive/sporadic
Error type 2:		4178
Symptom:		01101000
Status:		
- Standard ambient conditions:		
Date:	14/10/2023	
Time:	17:43:40	
Mileage (DTC):	69553	
Priority:	2	
Frequency counter:	1	
Unlearning counter / driving cycle:	255	
- Extended ambient conditions:		
Engine rpm	525.0	1/min
Normed load value	37.64705952	%
Vehicle speed	0	km/h
Coolant temperature	32	°C
Intake air temperature	33	°C
Ambient air pressure	1000	mbar
Voltage terminal 30	11.540000000000001	V
Dynamic environmental data	20 96 28 11 CE 19 64 11 C8 03 0D 11 C9 FD 7A 11 A4 CC CD 12 8A 6B 15 9F 56 50 15 A0 00 9C	
Unlearning counter according OBD	40	
Low fuel pressure, specified value	650.0	kPa
Fuel low pressure, actual value	78.1	kPa
Fuel pump adaptation	-64.6	kPa
Fuel pump, specified value	80.000305	%
Fuel temperature	32.25	°C
Fuel high-pressure, actual value	11.048	MPa
Fuel pressure rail 2	0.078	MPa

Figure 1

Address: 0001 System name: 01 - Engine Control Module 1 Log variant: UDS/ISOTP (Ereignisse: 9)

+ Identification:

- Entries in event memory (Data source: Vehicle):

Entries in event memory

Number: P014800: Fuel Delivery Error
Error type 2: passive/sporadic
Symptom: 4178
Status: 01101000

- Standard ambient conditions:

Date: 14/10/2023
Time: 17:43:40
Mileage (DTC): 69553
Priority: 2
Frequency counter: 1
Unlearning counter / driving cycle: 255

- Extended ambient conditions:

Engine rpm	525.0	1/min
Normed load value	37.64705952	%
Vehicle speed	0	km/h
Coolant temperature	32	°C
Intake air temperature	33	°C
Ambient air pressure	1000	mbar
Voltage terminal 30	11.540000000000001	V
Dynamic environmental data	20 96 28 11 CE 19 64 11 C8 03 0D 11 C9 FD 7A 11 A4 CC CD 12 8A 6B 15 9F 56 50 15 A0 00 9C	
Unlearning counter according OBD	40	
Low fuel pressure, specified value	650.0	kPa
Fuel low pressure, actual value	78.1	kPa
Fuel pump adaptation	-64.6	kPa
Fuel pump, specified value	80.000305	%
Fuel temperature	32.25	°C
Fuel high-pressure, actual value	11.048	MPa
Fuel pressure rail 2	0.078	MPa

Figure 2

- If not already done, raise a DISS query, add the following results / information.

Note the **“Low fuel pressure, specified value”** and **“Fuel low pressure, actual value”** on the DISS query

- Using ODIS *Measured values* check low fuel pressure when the vehicle is starting or idling – this should normally be 400 – 800 kPa.
- Check the fuel system, this should be the same as the figure measured with ODIS or approximately 100 kPa lower if the gauge is relative to atmospheric pressure.
- After switching the engine off the pressure within the fuel system should remain at 400 kPa or above for at least ten minutes.
- Check the fuel pump ECU electrical earth point condition, check for debris, cleanliness and tightness of earth point nut - if any issues were found - Rectify as required
- Record results on the DISS query, attach clear photograph(s).
- Check all fuel pump ECU connector pins for signs of contamination or damage. Check for any other concern that may lead to poor retention, high resistance or poor connection. Ensure issues noted during this inspection are corrected

3) Fit a new fuel pump control module with the part number of 4M0906093L - Or latest specification available part as per ETKA

- Clear any fault codes that may be present and conduct a short road test, make a note of any fault codes that are logged during the road test
- Should any issues be evident from any previous technical checks/inspection or for example:

DTC's logged during the road test

The issue can be reproduced

Repeat visit for the same issue

Fuel level shown in the DIP does match the actual amount of fuel which is in the tank (as applicable MWB's)

- The Operative MUST add any relevant information to the DISS query

Or

- Should no issues be evident, the car can be returned to the customer

Warranty accounting instructions

Warranty type - 110 or 910

Damage Service Number - 2066

Damage Code - 0100

Labour Operation Codes

01 50 00 00 - Self Diagnosis - Time taken from diagnostic log (Maximum 30TU)

New Continental GT and GTC

20 70 19 01 - Remove and Reinstall the Fuel pump control module - 30 TU

New Flying Spur

20 70 19 01 - Remove and Reinstall the Fuel pump control module - 30 TU

72 48 19 00 - Remove and refit rear seat - 30 TU

Parts information

Fuel pump control unit - 4M0 906 093L - Or latest specification available part as per ETKA

Measurement Display Name	Value	ECU
Vehicle speed		Dashboard 0017
Engine speed		Dashboard 0017
Date		Dashboard 0017
Voltage terminal 30		Dashboard 0017
Coolant temperature		Dashboard 0017
Vehicle Distance Driven		EMS 0001
Engine speed		EMS 0001
Vehicle speed		EMS 0001
Fuel tank fill level		EMS 0001
Number of driving cycles since erasing DTC memory		EMS 0001
Number of manual engine starts		EMS 0001
Number of automatic engine starts		EMS 0001
Fuel consumption since DTC memory last erased		EMS 0001
Fuel, tank fill level		EMS 0001
Fuel high pressure, actual value		EMS 0001
Fuel temperature		EMS 0001
Terminal 15 status		Gateway 0019
Voltage terminal 30		Gateway 0019
Start-stop enabling		Gateway 0019
Start-stop conditions		Gateway 0019
Battery current		Gateway 0019
Battery voltage		Gateway 0019
Generator current		Gateway 0019
Generator DF signal		Gateway 0019
Generator voltage		Gateway 0019
12 V elec. system, error status		Gateway 0019