

MIL ON With DTC P001400 and/or P001500

Service Category Engine/Hybrid System

Section Engine Control

Market USA

Toyota Supports
 ASE Certification 

Applicability

YEAR(S)	MODEL(S)	ADDITIONAL INFORMATION
2023	Crown	VDS(s): AFAAF Engine(s): T24 Transmission(s): 6AT-F

Introduction

Some 2023 model year Crown vehicles may exhibit a MIL ON condition with one or both of the following Diagnostic Trouble Codes (DTCs) present:

- P001400 – (B Camshaft Position - Timing Over-Advanced or System Performance Bank 1)
- P001500 – (B Camshaft Position - Timing Over-Retarded Bank 1)

The Engine Control Module (ECM) (SAE term: Powertrain Control Module/PCM) logic has been modified to reduce the possibility of this condition. Follow the Repair Procedure in this bulletin to address this condition.

Warranty Information

OP CODE	DESCRIPTION	TIME	OFP	T1	T2
EG2404	Reprogram the ECM (PCM)	0.7	89661-#####*	8A	74

*Warranty claim MUST be submitted with the correct 10-digit OFP. Choose the correct OFP for the vehicle being repaired by searching for the parts in the Electronic Parts Catalog using the VIN filter.

APPLICABLE WARRANTY

- This repair is covered under the Toyota Federal Emission Warranty. This warranty is in effect for 96 months or 80,000 miles, whichever occurs first, from the vehicle's in-service date.
- Warranty application is limited to occurrence of the specified condition described in this bulletin.

MIL ON With DTC P001400 and/or P001500

Parts Information

PART NUMBER	PART NAME	QTY
89661-4D650	Computer, Engine Control	–
89661-3AF60		–

NOTE

The ECM (PCM) should NOT be replaced as part of the Repair Procedure.

Required Tools & Equipment

SPECIAL SERVICE TOOLS (SST)	PART NUMBER	QTY
Battery Diagnostic Tool*	DCA-8000P T	1

*Essential SST.

NOTE

Additional SSTs may be ordered by calling 1-800-933-8335 or by visiting *Home – Service Resources – Toyota Special Service Tools (SSTs)*.

REQUIRED EQUIPMENT	SUPPLIER	PART NUMBER	QTY
Techstream ADVI*	ADE	TSADVUNIT	1
Techstream 2.0		TS2UNIT	
Techstream Lite		TSLITEPDLR01	
Techstream Lite (Green Cable)		TSLP2DLR01	

*Essential SST.

NOTE

- Only ONE of the Techstream units listed above is required.
- GTS+ software version 2024.01.002.02 or later is required.
- Additional Techstream units may be ordered by calling Approved Dealer Equipment (ADE) at 1-800-368-6787 or by visiting *TIS – Diagnostics – Tools & Equipment – Techstream Order Portal*.
- Use Techstream or an approved J2534 interface to perform flash reprogramming updates. Visit techinfo.toyota.com for more information regarding J2534 reprogramming.

MIL ON With DTC P001400 and/or P001500

Calibration Information

MODEL	ENGINE	CALIBRATION ID	
		PREVIOUS	NEW
Crown	T24A-FTS	8A2223009000	8A2223009400
		8A2223009100	
		8A2223009200	
		8A2223009300	

Repair Procedure

- Confirm the condition exists.

Does the vehicle exhibit a MIL ON condition with one or both of the following DTCs present?

 - P001400 (B Camshaft Position - Timing Over-Advanced or System Performance Bank 1)
 - P001500 (B Camshaft Position - Timing Over-Retarded Bank 1)
 - YES** — Continue to step 2.
 - NO** — This bulletin does NOT apply. Continue diagnosis using the applicable Repair Manual.
- Use GTS+ to confirm if the ECM (PCM) calibration has been updated. Is the calibration ID listed in GTS+ the latest ECM (PCM) calibration?
 - YES** — This bulletin does NOT apply. Continue diagnosis using the applicable Repair Manual.
 - NO** — Continue to step 3.
- Flash reprogram the ECM (PCM).

NOTE

- The battery diagnostic tool **MUST** be used in Power Supply Mode to maintain battery voltage at 13.5V while flash reprogramming the vehicle.
- For details on how to use the battery diagnostic station, refer to the [DCA-8000 Instruction Manual](#) located at *TIS – Diagnostics – Tools & Equipment – Battery Diagnostics*.

Follow the procedures outlined in [T-SB-0107-20](#) *GTS+ ECU Flash Reprogramming Procedure With Security Signature*, and flash reprogram the ECM (PCM) with the NEW calibration file update.

- Using GTS+, clear ANY DTCs and confirm the condition is no longer present.