



Countries: UNITED STATES Document ID: IK2501990  
Availability: ISIS, NotSIR Revision: 1  
Major System: UPTIME Created: 7/8/2024  
Current Language: English Last Modified: 7/8/2024  
Other Languages: NONE Author: Mujtaba Aidroos  
Viewed: 272

[Less Info](#)

Hide Details

Coding Information

<b>Copy Link</b> 	<b>Copy Relative Link</b> 	<b>Bookmark</b>  <a href="#">View My Bookmarks</a>	<b>Add to Favorites</b> 	<b>Print</b> 	<b>Provide Feedback</b> 	<b>Helpful</b>  2	<b>Not Helpful</b>  0
----------------------	-------------------------------	--	-----------------------------	------------------	-----------------------------	-------------------------	-----------------------------

**Title: Install hood support bracket kit**

**Applies To: Vehicles Marked In Service Portal**

## DESCRIPTION

This document will guide the user through installing the hood support bracket kit.

## SYMPTOMS

DTC/Light	Description
N/A	N/A

## SPECIAL TOOLS / SOFTWARE

Tool Description	Tool Number	Comments	Instructions
N/A	N/A	N/A	N/A

## SERVICE PARTS INFORMATION

Kit Description	Part Number	Qty. Required	Notes
HOOD SUPPORT BRACKET KIT	8900382R91	1	

## DIAGNOSTIC STEPS

N/A

## REPAIR STEPS

**WARNING!** To prevent property damage, personal injury, and / or death, park vehicle on a hard, flat surface, turn the engine off, set the parking brake, and install wheel chocks to prevent the vehicle from moving in either direction.

**WARNING!** To prevent property damage, personal injury, and / or death, if the vehicle must be raised, do not work under the vehicle supported only by jacks. Jacks can slip or fall over.

**WARNING!** To prevent personal injury and / or death, always wear safe eye protection when performing vehicle maintenance.

**WARNING!** To prevent property damage, personal injury, and / or death, keep flames or sparks away from vehicle and do not smoke while servicing the vehicle's batteries. Batteries expel explosive gases.

**WARNING!** To prevent property damage, personal injury, and / or death, remove the ground cable from the negative terminal of the battery box before disconnecting any electrical components. Always connect the ground cable last.

1. Bring vehicle into shop and park on a flat surface
2. Shift transmission into park or neutral, set parking brake and install wheel chocks
3. Install hood support bracket kit provided(Please reference [Model Year 2024 to Current International® LT® / RH™ Technician Manual \(Service and Diagnostic\) 0001282371](#) if needed)
4. Remove wheel chocks
5. Return vehicle back to service

---

## **WARRANTY INFORMATION**

Repair	SRT	Hrs
INSTALL RH & LH HOOD GUIDE BRKTS	A40-24207-1	0.4

## **ADMINISTRATIVE PROCEDURE**

Expense is to be charged to Warranty. Claims are to be submitted in the normal manner, making reference to Proactive Field Change Number.

It is important that the coding be completed properly to assist in processing the warranty claim. Complete instructions will be found in the Warranty Policy Manual, Section 10.

As with all claim submissions, items acquired locally must be submitted in the Other Charges tab. The cost of any bulk items (such as a bag of cable tie straps, roll of wire, barrel of oil, or tube of silicone) should be prorated for the cost of the individual pieces / amount used during each repair.

Sales Policy repairs have a 10% markup on parts

To ensure this important improvement is made in a timely manner, all claims for this Proactive Field Change Number must be submitted within 12 months from the release of this document or within the normal warranty period for the vehicle, if after 12 months from the release date

	GROUP	NOUN	C	WARR.	TP	PAD
GROUP	Enter number G--					
NOUN	Leave blank					
C (CAUSE)	Enter either 1, 2, 3. (see below)					
	1. Inspected (No repair required).					
	2. Inspected and repaired.					
	3. Defective part from parts stock.					
WARRANTY (Warranty Code)	Enter 40.					
TYPE PART	Enter P for type part causing failure.					
PAD	Enter 100					

If a feedback case is required, please select feedback type as 600/MRC/FSC and case type as feedback. This will ensure the case file goes to the correct correspondents

## OTHER RESOURCES

[Master Service Information Site](#)

 Hide Details

### Feedback Information

Viewed: 271  
 Helpful: 2  
 Not Helpful: 0

No Feedback Found