





OTA v2.3.0 Infotainment, Dynamic Power Gauge, DreamDrive, Cross Traffic Protection Warning, Charging, Lucid Mobile App





My Apps | SLFTS | NHTSA | Confluence docs | Service C... | OTA Install | WHAT'S N... | Log in with: | Updates | Early Warn | +

publications.infotainment.prod.atieva.com/bf6f72c2-e1ea-4dbb-8c35-e40c0465b8f1/content_en-US/index.html#infotainment


Confluence docs | NHTSA | SLFTS | Okta | Change Your Pass... | Calendar | Salesforce | Amaz... | Confluence docs | Portals | NHTSA | National... | Field Technical Ser...

CROSS TRAFFIC PROTECTION WARNING

Cross Traffic Protection Warning now offers the choice of only providing a warning, without intervention.

Cross Traffic Protection ⓘ

WARNING | WARNING & INTERVENTION



My Apps | SLFTS | NHTSA | Confluence docs | Service C... | OTA Install | WHAT'S N... | Log in with: | Updates | Early Warn | +


publications.infotainment.prod.atieva.com/bf6f72c2-e1ea-4dbb-8c35-e40c0465b8f1/content_en-US/index.html#infotainment

Confluence docs | NHTSA | SLFTS | Okta | Change Your Pass... | Calendar | Salesforce | Amaz... | Confluence docs | Portals | NHTSA | National... | Field Technical Ser...

CHARGING

Charging Efficiency
Charging efficiency for Level 1 charging (120V) has been increased by 10%, and Level 2 charging (240V) has been improved by 2%.

Battery Heating Profile
The battery heating profile has been improved, reducing the overall time and energy required for charging in cold temperatures.



My Apps | SLFTS | NHTSA | Confluence docs | Service C... | OTA Install | WHAT'S N... | Log in with... | Updates ar... | Early Warn... | +


publications.infotainment.prod.atieva.com/bf6f72c2-e1ea-4dbb-8c35-e40c0465b8f1/content_en-US/index.html#infotainment

Confluence docs | NHTSA | SLFTS | Okta | Change Your Pass... | Calendar | Salesforce | Amaz... | Confluence docs | Portals | NHTSA | National... | Field Technical Ser... | >>

LUCID MOBILE APP

RangeXchange
RangeXchange sessions can now be monitored and controlled using the Lucid mobile app.

Battery Preconditioning
Battery preconditioning control has been added to the Lucid mobile app.



The screenshot shows a mobile application interface for a Lucid vehicle. At the top, it displays the name 'Kyle's Air' with a dropdown arrow. Below that, the section is titled 'Sharing Energy'. A central graphic shows a car with '402 mi' displayed on it. Underneath the car, it says 'Energy transferred: 12 kWh | 9 kW'. There are two buttons: 'STOP SHARING' and 'SET LIMIT'. At the bottom of the app screen, there are icons for home, battery, navigation, and a shield. A circular home indicator is visible at the very bottom of the device frame.