



Service Bulletin

Bulletin No.: 24-NA-178

Date: August, 2024

INFORMATION

Subject: Information on Accessory Bead Lock Capable Wheels with Decorative Trim Rings

Brand:	Model:	Model Year:		Build Date:		Engine:	Transmission:
		from	to	from	to		
Chevrolet	Silverado 1500 LTD (RPO J21, 12th VIN Digit = 4 or less)	2022	2022				
	Silverado 1500 New (RPO J22, 12th VIN Digit =5 or greater)						
	Silverado 1500	2025					
	Colorado						
GMC	Canyon	2023	2025				
	Hummer EV Models	2022					
	Sierra 1500 Limited (RPO J21, 12th VIN Digit = 4 or less)	2022	2022				
	Sierra 1500 New (RPO J22, 12th VIN Digit = 5 or greater)						
	Sierra 1500	2023	2025				

<p>Involved Region or Country</p>	<p>North America</p>
<p>Information</p>	<div data-bbox="638 331 1029 716" data-label="Image"> </div> <p style="text-align: right;">6725915</p> <p>Please review the following important information regarding the decorative beadlock ring that comes pre-installed on the beadlock capable accessory wheel:</p> <ul style="list-style-type: none"> • The decorative ring is NOT functional and should NEVER be attempted to mount in a true bead lock configuration. • Decorative trim rings should not be removed when mounting or removing tires. • Decorative trim rings do NOT enable beadlock capabilities. Beadlock capability is only enabled with separate true beadlock ring. • True functional beadlock mounted wheels are for "OFF-ROAD" use only. • True functional beadlock rings and fasteners must be ordered separately. <ul style="list-style-type: none"> - Silverado/Sierra beadlock capable wheels – EU2 <ul style="list-style-type: none"> • Functional Beadlock Ring – PNs 85538096 or 85063156 - Colorado/Canyon beadlock capable wheels – SMY (Colorado), SMU (Canyon) <ul style="list-style-type: none"> • Functional Beadlock Ring – PNs 84605397 or 85062699 - HUMMER EV beadlock capable wheels – RZK, RZT, SYX, SYW <ul style="list-style-type: none"> • Functional Beadlock Ring – PNs 84828311 or 85065995 <ul style="list-style-type: none"> • Functional Beadlock Ring Kits: <ul style="list-style-type: none"> - Are designed to be used with OEM beadlock capable wheels. - Enable the OEM tire's bead to be secured outside the rim to run low air pressures for off-road applications. - Are forged aluminum with a machined finish. - Professional installation is recommended. - Have a 10-year corrosion limited warranty.

Important: Service agents must comply with all International, Federal, State, Provincial, and/or Local laws applicable to the activities it performs under this bulletin, including but not limited to handling, deploying, preparing, classifying, packaging, marking, labeling, and shipping dangerous goods. In the event of a conflict between the procedures set forth in this bulletin and the laws that apply to your dealership, you must follow those applicable laws.

<p>Version</p>	<p>1</p>
<p>Modified</p>	<p>Released August 29, 2024</p>

GM bulletins are intended for use by professional technicians, NOT a "do-it-yourselfer". They are written to inform these technicians of conditions that may occur on some vehicles, or to provide information that could assist in the proper service of a vehicle. Properly trained technicians have the equipment, tools, safety instructions, and know-how to do a job properly and safely. If a condition is described, **DO NOT** assume that the bulletin applies to your vehicle, or that your vehicle will have that condition. See your GM dealer for information on whether your vehicle may benefit from the information.



WE SUPPORT VOLUNTARY
TECHNICIAN
CERTIFICATION