



Table 2.

Part No.	Description	Supplier	Tread Depth	50% Adjustment	100% Reimbursement
43100043	GT503 160/70R17 FRONT BW	DUNLOP	5/32 in (4 mm)	1/32–3/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
43100045	D408F FR 130/60B19 BW	DUNLOP	6/32 in (5 mm)	1/32–3/32 in (1–2 mm)	4/32–6/32 in (3–5 mm)
43100049	ANAKEE Wild Off-Road 120/70R19 FRONT BW	MICHELIN	10/32 in (8 mm)	1/32–4/32 in (1–3 mm)	5/32–10/32 in (4–8 mm)
43200001	D402 RR MU85B16 BW	DUNLOP	11/32 in (9 mm)	1/32–5/32 in (1–4 mm)	6/32–11/32 in (5–9 mm)
43200004	Scorcher 32, RR, 180/70B16 BW	MICHELIN	8/32 in (6 mm)	1/32–3/32 in (1–2 mm)	4/32–8/32 in (3–6 mm)
43200005	SCORCHER 31 180/60B17 75V REAR BW	MICHELIN	8/32 in (6 mm)	1/32–3/32 in (1–2 mm)	4/32–8/32 in (3–6 mm)
43200007	D401 150/80B16 MWW	DUNLOP	10/32 in (8 mm)	1/32–4/32 in (1–3 mm)	5/32–10/32 in (4–8 mm)
43200011	SCORCHER 180/55ZR17	MICHELIN	9/32 in (7 mm)	1/32–4/32 in (1–3 mm)	5/32–9/32 in (4–7 mm)
43200015	D402 160/70B17 REAR	DUNLOP	9/32 in (7 mm)	1/32–3/32 in (1–2 mm)	4/32–9/32 in (3–7 mm)
43200020	D401 160/70B17 73H REAR WWW	DUNLOP	10/32 in (8 mm)	1/32–4/32 in (1–3 mm)	5/32–10/32 in (4–8 mm)
43200021	SCORCHER 31 180/65B16 81H REAR BW	MICHELIN	10/32 in (8 mm)	1/32–4/32 in (1–3 mm)	5/32–10/32 in (4–8 mm)
43200022	SCORCHER RR, 200/55R17 BW	MICHELIN	9/32 in (7 mm)	1/32–4/32 in (1–3 mm)	5/32–9/32 in (4–7 mm)
43200023	SCORCHER RR, 140/75R15 BW	MICHELIN	7/32 in (6 mm)	1/32–3/32 in (1–2 mm)	4/32–7/32 in (3–6 mm)
43200027	D407T 180/65B16 81H REAR BW	DUNLOP	10/32 in (8 mm)	1/32–4/32 in (1–3 mm)	5/32–10/32 in (4–8 mm)
43200030	GT502 150/70R18 70V REAR BW	DUNLOP	8/32 in (6 mm)	1/32–3/32 in (1–2 mm)	4/32–8/32 in (3–6 mm)
43200041	Scorcher Sport, RR, 180/55ZR17	MICHELIN	9/32 in (7 mm)	4/32–6/32 in (3–5 mm)	7/32–9/32 in (6–7 mm)
43200042	SCORCHER Adventure 120/70R19 FRONT BW	MICHELIN	10/32 in (8 mm)	1/32–4/32 in (1–3 mm)	5/32–10/32 in (4–8 mm)
43200043	GT503 180/70R16 REAR BW	DUNLOP	9/32 in (7 mm)	1/32–4/32 in (1–3 mm)	5/32–9/32 in (4–7 mm)
43200045	D407 RR 180/55B18 BW	DUNLOP	9/32 in (7 mm)	4/32 in (3 mm)	5/32–9/32 in (4–7 mm)
43200046	TK100 215/45R18 BW	DUNLOP	10/32 in (8 mm)	5/32 in (4 mm)	5/32–10/32 in (4–8 mm)
43200050	ANAKEE Wild Off-Road 170/60R17 REAR BW	MICHELIN	14/32 in (11 mm)	1/32–6/32 in (1–5 mm)	8/32–14/32 in (6–11 mm)
43200063	D401T 150/80B16 BW	DUNLOP	8/32 in (6 mm)	1/32–3/32 in (1–2 mm)	4/32–8/32 in (3–6 mm)
40158-10	MACADAM 50 160/70-17 BW	MICHELIN	8/32 in (6 mm)	1/32–3/32 in (1–2 mm)	4/32–8/32 in (3–6 mm)
40159-10	COMMANDER 100/90-19 BW	MICHELIN	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
40548-96A	D402F PT MM90-19 BW	DUNLOP	6/32 in (5 mm)	1/32–2/32 in (1–2 mm)	3/32–6/32 in (2–5 mm)
40549-96A	D402 PT MT90B16 BW	DUNLOP	11/32 in (9 mm)	1/32–4/32 in (1–3 mm)	5/32–11/32 in (4–9 mm)
40554-04A	GT502F 100/90B19 BW	DUNLOP	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
40555-04A	GT502 150/80B16 BW	DUNLOP	7/32 in (6 mm)	1/32–3/32 in (1–2 mm)	4/32–7/32 in (3–6 mm)
40556-06A	GT502 130/90B16 BW	DUNLOP	8/32 in (6 mm)	1/32–3/32 in (1–2 mm)	4/32–8/32 in (3–6 mm)
40565-91B	D401 130/90B16 BW	DUNLOP	12/32 in (10 mm)	1/32–5/32 in (1–4 mm)	6/32–12/32 in (5–10 mm)
40567-90A	D401F 90/90-19 BW	DUNLOP	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
40878-11	SCORCHER 150/80B16	MICHELIN	9/32 in (7 mm)	1/32–4/32 in (1–3 mm)	5/32–9/32 in (4–7 mm)

Table 2.

Part No.	Description	Supplier	Tread Depth	50% Adjustment	100% Reimbursement
40879-11A	SCORCHER FR, 120/70ZR18	MICHELIN	4/32 in (3 mm)	1/32–2/32 in (1–2 mm)	3/32–4/32 in (2–3 mm)
41036-12	SCORCHER 80/90B21	MICHELIN	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
41473-06	D419 240/40R18 BW	DUNLOP	8/32 in (6 mm)	1/32–5/32 in (1–4 mm)	6/32–8/32 in (5–6 mm)
41474-06B	D408F 140/75R17 BW	DUNLOP	5/32 in (4 mm)	1/32–3/32 in (1–2 mm)	4/32–5/32 in (3–4 mm)
41566-08B	D407F 90/90-19 BW	DUNLOP	6/32 in (5 mm)	1/32–2/32 in (1–2 mm)	3/32–6/32 in (2–5 mm)
41688-08A	D407 240/40R18 BW	DUNLOP	8/32 in (6 mm)	1/32–3/32 in (1–2 mm)	4/32–8/32 in (3–6 mm)
41771-10	D408 200/50R18 - 18 REAR	DUNLOP	9/32 in (7 mm)	1/32–4/32 in (1–3 mm)	5/32–9/32 in (4–7 mm)
41998-07	D407 170/60R17 BW	DUNLOP	9/32 in (7 mm)	1/32–4/32 in (1–3 mm)	5/32–9/32 in (4–7 mm)
41999-07B	D407F 130/70R18 BW	DUNLOP	6/32 in (5 mm)	1/32–3/32 in (1–2 mm)	4/32–6/32 in (3–5 mm)
43022-91A	D402F MT90B16 BW	DUNLOP	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
43102-91B	D402 MT90B16 BW	DUNLOP	9/32 in (7 mm)	1/32–4/32 in (1–3 mm)	5/32–9/32 in (4–7 mm)
43104-93A	D402F MH90-21 BW	DUNLOP	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
43109-09A	D408F 130/80B17 BW	DUNLOP	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
43112-91A	D401F 100/90-19 BW	DUNLOP	6/32 in (5 mm)	1/32–3/32 in (1–2 mm)	4/32–6/32 in (3–5 mm)
43114-91B	D402 MT90B16 SW	DUNLOP	9/32 in (7 mm)	1/32–4/32 in (1–3 mm)	5/32–9/32 in (4–7 mm)
43115-09A	D408F 130/80B17 SW	DUNLOP	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
43115-91A	D402F MT90B16 SW	DUNLOP	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
43117-09	GT502F 80/90-21 BW 21 FRONT BW	DUNLOP	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
43118-92A	D402F MT90B16 WW	DUNLOP	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
43119-92A	D402 MT90B16 WW	DUNLOP	9/32 in (7 mm)	1/32–4/32 in (1–3 mm)	5/32–9/32 in (4–7 mm)
43124-94B	D402F MT90B16 WW W/LOGO	DUNLOP	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
43125-94B	D402 MT90B16 WW W/LOGO	DUNLOP	9/32 in (7 mm)	1/32–4/32 in (1–3 mm)	5/32–9/32 in (4–7 mm)
43167-08	16 Rear, D402 MU85B16 WW W/LOGO	DUNLOP	11/32 in (9 mm)	1/32–5/32 in (1–4 mm)	6/32–11/32 in (5–9 mm)
43169-00A	K591 160/70B17 BW	DUNLOP	8/32 in (6 mm)	1/32–3/32 in (1–2 mm)	4/32–8/32 in (3–6 mm)
43172-01B	D208F 120/70ZR19 BW	DUNLOP	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
43173-01	D207 180/55ZR18 BW	DUNLOP	7/32 in (6 mm)	1/32–3/32 in (1–2 mm)	4/32–7/32 in (3–6 mm)
43189-11	18 Rear, SCORCHER, 240/40R18 BW	MICHELIN	6/32 in (5 mm)	1/32–3/32 in (1–2 mm)	4/32–6/32 in (3–5 mm)
43197-04B	GT502 180/60B17 BW	DUNLOP	8/32 in (6 mm)	1/32–3/32 in (1–2 mm)	4/32–8/32 in (3–6 mm)
43200026A	SCORCHER 11T 150/70ZR17 69W REAR BW	MICHELIN	6/32 in (5 mm)	1/32–3/32 in (1–2 mm)	4/32–6/32 in (3–5 mm)
43200038A	SCORCHER 31 180/70B16 77H BW	MICHELIN	8/32 in (6 mm)	1/32–3/32 in (1–2 mm)	4/32–8/32 in (3–6 mm)
43211-09A	D408F 130/90D16 WW	DUNLOP	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
43213-11	FR, 120/70R19	MICHELIN	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)

Table 2.

Part No.	Description	Supplier	Tread Depth	50% Adjustment	100% Reimbursement
43216-11	RR, 150/60R17	MICHELIN	6/32 in (5 mm)	1/32–3/32 in (1–2 mm)	4/32–6/32 in (3–5 mm)
43218-08	D427F 130/90B16 BW	DUNLOP	5/32 in (4 mm)	1/32–3/32 in (1–2 mm)	4/32–5/32 in (3–4 mm)
43228-08	D427 180/70B16 BW	DUNLOP	9/32 in (7 mm)	1/32–4/32 in (1–3 mm)	5/32–9/32 in (4–7 mm)
43229-08	D209F RP 120/70ZR18 BW	DUNLOP	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
43230-09	D407 180/65B16 WW	DUNLOP	10/32 in (8 mm)	1/32–4/32 in (1–3 mm)	5/32–10/32 in (4–8 mm)
43231-08	D209HD 180/55ZR17	DUNLOP	7/32 in (6 mm)	1/32–3/32 in (1–2 mm)	4/32–7/32 in (3–6 mm)
43242-06B	D407 200/55R17 BW	DUNLOP	8/32 in (6 mm)	1/32–4/32 in (1–3 mm)	5/32–8/32 in (4–6 mm)
43250-07	MACADAM 50 160/70-17 BW	MICHELIN	8/32 in (6 mm)	1/32–3/32 in (1–2 mm)	4/32–8/32 in (3–6 mm)
43250-07A	SCORCHER 160/70-17 REAR	MICHELIN	8/32 in (6 mm)	1/32–3/32 in (1–2 mm)	4/32–8/32 in (3–6 mm)
43250-07B	17 Rear, Scorcher 31, 160/70B17 BW	MICHELIN	8/32 in (6 mm)	1/32–3/32 in (1–2 mm)	4/32–8/32 in (3–6 mm)
43252-07	COMMANDER 150/80-16 REINF BW	MICHELIN	9/32 in (7 mm)	1/32–4/32 in (1–3 mm)	5/32–9/32 in (4–7 mm)
43258-07	COMMANDER 100/90-19 BW	MICHELIN	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
43258-07A	SCORCHER 100/90-19 FRONT	MICHELIN	6/32 in (5 mm)	1/32–3/32 in (1–2 mm)	4/32–6/32 in (3–5 mm)
43258-07B	19 Front, Scorcher 31, 100/90-19 BW	MICHELIN	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
43264-02	D401 150/80B16 BW	DUNLOP	10/32 in (8 mm)	1/32–4/32 in (1–3 mm)	5/32–10/32 in (4–8 mm)
43284-07	COMMANDER MU85B16 BW	MICHELIN	9/32 in (7 mm)	1/32–4/32 in (1–3 mm)	5/32–9/32 in (4–7 mm)
43288-07	COMMANDER MT90B16 REAR BW	MICHELIN	9/32 in (7 mm)	1/32–4/32 in (1–3 mm)	5/32–9/32 in (4–7 mm)
43303-07	COMMANDER MT90B16 FRONT BW	MICHELIN	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
43304-07	COMMANDER MH90-21 BW	MICHELIN	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
43329-04	D402 MU85B16 BW	DUNLOP	11/32 in (9 mm)	1/32–5/32 in (1–4 mm)	6/32–11/32 in (5–9 mm)
43329-09	D407 180/65B16 BW	DUNLOP	10/32 in (8 mm)	1/32–4/32 in (1–3 mm)	5/32–10/32 in (4–8 mm)
43332-04	D402 MU85B16 SW	DUNLOP	11/32 in (9 mm)	1/32–4/32 in (1–3 mm)	5/32–11/32 in (4–9 mm)
43332-09	D407 180/65B16 SW	DUNLOP	10/32 in (8 mm)	1/32–4/32 in (1–3 mm)	5/32–10/32 in (4–8 mm)
43353-03	D402 MU85B16 WW	DUNLOP	11/32 in (9 mm)	1/32–5/32 in (1–4 mm)	6/32–11/32 in (5–9 mm)
43371-07A	D402F 130/70-18 BW	DUNLOP	6/32 in (5 mm)	1/32–3/32 in (1–2 mm)	4/32–6/32 in (3–5 mm)
43390-08A	D408F MH90-21 BW	DUNLOP	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
43762-96A	D402F PT MT90B16 BW	DUNLOP	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
43970-08	D401 200/55R17 BW	DUNLOP	8/32 in (6 mm)	1/32–3/32 in (1–2 mm)	4/32–8/32 in (3–6 mm)
44006-09	D407 180/55B18 BW	DUNLOP	10/32 in (8 mm)	1/32–4/32 in (1–3 mm)	5/32–10/32 in (4–8 mm)
44026-09A	D408F 130/70B18 BW	DUNLOP	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
55035-11A	SCORCHER 130/90B16	MICHELIN	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
55192-10	16 Rear, D401 150/80B16 WW	DUNLOP	10/32 in (8 mm)	1/32–4/32 in (1–3 mm)	5/32–10/32 in (4–8 mm)

Table 2.

Part No.	Description	Supplier	Tread Depth	50% Adjustment	100% Reimbursement
55193-10	19 Front, D401 100/90-19 WW	DUNLOP	6/32 in (5 mm)	1/32–3/32 in (1–2 mm)	4/32–6/32 in (3–5 mm)
83324-09A	SIGNATURE P205/65R15 BW	DUNLOP	11/32 in (9 mm)	1/32–5/32 in (1–4 mm)	6/32–11/32 in (5–9 mm)
83665-11A	16 rear, P205/60R16 BW	DUNLOP	11/32 in (9 mm)	1/32–5/32 in (1–4 mm)	6/32–11/32 in (5–9 mm)
G0150.1AKS	D616F 120/70ZR17 BW	DUNLOP	7/32 in (6 mm)	1/32–3/32 in (1–2 mm)	4/32–7/32 in (3–6 mm)
G0150.3A8	D208FW 120/70ZR17 BW	DUNLOP	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
G0150.3AV	ANGEL ST FR 120/70ZR17 BW	PIRELLI	6/32 in (5 mm)	1/32–3/32 in (1–2 mm)	4/32–6/32 in (3–5 mm)
G0150.9B	D208F 120/70ZR17 BW	DUNLOP	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
G0150.T	K330A 100/80-16 BW	DUNLOP	5/32 in (4 mm)	1/32–2/32 in (1–2 mm)	3/32–5/32 in (2–4 mm)
G0350.1AKT	D616 180/55ZR17 BW	DUNLOP	9/32 in (7 mm)	1/32–4/32 in (1–3 mm)	5/32–9/32 in (4–7 mm)
G0350.3A8	D208M 180/55ZR17 BW	DUNLOP	7/32 in (6 mm)	1/32–3/32 in (1–2 mm)	4/32–7/32 in (3–6 mm)
G0350.3AV	ANGEL ST RR 180/55ZR17 BW	PIRELLI	8/32 in (6 mm)	1/32–3/32 in (1–2 mm)	4/32–8/32 in (3–6 mm)