

**This document is uncontrolled when printed. Before use, check the Knowledge Base within the McLaren Retailer Portal to verify that this is the current version.**

# McLaren 750S Scuttle Panel Fitment

## Document Information

**Location:** Body Panels & Closures / Body Exterior

**Topic:** Procedure to follow in the event increased movement of the scuttle panel is identified or reservoir service covers are difficult to clip into place.

**Condition:** Permanent

**Diagnostic Trouble Codes:** N/A

## Measure

In the event reservoir service covers are unable to be correctly secured or increased movement of the scuttle panel is identified, please reference the following procedure and install an edge protector to the luggage compartment.

A lack of support around the scuttle panel allows for increased movement, making it difficult to clip the reservoir service covers into place.



The condition can also be identified as a gap visible between the luggage compartment seal and scuttle panel trim.

When the reservoir service covers are fitted, the scuttle panel can drop, making correct fitment difficult to achieve.



1. Remove the reservoir service cover

2. Install the reservoir service cover by pressing down in the area shown. If the scuttle panel gives way and makes installing the cover difficult, please follow the procedure for installing the edge protectors



3. Remove luggage compartment seal from area shown below




4. Remove panel cover complete



5. Install edge protector to the luggage compartment trim making sure it is fully secured



6. Ensure you position the edge protector 10mm from the scuttle panel end



7. Re-install Panel Cover

8. Apply support from the bottom of reservoir panel then clip in panel cover

9. Re-install luggage compartment seal

## Parts Information

00RE028 - 5.8 x 50 x 9mm Edge Protector (x2)

## Attachments

N/A

**This document is uncontrolled when printed. Before use, check the Knowledge Base within the McLaren Retailer Portal to verify that this is the current version.**