

VN(4) Idle Reduction System Weight Exemption Label

Service Category Service

Section Function Group 897

Technician Skill Level C

Market North America

Applicability

VOLVO

Years	Models
2025	VN (4)

Introduction

Volvo Trucks has determined that certain VN(4) model trucks were built without a necessary Idle Reduction System Weight Exemption Label. Please follow the instruction in this document to install the label.

Production Change Information

This bulletin applies to vehicles built within the specified production changes below.

Brand	Engine	Emission Level	Starting Build Date	Ending Build Date
Volvo	D13	EM-USA24	18-March-2024	24-July-2024

Warranty Information

This repair is covered by an authorized Service Program. Reimbursement is obtained through the normal claim handling process.		
Claim Type (used only when uploading from the Dealer Bus. Sys.)		B
Main Labor Code	Description	Hours
1720-16-09-01	Campaign General 0.1x3	0.3
Causal Part	24829035	
SCC Authorization Code	S4277	
Expiration Date	December 31, 2025	

VN(4) Idle Reduction System Weight Exemption Label

Parts Information

Ordering Process:

When ordering a vehicle label, an E-service case must be started.


- Start an E-Service under the Parts Specifications Group.
- Reference the recall number in the description field of the E-Service.
- Parts Specification Group will recreate the label and FedEx it at no cost to the dealer.

Important Parts Note

- Only one VIN is allowed per E-service case.
- The dealer will not be invoiced for the new label.
- The dealer will not need to complete the standard (Vehicle Certification Label Application)

Repair Procedure


1. Park the vehicle on level surface.
2. Apply parking brake.
3. Place the transmission in park or neutral.
4. Turn off ignition.
5. Install wheel chocks.




VN(4) Idle Reduction System Weight Exemption Label

6. Clean and prep the area pictured below to allow for proper label adhesion.
7. Place the label on the right (passenger) side luggage compartment door in the lower left-hand corner as pictured below.

Important Note
If there is a label already installed, please remove and install the new label.



7. Remove wheel chocks.



8. Release truck.