

# WORK DESCRIPTION FOR FIELD MEASURE

Code: 24P5891230

Version: 2.0

**Update Digital Operator's Manual and enclose printed Operator's Manual, replace if necessary.**  
Model 223

---

- i** • Always use the **latest** XENTRY Diagnosis software release with all available add-ons.
  - Make sure to follow the operation steps exactly as described in XENTRY Diagnosis.
  - Use a battery charger to ensure sufficient power supply of the vehicle **on-board electrical system battery** (greater than 12.5 V).
  - If XENTRY Diagnosis is already connected to the vehicle, start with **Work Procedure Step 2**.
    - i** If two or more software updates or SCN codings are performed during one workshop visit, operation items 02-4762 and 02-5058 may be invoiced **only once for each workshop order**.
- 

## Work Procedure

- i** Update Digital Operator's Manual.
  1. Connect XENTRY Diagnosis.
  2. Update Digital Operator's Manual.
    - i** To do this, select menu item "Quick test view → **A26/17 - MBUX multimedia system (head unit)** → Adaptations → Control unit update → Updating of the control unit software".
    - i** Then follow the user guidance in XENTRY Diagnosis.
    - i** The Digital Operator's Manuals are downloaded automatically via Retail Data Storage to XENTRY Diagnosis to match the affected vehicle.
  3. Disconnect XENTRY Diagnosis.
  4. Check whether the Operator's Manual in the vehicle document wallet, as well as the supplements and ACCORDION-FOLD DOCUMENT are present and whether the version is correct.
    - i** The missing or incorrect Operator's Manual, as well as the supplements and ACCORDION-FOLD DOCUMENT must be replaced or enclosed as an aftermarket measure.The Operator's Manual, supplements and ACCORDION-FOLD DOCUMENT must be determined according to the equipment variant for the vehicle identification number via the parts process in the XENTRY Portal.

**Parts**

Quantity	Designation	Part no.
As required	Operator's Manual	A2235841015

**Operation text and flat rate**

Operation no.	Operation text	Flat rate	Accounting no./ damage code
02-9445**	Update Digital Operator's Manual	0.1 h	58 912 30
02-4762*	Connect/disconnect diagnostic system (XENTRY Diagnosis)	0.1 h	58 912 30
02-5058*	Connect/disconnect starter battery charger (with XENTRY Diagnosis connected)	0.1 h	58 912 30
02-9471**	Check Operator's Manual, enclose if necessary	0.1 h	58 912 30

\* Operation item may be invoiced only once for each workshop order.

\*\* Please enter the code and accounting number manually in the workshop order as per the work instructions.