

Manufacturer's Certificate

Freigabe/Approval

02/25 ENU 1701

1

Overview of Approved Porsche C30 Engine Oils (02/25)



Information

The period of validity for the approved engine oil is between 2 and 3 years. The expiration date of the approval is given in the last column in the list.

Once this validity period has elapsed, the approval in question is revoked unless an extension is requested by the relevant manufacturer.

Revision: This bulletin replaces bulletin Group 1 44/24, dated December 17, 2024.

Model Year: **As of 2021**

Vehicle Type: **All Porsche vehicles from MY 2021, for which Porsche C30 engine oils are allocated.**

Overview:

Manufacturer	Oil designation	Viscosity SAE	Sales area	valid until
CASTROL Limited	Castrol EDGE Professional Longlife III 0W-30	0W-30	Worldwide	27.08.2026
CASTROL Limited	Castrol EDGE 0W-30 LL	0W-30	Worldwide	27.08.2026
CASTROL Limited	Aral SuperTronic Longlife III 0W-30	0W-30	Worldwide	27.08.2026
CEPSA COMERCIAL PETROLEO S.A.U.	XTAR 0W30 ECO W	0W-30	Worldwide	08.03.2025
DEUTSCHE ÖLWERKE LUBMIN	AVENO LL Professional 0W-30	0W-30	Worldwide, excl. sanctioned countries	01.11.2025
EXXONMOBIL Corporation	Mobil Super 3000 Formula V 0W-30	0W-30	Worldwide	14.02.2026
EXXONMOBIL Corporation	Mobil 1 ESP 0W-30	0W-30	Worldwide	31.05.2026

FUCHS PETROLUB AG – Germany	TITAN GT1 LONGLIFE III SAE 0W-30	0W-30	Worldwide	07.09.2026
FUCHS PETROLUB AG – Germany	TITAN GT1 FLEX C3 SAE 0W-30	0W-30	Worldwide	07.09.2026
Kuwait Petroleum Research & Technology B.V (Q8)	Q8 Formula Exclusive V 0W-30	0W-30	Worldwide	05.10.2025
LIQUI MOLY - Germany	Liqui Moly Top Tec 4210	0W-30	Worldwide	23.10.2026
MOTUL - France	MOTUL 8100 X-CLEAN+ EFE 0W-30	0W-30	Worldwide	28.11.2025
MPM International Oil Company B.V.	Motor Oil Premium Synthetic ESP-L SAE 0W-30	0W-30	Worldwide	24.06.2026
Orlen Oil Ltd.	ORLEN OIL MAX EXPERT V 0W-30	0W-30	Poland, Germany, France, EU, UK, China, Middle East, USA	08.06.2026
Ravensberger Schmierstoffvertrieb GmbH	RAVENOL VSW SAE 0W-30	0W-30	Worldwide, excl. sanctioned countries	01.11.2025
Ravensberger Schmierstoffvertrieb GmbH	RAVENOL HSW	0W-30	Worldwide	01.11.2025
REPSOL LUBRICANTES Y ESPECIALIDADES, S.A.	REPSOL ELITE EVOLUTION V 0W-30	0W-30	Worldwide	27.05.2026

Manufacturer's Certificate

Freigabe/Approval

02/25 ENU 1701

1

Shell Global Solutions (Deutschland) GmbH	Shell Helix Ultra Professional AV-L	0W-30	Worldwide	04.05.2025
Shell Global Solutions (Deutschland) GmbH	Quaker State Euro LX Full Synthetic	0W-30	Canada, USA	04.05.2025
Shell Global Solutions (Deutschland) GmbH	Pennzoil Platinum Euro LX Full Synthetic Motor Oil	0W-30	Canada, USA, Central America	04.05.2025
SK lubricants	ZIC TOP LS 0W-30	0W-30	Europe, Asia, USA, China P.R., South America	03.07.2026
TOTAL Deutschland GmbH	Total Quartz Ineo LongLife 0W-30	0W-30	Worldwide	05.04.2026
TotalEnergies Lubrifiants	ELF EVOLUTION FULL-TECH LLX 0W-30	0W-30	Worldwide	05.04.2026
Valvoline Europe	Valvoline European Vehicle Full Synthetic 0W-30	0W-30	Worldwide	17.01.2027
Volkswagen AG	VW Group Longlife III FE	0W-30	Worldwide	05.05.2025
WOLF Oil Corporation	WOLF OFFICIALTECH 0W30 LL FE	0W-30	Worldwide	28.03.2026
WOLF Oil Corporation	CHAMPION OEM SPECIFIC 0W30 LL III FE	0W-30	Worldwide	28.03.2026
YACCO SAS	YACCO LUBE W 0W-30	0W-30	Worldwide	26.02.2027

Sales Areas: The respective sales area is also listed in order to clarify where the approved oils are available. Here are the meanings of the symbols:

WW	Worldwide	ESP	Spain
EU	Europe	FIN	Finland
E-EU	Eastern Europe	FRA	France
USA	United States of America	GB	Great Britain and Northern Ireland
C-America	Central America	IRL	Ireland
N. America	North America	JAP	Japan
S. America	South America	MEX	Mexico
AF	Africa	NOR	Norway
Asia	Asia	NZL	New Zealand
FSU	Former Soviet Union	RUS	Russia
BS	Baltic countries	SCG	Croatia
AUS	Australia	SVK	Slovakia
AUT	Austria	SWE	Sweden
BRA	Brazil	TWN	Taiwan
CAN	Canada	UAE	United Arab Emirates
CH	Switzerland	UKR	Ukraine
CHN	China	VNM	Vietnam
DEU	Germany	ZA	South Africa

Miscibility: **All engine oils approved by Porsche can be mixed provided they are of the same Porsche oil specification.**
This means that it is not necessary to flush the engine when the oil is changed if another type of oil is used. However, since every brand of oil has a specially adapted unique composition, the same brand and type of oil should be used for topping up between oil change intervals if possible.

Important Notice: Technical Bulletins issued by Porsche Cars North America, Inc. are intended only for use by professional automotive technicians who have attended Porsche service training courses. They are written to inform those technicians of conditions that may occur on some Porsche vehicles, or to provide information that could assist in the proper servicing of a vehicle. Porsche special tools may be necessary in order to perform certain operations identified in these bulletins. Use of tools and procedures other than those Porsche recommends in these bulletins may be detrimental to the safe operation of your vehicle, and may endanger the people working on it. Properly trained Porsche technicians have the equipment, tools, safety instructions, and know-how to do the job properly and safely. Part numbers listed in these bulletins are for reference only. The work procedures updated electronically in the Porsche PIWIS diagnostic and testing device take precedence and, in the event of a discrepancy, the work procedures in the PIWIS Tester are the ones that must be followed.

© 2025 Porsche Cars North America, Inc.