




Technical Service Bulletin

GROUP	NUMBER
BODY	25-BD-006G
DATE	MODEL(S)
MAY 2025	GV60 (JW1 EV)

SUBJECT: ACCESSORY CARGO MAT, UP SEATBACK REPLACEMENT

Description: Certain GV60 (JW1 EV) vehicles equipped with the accessory cargo mat, may exhibit separation from the mat's adhesive securing pads on the back of the rear seat. This bulletin provides instructions to replace the cargo mat with a new part.

Example of Cargo Mat, Up Seatback Separated at Adhesive Patches



Applicable Vehicles:

- All GV60 (JW1 EV) vehicles equipped with an Accessory Cargo Mat (Up Seatback)

NOTICE

To avoid any potential damage to Genesis EVs, Genesis EV repairs can only be performed by EV certified Genesis retailers.

Parts Information:

Model	Part Name	Part Number	Figure	Remarks
GV60 (JW1 EV)	Cargo Mat, Up Seatback	CUH12-ABA00		Accessory

Warranty Information:

Model	Op. Code	Operation	Op. Time	Causal Part	Nature Code	Cause Code
GV60 (JW1 EV)	A0201R04	Cargo Mat, Up Seatback Replacement	0.2 M/H	CUH12-ABA00	A34	ZZ4

NOTE 1: Normal warranty applies.

NOTE 2: Submit claim on Claim Entry Screen as "Warranty" type.

NOTE 3: Take a picture of the warrantable defect. Op times include VIN, Mileage, and Repair validation photo(s) as outlined in the Digital Documentation Policy.

NOTE 4: The incident parts are subject to callback through the normal Warranty Technical Center (WTC) parts return process. **Claim is subject to debit if the part is not returned.**

NOTE 5: If a part is found in need of replacement while performing this TSB and the affected part is still under warranty, submit a separate claim using the same repair order. If the affected part is out of warranty, submit a Prior Approval request for goodwill consideration prior to performing the work.

Service Procedure:

DIGITAL DOCUMENTATION

This TSB includes Repair justification photos. Refer to the latest Warranty Digital Documentation Policy for requirements.

i Information

For more details on installation of the accessory Cargo Mat, Up Seatback, refer to the QR code or link below to reference the Installation Guide:


https://www.genesisaccessories.com/installation_sheets/cuh12aba00.pdf



1. Open tailgate and remove cargo cover (A), if equipped.

NOTICE

Do **NOT** place cargo cover under luggage floor or any place where it may be damaged.



- 2.

DIGITAL DOCUMENTATION

Using STUI, take a photo of the defective accessory cargo mat with the last 6 digits of the VIN and the date of a repair on a piece of paper.


Upload the photo to STUI.



3. Remove the old cargo mat along with any securing pads (B) still attached to the rear seatback.

i Information

The securing pads are adhesive Velcro patches and should release easily from the seat fabric without using tools.




4. Place the new cargo mat in the folded position with the securing pads (C) facing upwards as shown.

Ensure the bottom portion of the new cargo mat aligns to the rear contours of the cargo floor (D).

i Information


There are 11 securing pads that attach to the seatback.




5. Unlatch and fold down the rear seatbacks. Then unfold the cargo mat onto the rear seatbacks as shown.



6. Align the upper seatback portion of the cargo mat to the cutouts of the child seat anchors (E) as shown.




7. Apply firm downward pressure on each securing pad (F) to attach the cargo mat to the seatbacks.



8. Return the rear seatbacks to the upright position, ensuring the cargo mat hinge settles on the cargo floor correctly as shown in the **GOOD** example at right.

- **GOOD:** Cargo mat hinge aligned correctly.
- **NG:** Cargo mat hinge **NOT** aligned correctly.



9. Reinstall cargo cover (A), if equipped.



10. The installation is complete.