

Installation and Conversion Instructions

Macan (XAB)

09/24 ENU 6619

6

Macan H2 Wheel Arch Trims



Information

Always comply with the regulations for handling ESD-sensitive components!

- Assembly work may only be carried out if the mechanic is wearing the working clothes and shoes approved by Porsche.
- The new part may only be removed from the ESD protective packaging just before installation and at the installation location.
- The electrical pins or plug contacts must not be touched.



Information

- Some of the repair illustrations show only one side of the vehicle or a similar component.
- Naturally, some steps also have to be performed on the opposite side of the vehicle as well.



Information

Please pass all this information on to the customer.

Also give the customer a copy of the first pages of these Installation and Conversion Instructions, including the legal regulations.

Vehicle Type: **Macan H2 (XAB)**

Model Year: **As of 2024**

Cause: **Retrofitting**

Variants: **Black-grained variant:** not with GTS and/or Sport Design package. Only Macan base, Macan S, Offroad Design package 20 inches, Offroad Design package exclusive, Offroad Design package 22 inches and Offroad front apron lower part

High-gloss black painted variant: only for Macan Top and/or Sport Design package. Not for Macan base, Macan S, Offroad Design package 20 inches, Offroad Design package exclusive, Offroad Design package 22 inches and Offroad front apron lower part.

Parts Info: **TEQ item number: 95C.044.820 Black-grained variant**

Part No.	Quantity	Designation
95C.853.717.M	1	Front wheel cover

95C.853.718.M	1	Front wheel cover
95C.854.731.M	1	Rear wheel cover
95C.854.732.M	1	Rear wheel cover
95C.853.647	1	Bracket
95C.853.648	1	Bracket
95C.821.171.E	1	Front wheel housing liner
95C.821.172.E	1	Front wheel housing liner
95C.810.171.G	1	Rear wheel housing liner
95C.810.172.G	1	Rear wheel housing liner
N.908.401.03	4	Flat screw, TP screw

TEQ item number: 95C.044.820.A High-gloss black painted variant

Part No.	Quantity	Designation
95C.853.025.G	1	Left painted wheel cover set
95C.853.025.G	1	Right painted wheel cover set
95C.853.647	1	Bracket
95C.853.648	1	Bracket
95C.821.171.E	1	Front wheel housing liner
95C.821.172.E	1	Front wheel housing liner
95C.810.171.G	1	Rear wheel housing liner
95C.810.172.G	1	Rear wheel housing liner
N.908.401.03	4	Flat screw, TP screw

Work Procedure: 1

Preparatory work

- 1.1 Drive the vehicle onto the lifting platform. ⇒ *Workshop Manual '4X00IN Lifting the vehicle'*
- 1.2 Remove all four wheels. ⇒ *Workshop Manual '4X00IN Removing and installing wheel'*
- 1.3 Remove front wheel housing liners. ⇒ *Workshop Manual '4X00IN Removing and installing front wheel housing liner'*
- 1.4 Remove rear wheel housing liners. ⇒ *Workshop Manual '4X00IN Removing and installing rear wheel housing liner'*
- 1.5 Remove front wheel arch trims. ⇒ *Technical Information '4X00IN Macan H2 wheel arch trims'* **Carefully remove (danger of irreparable damage)**

- 1.6 Remove rear wheel arch trims. ⇒ *Technical Information '4X00IN Macan H2 wheel arch trims'* **Carefully remove (danger of irreparable damage)**

- 1.7 Install rear wheel arch trims.

The new wheel arch trim is only screwed with screws ⇒ *Figure 1*.




Figure 1

- 1.8 Install rear wheel housing liners. ⇒ *Workshop Manual '4X00IN Removing and installing rear wheel housing liner'*

When installing the rear wheel housing liners, the clip must be ⇒ *Figure 2* converted.




Figure 2

- 1.9 Convert holder on front fender.




Figure 3

- 1.10 Install front wheel arch trims.
- 1.11 Remove front wheel housing liners. ⇒ *Workshop Manual '4X00IN Removing and installing front wheel housing liner'*
- 1.12 Install all four wheels. ⇒ *Workshop Manual '4X00IN Removing and fitting wheel'*

66 19 23 40: Wheel arch trims removed and installed.

Labor time: **250 TU**

Important Notice: Technical Bulletins issued by Porsche Cars North America, Inc. are intended only for use by professional automotive technicians who have attended Porsche service training courses. They are written to inform those technicians of conditions that may occur on some Porsche vehicles, or to provide information that could assist in the proper servicing of a vehicle. Porsche special tools may be necessary in order to perform certain operations identified in these bulletins. Use of tools and procedures other than those Porsche recommends in these bulletins may be detrimental to the safe operation of your vehicle, and may endanger the people working on it. Properly trained Porsche technicians have the equipment, tools, safety instructions, and know-how to do the job properly and safely. Part numbers listed in these bulletins are for reference only. The work procedures updated electronically in the Porsche PIWIS diagnostic and testing device take precedence and, in the event of a discrepancy, the work procedures in the PIWIS Tester are the ones that must be followed.

© 2025 Porsche Cars North America, Inc.