

12 V Battery Charger

This instruction refers to other documents that are necessary to do the procedure.

Note

Dealers must order the country-specific charger for each customer vehicle.

Situation

Current 12 V battery charger may not charge the battery.

Action

Replace the 12 V battery charger.



CAUTION

Only use the 12 V charger supplied with the vehicle or a charger that is approved by Koenigsegg. Third party equipment is not made for the vehicle and can cause a damage to the electrical system.


PARTS	REFERENCE	QUANTITY
Koenigsegg EU 12 V charger kit*	1082544	1
Koenigsegg UK 12 V charger kit*	1082545	1
Koenigsegg US 12 V charger kit*	1082546	1
Koenigsegg NZ AU 12 V charger kit*	1082547	1

*See battery charger specification.

Battery Charger Specification

- Koenigsegg EU 12 V charger kit - rated 220-240 V


PLUG TYPE	DESCRIPTION	COUNTRIES/REGIONS USED
CEE 7/17	Euro plug variant (2 round pins, no ground)	Most of Europe, parts of Asia, South America, Africa (e.g., France, Germany, Netherlands, Spain, Turkey, South Korea, Indonesia)






- Koenigsegg UK 12 V charger kit - rated 220-240 V

PLUG TYPE	DESCRIPTION	COUNTRIES/REGIONS USED
BS 1363	UK 3-pin rectangular plug	UK, Ireland, Hong Kong, Singapore, Malaysia, Cyprus, UAE, Saudi Arabia, Kenya




- Koenigsegg US 12 V charger kit - rated 100-120 V

PLUG TYPE	DESCRIPTION	COUNTRIES/REGIONS USED
NEMA 1-15	2 flat pins, no ground	USA, Canada, Mexico, Japan, Taiwan, some Caribbean nations



- Koenigsegg NZ AU 12 V charger kit - rated 230 V



PLUG TYPE	DESCRIPTION	COUNTRIES/REGIONS USED
AS/NZS 3112	2/3 slanted flat pins	Australia, New Zealand, China






Connect the Battery Charger to Regera

1. Connect the battery charger to the charge port found below the Koenigsegg badge between the front bumper and the splitter.





2. If necessary, rotate the charger connector to the slot **A** with the charger port.




Connect the Battery Charger to Jesko Absolut

1. Connect the battery charger to the charge port found on the rear bumper, below the left rear light.





2. If necessary, rotate the charger connector to the slot **A** with the charger port.






Connect the Battery Charger to Jesko Attack

1. Connect the battery charger to the charge port found on the rear bumper, below the left rear light.



2. If necessary, rotate the charger connector to the slot **A** with the charger port.



Warranty Information

If the repair is covered by the warranty terms, refer to Koenigsegg Warranty Process.

OPERATION

KWO553795

PART NO

Refer to the invoiced kit number

