



Mitsubishi Motors North America, Inc.
TECHNICAL SERVICE BULLETIN

SUBJECT:

**TECHNICAL SPECIFICATIONS -
2026 OUTLANDER**

No: TSB-25-00-006

Version: 1

Reason for change: NA

Date: November 10, 2025

**TO: Mitsubishi Motors US and Puerto Rico Dealer Principals,
General Managers, Service Managers, Service Advisors, Parts
Managers, Technicians and Warranty Administrators**

AFFECTED VEHICLES

MY 2026 Outlander

PURPOSE

Please review the attached 2026 Outlander Technical Specifications.

The information contained in this bulletin is subject to change. For the latest version of this document, go to the Mitsubishi Dealer Link, MEDIC, or the Mitsubishi Service Information website (www.mitsubishitechinfo.com).

2026 OUTLANDER		TECHNICAL AND MECHANICAL FEATURES													
Feature Description	ES 2WD	ES S-AWC	LE 2WD	LE S-AWC	SE 2WD	SE S-AWC	Trail Edition S-AWC	RALLIART S-AWC	SEL 2WD	SEL S-AWC	SEL BE 2WD	SEL BE S-AWC	SEL Prem 2WD	SEL Prem S-AWC	
K-Model	GM2WXTMCL2M	GM2WXTMCZL2M	GM2WXTXCL2M	GM2WXTXCZL2M	GM2WXTXCL2M	GM2WXTXCZL2M	GM2WXTXCZL2M	GM2WXTXCZL2M	GM2WXTUCL2M	GM2WXTUCZL2M	GM2WXTUCL2M	GM2WXTUCZL2M	GM2WXTUCL2M	GM2WXTUCZL2M	
Model Code	3	13	4	14	4	14	14	14	6	16	6	16	6	16	
Engine															
Type	1.5L MIVEC DOHC Turbo 4-cylinder Direct-Injection 48V-BSG	1.5L MIVEC DOHC Turbo 4-cylinder Direct-Injection 48V-BSG	1.5L MIVEC DOHC Turbo 4-cylinder Direct-Injection 48V-BSG	1.5L MIVEC DOHC Turbo 4-cylinder Direct-Injection 48V-BSG	1.5L MIVEC DOHC Turbo 4-cylinder Direct-Injection 48V-BSG	1.5L MIVEC DOHC Turbo 4-cylinder Direct-Injection 48V-BSG	1.5L MIVEC DOHC Turbo 4-cylinder Direct-Injection 48V-BSG	1.5L MIVEC DOHC Turbo 4-cylinder Direct-Injection 48V-BSG	1.5L MIVEC DOHC Turbo 4-cylinder Direct-Injection 48V-BSG	1.5L MIVEC DOHC Turbo 4-cylinder Direct-Injection 48V-BSG	1.5L MIVEC DOHC Turbo 4-cylinder Direct-Injection 48V-BSG	1.5L MIVEC DOHC Turbo 4-cylinder Direct-Injection 48V-BSG	1.5L MIVEC DOHC Turbo 4-cylinder Direct-Injection 48V-BSG	1.5L MIVEC DOHC Turbo 4-cylinder Direct-Injection 48V-BSG	
Engine Code	4B40	4B40	4B40	4B40	4B40	4B40	4B40	4B40	4B40	4B40	4B40	4B40	4B40	4B40	
Materials	Aluminum block/aluminum cylinder heads	Aluminum block/aluminum cylinder heads	Aluminum block/aluminum cylinder heads	Aluminum block/aluminum cylinder heads	Aluminum block/aluminum cylinder heads	Aluminum block/aluminum cylinder heads	Aluminum block/aluminum cylinder heads	Aluminum block/aluminum cylinder heads	Aluminum block/aluminum cylinder heads	Aluminum block/aluminum cylinder heads	Aluminum block/aluminum cylinder heads	Aluminum block/aluminum cylinder heads	Aluminum block/aluminum cylinder heads	Aluminum block/aluminum cylinder heads	
Bore x Stroke	75.0 mm x 84.8 mm	75.0 mm x 84.8 mm	75.0 mm x 84.8 mm	75.0 mm x 84.8 mm	75.0 mm x 84.8 mm	75.0 mm x 84.8 mm	75.0 mm x 84.8 mm	75.0 mm x 84.8 mm	75.0 mm x 84.8 mm	75.0 mm x 84.8 mm	75.0 mm x 84.8 mm	75.0 mm x 84.8 mm	75.0 mm x 84.8 mm	75.0 mm x 84.8 mm	
Compression Ratio	10.5 : 1	10.5 : 1	10.5 : 1	10.5 : 1	10.5 : 1	10.5 : 1	10.5 : 1	10.5 : 1	10.5 : 1	10.5 : 1	10.5 : 1	10.5 : 1	10.5 : 1	10.5 : 1	
Displacement	1.5L / 1,499 cc	1.5L / 1,499 cc	1.5L / 1,499 cc	1.5L / 1,499 cc	1.5L / 1,499 cc	1.5L / 1,499 cc	1.5L / 1,499 cc	1.5L / 1,499 cc	1.5L / 1,499 cc	1.5L / 1,499 cc	1.5L / 1,499 cc	1.5L / 1,499 cc	1.5L / 1,499 cc	1.5L / 1,499 cc	
Horsepower	174 @ 6,000 rpm	174 @ 6,000 rpm	174 @ 6,000 rpm	174 @ 6,000 rpm	174 @ 6,000 rpm	174 @ 6,000 rpm	174 @ 6,000 rpm	174 @ 6,000 rpm	174 @ 6,000 rpm	174 @ 6,000 rpm	174 @ 6,000 rpm	174 @ 6,000 rpm	174 @ 6,000 rpm	174 @ 6,000 rpm	
Torque	206 lb-ft @ 3,000-4,000rpm	206 lb-ft @ 3,000-4,000rpm	206 lb-ft @ 3,000-4,000rpm	206 lb-ft @ 3,000-4,000rpm	206 lb-ft @ 3,000-4,000rpm	206 lb-ft @ 3,000-4,000rpm	206 lb-ft @ 3,000-4,000rpm	206 lb-ft @ 3,000-4,000rpm	206 lb-ft @ 3,000-4,000rpm	206 lb-ft @ 3,000-4,000rpm	206 lb-ft @ 3,000-4,000rpm	206 lb-ft @ 3,000-4,000rpm	206 lb-ft @ 3,000-4,000rpm	206 lb-ft @ 3,000-4,000rpm	
Redline RPM	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	
Emissions	LEV IV SULEV 30 / Tier 3 bin 30	LEV IV SULEV 30 / Tier 3 bin 30	LEV IV SULEV 30 / Tier 3 bin 30	LEV IV SULEV 30 / Tier 3 bin 30	LEV IV SULEV 30 / Tier 3 bin 30	LEV IV SULEV 30 / Tier 3 bin 30	LEV IV SULEV 30 / Tier 3 bin 30	LEV IV SULEV 30 / Tier 3 bin 30	LEV IV SULEV 30 / Tier 3 bin 30	LEV IV SULEV 30 / Tier 3 bin 30	LEV IV SULEV 30 / Tier 3 bin 30	LEV IV SULEV 30 / Tier 3 bin 30	LEV IV SULEV 30 / Tier 3 bin 30	LEV IV SULEV 30 / Tier 3 bin 30	
Engine Oil Type	OW-20	OW-20	OW-20	OW-20	OW-20	OW-20	OW-20	OW-20	OW-20	OW-20	OW-20	OW-20	OW-20	OW-20	
Recommended Fuel Type	Regular Unleaded	Regular Unleaded	Regular Unleaded	Regular Unleaded	Regular Unleaded	Regular Unleaded	Regular Unleaded	Regular Unleaded	Regular Unleaded	Regular Unleaded	Regular Unleaded	Regular Unleaded	Regular Unleaded	Regular Unleaded	
Transmission															
Continuously Variable Transmission (CVT)	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	
CVT Automatic Ratios	2.870-0.361	2.870-0.361	2.870-0.361	2.870-0.361	2.870-0.361	2.870-0.361	2.870-0.361	2.870-0.361	2.870-0.361	2.870-0.361	2.870-0.361	2.870-0.361	2.870-0.361	2.870-0.361	
Reverse	2.139	2.139	2.139	2.139	2.139	2.139	2.139	2.139	2.139	2.139	2.139	2.139	2.139	2.139	
Final Drive	6.036	6.036	6.036	6.036	6.036	6.036	6.036	6.036	6.036	6.036	6.036	6.036	6.036	6.036	
Suspension															
Front	MacPherson strut with stabilizer bar	MacPherson strut with stabilizer bar	MacPherson strut with stabilizer bar	MacPherson strut with stabilizer bar	MacPherson strut with stabilizer bar	MacPherson strut with stabilizer bar	MacPherson strut with stabilizer bar	MacPherson strut with stabilizer bar	MacPherson strut with stabilizer bar	MacPherson strut with stabilizer bar	MacPherson strut with stabilizer bar	MacPherson strut with stabilizer bar	MacPherson strut with stabilizer bar	MacPherson strut with stabilizer bar	
Rear	Multi-link with stabilizer bar	Multi-link with stabilizer bar	Multi-link with stabilizer bar	Multi-link with stabilizer bar	Multi-link with stabilizer bar	Multi-link with stabilizer bar	Multi-link with stabilizer bar	Multi-link with stabilizer bar	Multi-link with stabilizer bar	Multi-link with stabilizer bar	Multi-link with stabilizer bar	Multi-link with stabilizer bar	Multi-link with stabilizer bar	Multi-link with stabilizer bar	
Steering															
Type	Electric Power Steering	Electric Power Steering	Electric Power Steering	Electric Power Steering	Electric Power Steering	Electric Power Steering	Electric Power Steering	Electric Power Steering	Electric Power Steering	Electric Power Steering	Electric Power Steering	Electric Power Steering	Electric Power Steering	Electric Power Steering	
Overall Ratio	14.2 : 1	14.2 : 1	14.2 : 1	14.2 : 1	14.2 : 1	14.2 : 1	14.2 : 1	14.2 : 1	14.2 : 1	14.2 : 1	14.2 : 1	14.2 : 1	14.2 : 1	14.2 : 1	
Turns, lock to lock	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	
Turning circle	36.7 ft	36.7 ft	36.7 ft	36.7 ft	36.7 ft	36.7 ft	36.7 ft	36.7 ft	36.7 ft	36.7 ft	36.7 ft	36.7 ft	36.7 ft	36.7 ft	
Brakes/Tires/Wheels															
Front	Ventilated disc, 13.8 in	Ventilated disc, 13.8 in	Ventilated disc, 13.8 in	Ventilated disc, 13.8 in	Ventilated disc, 13.8 in	Ventilated disc, 13.8 in	Ventilated disc, 13.8 in	Ventilated disc, 13.8 in	Ventilated disc, 13.8 in	Ventilated disc, 13.8 in	Ventilated disc, 13.8 in	Ventilated disc, 13.8 in	Ventilated disc, 13.8 in	Ventilated disc, 13.8 in	
Rear	Ventilated disc, 13.0 in	Ventilated disc, 13.0 in	Ventilated disc, 13.0 in	Ventilated disc, 13.0 in	Ventilated disc, 13.0 in	Ventilated disc, 13.0 in	Ventilated disc, 13.0 in	Ventilated disc, 13.0 in	Ventilated disc, 13.0 in	Ventilated disc, 13.0 in	Ventilated disc, 13.0 in	Ventilated disc, 13.0 in	Ventilated disc, 13.0 in	Ventilated disc, 13.0 in	
ABS	4-wheel, 4-channel, 4-sensors with Electronic Brake-force Distribution (EBD) and Brake Assist	4-wheel, 4-channel, 4-sensors with Electronic Brake-force Distribution (EBD) and Brake Assist	4-wheel, 4-channel, 4-sensors with Electronic Brake-force Distribution (EBD) and Brake Assist	4-wheel, 4-channel, 4-sensors with Electronic Brake-force Distribution (EBD) and Brake Assist	4-wheel, 4-channel, 4-sensors with Electronic Brake-force Distribution (EBD) and Brake Assist	4-wheel, 4-channel, 4-sensors with Electronic Brake-force Distribution (EBD) and Brake Assist	4-wheel, 4-channel, 4-sensors with Electronic Brake-force Distribution (EBD) and Brake Assist	4-wheel, 4-channel, 4-sensors with Electronic Brake-force Distribution (EBD) and Brake Assist	4-wheel, 4-channel, 4-sensors with Electronic Brake-force Distribution (EBD) and Brake Assist	4-wheel, 4-channel, 4-sensors with Electronic Brake-force Distribution (EBD) and Brake Assist	4-wheel, 4-channel, 4-sensors with Electronic Brake-force Distribution (EBD) and Brake Assist	4-wheel, 4-channel, 4-sensors with Electronic Brake-force Distribution (EBD) and Brake Assist	4-wheel, 4-channel, 4-sensors with Electronic Brake-force Distribution (EBD) and Brake Assist	4-wheel, 4-channel, 4-sensors with Electronic Brake-force Distribution (EBD) and Brake Assist	
Wheels	18 x 7 1/23 aluminum alloy	18 x 7 1/23 aluminum alloy	20 x 83 aluminum alloy	20 x 83 aluminum alloy	20 x 83 aluminum alloy	20 x 83 aluminum alloy	20 x 83 aluminum alloy	18 x 7 1/23 aluminum alloy	20 x 83 aluminum alloy	20 x 83 aluminum alloy	20 x 83 aluminum alloy	20 x 83 aluminum alloy	20 x 83 aluminum alloy	20 x 83 aluminum alloy	
Tires	P235/60 R18	P235/60 R18	P255/45 R20	P255/45 R20	P255/45 R20	P255/45 R20	P255/45 R20	P235/60 R18	P255/45 R20	P255/45 R20	P255/45 R20	P255/45 R20	P255/45 R20	P255/45 R20	
Exterior Dimensions															
Wheelbase (inches)	106.5	106.5	106.5	106.5	106.5	106.5	106.5	106.5	106.5	106.5	106.5	106.5	106.5	106.5	
Overall length (inches)	185.8	185.8	185.8	185.8	185.8	185.8	185.8	185.8	185.8	185.8	185.8	185.8	185.8	185.8	
Overall width (inches) w/ mirror folded	74.7	74.7	74.7	74.7	74.7	74.7	74.7	74.7	74.7	74.7	74.7	74.7	74.7	74.7	
Overall width (inches) w/ mirror unfolded	84.4	84.4	84.4	84.4	84.4	84.4	84.4	84.4	84.4	84.4	84.4	84.4	84.4	84.4	
Overall height (inches)	68.7	68.7	68.8	68.8	68.8	68.8	68.7	68.7	68.8	68.8	68.8	68.8	68.8	68.8	
Track, front (inches)	62.7	62.7	62.7	62.7	62.7	62.7	62.7	62.7	62.7	62.7	62.7	62.7	62.7	62.7	
Track, rear (inches)	63.1	63.1	63.1	63.1	63.1	63.1	63.1	63.1	63.1	63.1	63.1	63.1	63.1	63.1	
Ground clearance (inches)	8.3	8.3	8.4	8.4	8.4	8.4	8.3	8.3	8.4	8.4	8.4	8.4	8.4	8.4	
Interior Dimensions															
Head Room (with sunroof)															
Front (inches)	40.6	40.6	40.6 (38.8)	40.6 (38.8)	40.6 (38.8)	40.6 (38.8)	40.6 (38.8)	40.6 (38.8)	40.6 (38.8)	40.6 (38.8)	40.6 (38.8)	40.6 (38.8)	40.6 (38.8)	40.6 (38.8)	
2nd row (inches)	39.1	39.1	39.1(37.4)	39.1(37.4)	39.1(37.4)	39.1(37.4)	39.1(37.4)	39.1(37.4)	39.1(37.4)	39.1(37.4)	39.1(37.4)	39.1(37.4)	39.1(37.4)	39.1(37.4)	
3rd row (inches)	34.5	34.5	34.5(34.5)	34.5(34.5)	34.5(34.5)	34.5(34.5)	34.5(34.5)	34.5(34.5)	34.5(34.5)	34.5(34.5)	34.5(34.5)	34.5(34.5)	34.5(34.5)	34.5(34.5)	
Leg room															
Front (inches)	41.7	41.7	41.7	41.7	41.7	41.7	41.7	41.7	41.7	41.7	41.7	41.7	41.7	41.7	
2nd row (inches)	39.9	39.9	39.9	39.9	39.9	39.9	39.9	39.9	39.9	39.9	39.9	39.9	39.9	39.9	
3rd row (inches)	18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7	
Shoulder room															
Front (inches)	57.9	57.9	57.9	57.9	57.9	57.9	57.9	57.9	57.9	57.9	57.9	57.9	57.9	57.9	
2nd row (inches)	55.9	55.9	55.9	55.9	55.9	55.9	55.9	55.9	55.9	55.9	55.9	55.9	55.9	55.9	
3rd row (inches)	51.2	51.2	51.2	51.2	51.2	51.2	51.2	51.2	51.2	51.2	51.2	51.2	51.2	51.2	
Hip room															
Front (inches)	54	54	54	54	54	54	54	54	54	54	54	54	54	54	
2nd row (inches)	53.3	53.3	53.3	53.3	53.3	53.3	53.3	53.3	53.3	53.3	53.3	53.3	53.3	53.3	
3rd row (inches)	42.1	42.1	42.1	42.1	42.1	42.1	42.1	42.1	42.1	42.1	42.1	42.1	42.1	42.1	
SAE volume (with sunroof)															
SAE passenger volume (cu ft.)	125.5	125.5	125.5(120.8)	125.5(120.8)	125.5(120.8)	125.5(120.8)	125.5(120.8)	125.5(120.8)	125.5(120.8)	125.5(120.8)	125.5(120.8)	125.5(120.8)	125.5(120.8)	125.5(120.8)	
SAE cargo volume - Behind front seats (with sunroof) (cu. ft.)	-	-	64.3	64.3	64.3	64.3	64.3	64.3	64.3	64.3	64.3	64.3	64.3	64.3	
SAE cargo volume - Behind front seats (w/o sunroof) (cu. ft.)	64.3	64.3	-	-	-	-	-	-	-	-	-	-	-	-	
SAE cargo volume - Behind 2nd row seats (with sunroof) (cu. ft.)	-	-	30.6	30.6	30.6	30.6	30.6	30.6	30.6	30.6	30.6	30.6	30.6	30.6	
SAE cargo volume - Behind 2nd row seats (w/o sunroof) (cu. ft.)	30.6	30.6	-	-	-	-	-	-	-	-	-	-	-	-	
SAE cargo volume - Behind 3rd row seats (with sunroof) (cu. ft.)	-	-	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	
SAE cargo volume - Behind 3rd row seats (w/o sunroof) (cu. ft.)	10.9	10.9	-	-	-	-	-	-	-	-	-	-	-	-	

Capacities														
Passenger Seating	7	7	7	7	7	7	7	7	7	7	7	7	7	7
Fuel	14.5 gallons	14.5 gallons	14.5 gallons	14.5 gallons	14.5 gallons	14.5 gallons	14.5 gallons	14.5 gallons	14.5 gallons	14.5 gallons	14.5 gallons	14.5 gallons	14.5 gallons	14.5 gallons
Oil	4.5 qt	4.5 qt	4.5 qt	4.5 qt	4.5 qt	4.5 qt	4.5 qt	4.5 qt	4.5 qt	4.5 qt	4.5 qt	4.5 qt	4.5 qt	4.5 qt
Towing Capacity (lbs.)	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000
Trailer Tongue Weight (lbs.)	200	200	200	200	200	200	200	200	200	200	200	200	200	200
Weights														
Curb Weight (lbs.)	3770	3902	3803	3925	3803	3925	3925	3925	3869	3991	3869	3991	3869	3991
GVWR (lbs.)	5247	5368	5247	5368	5247	5368	5368	5368	5247	5368	5368	5368	5247	5368
Weight distribution	58 / 42 %	57 / 43 %	57 / 43 %	57 / 43 %	57 / 43 %	57 / 43 %	57 / 43 %	57 / 43 %	57 / 43 %	57 / 43 %	57 / 43 %	57 / 43 %	57 / 43 %	57 / 43 %
Fuel Economy														
City	26	26	26	26	26	26	26	26	26	26	26	26	26	26
Highway	31	30	31	30	31	30	30	30	31	30	31	30	31	30
Combined	28	27	28	27	28	27	27	27	28	27	28	27	28	27
Warranties														
Basic	5-year / 60,000 miles	5-year / 60,000 miles	5-year / 60,000 miles	5-year / 60,000 miles	5-year / 60,000 miles	5-year / 60,000 miles	5-year / 60,000 miles	5-year / 60,000 miles	5-year / 60,000 miles	5-year / 60,000 miles	5-year / 60,000 miles	5-year / 60,000 miles	5-year / 60,000 miles	5-year / 60,000 miles
Limited Powertrain	10-year / 100,000 miles	10-year / 100,000 miles	10-year / 100,000 miles	10-year / 100,000 miles	10-year / 100,000 miles	10-year / 100,000 miles	10-year / 100,000 miles	10-year / 100,000 miles	10-year / 100,000 miles	10-year / 100,000 miles	10-year / 100,000 miles	10-year / 100,000 miles	10-year / 100,000 miles	10-year / 100,000 miles
Anti-corrosion	7-year / 100,000 miles	7-year / 100,000 miles	7-year / 100,000 miles	7-year / 100,000 miles	7-year / 100,000 miles	7-year / 100,000 miles	7-year / 100,000 miles	7-year / 100,000 miles	7-year / 100,000 miles	7-year / 100,000 miles	7-year / 100,000 miles	7-year / 100,000 miles	7-year / 100,000 miles	7-year / 100,000 miles
Roadside Assistance	5-year / Unlimited miles	5-year / Unlimited miles	5-year / Unlimited miles	5-year / Unlimited miles	5-year / Unlimited miles	5-year / Unlimited miles	5-year / Unlimited miles	5-year / Unlimited miles	5-year / Unlimited miles	5-year / Unlimited miles	5-year / Unlimited miles	5-year / Unlimited miles	5-year / Unlimited miles	5-year / Unlimited miles