



# Technical Service Bulletin

GROUP <b>CAMPAIGN</b>	NUMBER <b>26-01-001H</b>
DATE <b>JANUARY 2026</b>	MODEL(S) <b>IONIQ 9 (ME1A EV)</b>

**SUBJECT:** HIGH MOUNTED STOP LAMP ADHESIVE RESIDUE INSPECTION & STOP LAMP REPLACEMENT (LIMITED COVERAGE CAMPAIGN LA5)

## ★ IMPORTANT

This field action applies to vehicles pending initial retail in dealer inventory. It is strongly encouraged to execute this field action, prior to customer retail, on vehicles within 5/60,000 New Vehicle Limited Warranty (NVLW). See Warranty Information section for more details.

Access the “Vehicle Information” screen via WebDCS to verify “Warranty Start Date” and ensure the vehicle is within NVLW, observing mileage prior to any repair work.

**Description:** Certain IONIQ 9 (ME1A EV) vehicles may exhibit adhesive residue on the high mounted stop lamp. This can occur when the clear protective film has had prolonged exposure to sun and heat, causing some of the adhesive to remain on the black plastic housing after removal. This bulletin provides instructions to inspect and, if necessary, replace the high mounted stop lamp on affected vehicles.



### Applicable Vehicles (Certain):


Model Year	Model	Production Dates
2026	IONIQ 9 (ME1A EV)	02/28/2025 - 01/06/2026

## NOTICE

To avoid any potential damage to IONIQ vehicles, this campaign can only be performed at IONIQ certified dealers.

**SUBJECT:** HIGH MOUNTED STOP LAMP ADHESIVE RESIDUE INSPECTION & STOP LAMP REPLACEMENT (LIMITED COVERAGE CAMPAIGN LA5)

**Parts Information:**

Model	Part Name	Part Number	Figure	Remarks
IONIQ 9 (ME1A EV)	Lamp Assy - High Mounted Stop	92700-TD000		Qty: 1 (if replacement is required)

**Warranty Information:**

Model	Op. Code	Operation	Op. Time	Causal Part	Nature Code	Cause Code
IONIQ 9 (ME1A EV)	50DV38I0	Inspection Only for Adhesive Residue on High Mounted Stop Lamp	0.2 M/H	92700-TD000	A33	ZZ2
	50DV38R0	Inspection for Adhesive Residue & Replacement of High Mounted Stop Lamp	0.3 M/H			

**NOTE 1:** Submit claim on Claim Entry Screen as “Campaign” type.

**NOTE 2:** 5/60,000 New Vehicle Limited Warranty (NVLW) applies to the part(s) and repair procedure(s) outlined in this TSB. Prior to beginning any repair work, ensure the part(s) associated with the repair procedure are within NVLW, observing mileage and Warranty Start Date or date of first use. If the subject part(s) are out of warranty coverage, the dealer has the option to submit a PA Request for goodwill consideration on a case-by-case basis.

**NOTE 3:** If any part(s) not subject to this TSB are found in need of replacement while performing the repair procedure, and the affected part(s) are still under warranty, the dealer may submit a separate claim using the same repair order. If the part(s) not subject to this TSB are out of warranty coverage, the dealer has the option to submit a PA Request for goodwill consideration on a case-by-case basis.

**NOTE 4:** This TSB includes repair validation photos. Op times include VIN, mileage, and repair validation photo(s) as outlined in the Digital Documentation Policy.

**NOTE 5:** The incident parts are subject to callback through the normal Warranty Technical Center (WTC) parts return process. Claim is subject to debit if the part is not returned.

**SUBJECT:** HIGH MOUNTED STOP LAMP ADHESIVE RESIDUE INSPECTION & STOP LAMP REPLACEMENT (LIMITED COVERAGE CAMPAIGN LA5)

**Service Procedure:**

**DIGITAL DOCUMENTATION**



This TSB includes repair validation photos. Refer to the latest Warranty Digital Documentation Policy for requirements.

**NOTICE**

Applying the recommended torque to all fasteners is essential to reduce potential issues from occurring after the service procedure.


1. Inspect the black plastic housing on the high mounted stop lamp for adhesive residue.

- **Residue:** Continue to step 2.
- **NO Residue:** This TSB does **NOT** apply. Continue to step 3 for Digital Documentation.



2. Replace the high mounted stop lamp (A) with a new part by referring to the shop manual:

- **Body (Interior / Exterior / Electrical) > Light & Vision System > High Mounted Stop Lamp > Removal and Installation**



3.

**DIGITAL DOCUMENTATION**



Using the STUI camera function, take a photo of the high mounted stop lamp installed on the vehicle.

Upload the photo to STUI.

**NOTE:** If the STUI camera function is **NOT** used, write the last 6 digits of the VIN and date of repair on a piece of paper to include in the photo.



4. The service procedure is now complete.