

Manufacturer's Certificate

Freigabe/Approval

47/25 ENU 1701

1

Overview of Approved Porsche C20 Engine Oils (47/25)



Information

The period of validity for the approved engine oil is between 2 and 3 years. The expiration date of the approval is given in the last column in the list.

Once this validity period has elapsed, the approval in question is revoked unless an extension is requested by the relevant manufacturer.

Revision: This bulletin replaces bulletin Group 1 33/25, dated August 12, 2025.

Model Year: **As of 2021**

Vehicle Type: **All Porsche vehicles from MY 2021, for which Porsche C20 engine oils are allocated.**

Overview:

Manufacturer	Oil designation	Viscosity SAE	Sales area	valid until
Adnoc Distribution	ADNOC Voyager Gold 8900 SAE 0W-20	0W-20	Worldwide excluding Russia and Belarus	31.05.2026
AVISTA OIL Deutschland GmbH	AVISTA pace EVO FE SAE 0W-20	0W-20	Worldwide excluding Russia and Belarus	31.05.2026
CASTROL Limited	Castrol EDGE Hybrid 0W-20M	0W-20	Worldwide excluding Russia and Belarus	22.11.2026
CASTROL Limited	Castrol EDGE Professional LLIV 0W-20	0W-20	Worldwide excluding Russia and Belarus	22.11.2026
CASTROL Limited	Castrol EC Performance 0W-20	0W-20	Worldwide excluding Russia and Belarus	22.11.2026
CASTROL Limited	ARAL SuperTronic LL IV 0W-20	0W-20	Worldwide excluding Russia and Belarus	22.11.2026

CASTROL Limited	Castrol EDGE Euro Car M OW-20	OW-20	Worldwide excluding Russia and Belarus	22.11.2026
CASTROL Limited	Castrol MAGNATEC P OW-20	OW-20	Worldwide excluding Russia and Belarus	22.11.2026
Deutsche Ölwerke Lubmin GmbH	AVENO Longlife IV OW-20	OW-20	Worldwide excluding Russia and Belarus	31.05.2026
EXXONMOBIL Corporation	Mobil SUPER 3000 FORMULA V OW-20	OW-20	Worldwide excluding Russia and Belarus	30.09.2026
EXXONMOBIL Corporation	Mobil 1 ESP X2 OW-20	OW-20	Worldwide excluding Russia and Belarus	31.05.2026
EXXONMOBIL Corporation	Mobil 1 Ultimate X2 OW-20	OW-20	Worldwide excluding Russia and Belarus	31.05.2026
FUCHS Lubricants Germany GmbH	TITAN GT1 LONGLIFE IV SAE OW-20	OW-20	Worldwide excluding Russia and Belarus	31.05.2026
LIQUI MOLY - Germany	Liqui Moly Top Tec 6200	OW-20	Worldwide excluding Russia and Belarus	31.05.2026
LIQUI MOLY - Germany	Liqui Moly Pro-Engine M620 SAE OW-20	OW-20	Worldwide excluding Russia and Belarus	31.05.2026
MEGUIN GmbH & Co. KG	megol Motorenoel Evolution LL IV	OW-20	Worldwide excluding Russia and Belarus	31.05.2026
MOTUL – France	MOTUL SPECIFIC 508 00 509 00 OW-20	OW-20	Worldwide excluding Russia and Belarus	08.11.2026

Manufacturer's Certificate

Freigabe/Approval

47/25 ENU 1701

1

Ravensberger Schmierstoff- fvertrieb GmbH	RAVENOL VSH SAE 0W-20	0W-20	Worldwide excluding Russia and Belarus	31.05.2026
Ravensberger Schmierstoff- fvertrieb GmbH	RAVENOL VSE SAE 0W-20	0W-20	Worldwide excluding Russia and Belarus	31.05.2026
ROWE Mineralölwerk GmbH	ROWE HIGHTEC SYNT RS LONGLIFE IV SAE 0W-20	0W-20	Worldwide excluding Russia and Belarus	31.05.2026
Shell Global Solutions (Deutschland) GmbH	Shell Helix Ultra Professional AV-L	0W-20	Worldwide excluding Russia and Belarus	06.11.2027
SRS Schmierstoff Vertrieb GmbH	SRS ViVA 1 special LL-FE	0W-20	Worldwide excluding Russia and Belarus	31.05.2026
Volkswagen AG	VW Group Longlife IV FE	0W-20	Worldwide excluding Russia and Belarus	06.11.2027
YACCO SAS	YACCO LUBE W SAE 0W-20	0W-20	Worldwide excluding Russia and Belarus	31.05.2026

Sales Areas: The respective sales area is also listed in order to clarify where the approved oils are available. Here are the meanings of the symbols:

WW	Worldwide	ESP	Spain
EU	Europe	FIN	Finland
E-EU	Eastern Europe	FRA	France
USA	United States of America	GB	Great Britain and Northern Ireland
C-America	Central America	IRL	Ireland
N. America	North America	JAP	Japan
S. America	South America	MEX	Mexico
AF	Africa	NOR	Norway

Asia	Asia	NZL	New Zealand
FSU	Former Soviet Union	RUS	Russia
BS	Baltic countries	SCG	Croatia
AUS	Australia	SVK	Slovakia
AUT	Austria	SWE	Sweden
BRA	Brazil	TWN	Taiwan
CAN	Canada	UAE	United Arab Emirates
CH	Switzerland	UKR	Ukraine
CHN	China	VNM	Vietnam
DEU	Germany	ZA	South Africa

Miscibility: All **engine oils approved by Porsche can be mixed provided they are of the same Porsche oil specification.** This means that it is not necessary to flush the engine when the oil is changed if another type of oil is used. However, since every brand of oil has a specially adapted unique composition, the same brand and type of oil should be used for topping up between oil change intervals if possible.

Important Notice: Technical Bulletins issued by Porsche Cars North America, Inc. are intended only for use by professional automotive technicians who have attended Porsche service training courses. They are written to inform those technicians of conditions that may occur on some Porsche vehicles, or to provide information that could assist in the proper servicing of a vehicle. Porsche special tools may be necessary in order to perform certain operations identified in these bulletins. Use of tools and procedures other than those Porsche recommends in these bulletins may be detrimental to the safe operation of your vehicle, and may endanger the people working on it. Properly trained Porsche technicians have the equipment, tools, safety instructions, and know-how to do the job properly and safely. Part numbers listed in these bulletins are for reference only. The work procedures updated electronically in the Porsche PIWIS diagnostic and testing device take precedence and, in the event of a discrepancy, the work procedures in the PIWIS Tester are the ones that must be followed.

© 2026 Porsche Cars North America, Inc.