

# TECHNICAL BULLETIN 15 FEB 2019

© Jaguar Land Rover North America, LLC

NOTE: The information in Technical Bulletins is intended for use by trained, professional Technicians with the knowledge, tools, and equipment required to do the job properly and safely. It informs these Technicians of conditions that may occur on some vehicles, or provides information that could assist in proper vehicle service. The procedures should not be performed by 'do-it-yourselfers'. If you are not a Retailer, do not assume that a condition described affects your vehicle. Contact an authorized Jaguar service facility to determine whether this bulletin applies to a specific vehicle.

**INFORMATION** 

This reissue replaces all previous versions. Please destroy all previous versions.

SECTION:

206-03

SUBJECT/CONCERN:

Noise From Front Brakes

## **AFFECTED VEHICLE RANGE:**

MODEL:	MODEL YEAR:	VIN:	ASSEMBLY PLANT:	APPLICABILITY:
E-PACE (X540)	2018-2019	Z00001-Z35516	Graz (Austria)	Vehicles With: 325mm Front Brake Discs

## MARKETS:

## **NORTH AMERICA**

## **CONDITION SUMMARY:**

## SITUATION:

On vehicles with 325mm front brake discs only, a noise from the front brakes during light brake pedal application may be evident. The issue is more evident before the front brakes have reached operating temperature in colder ambient temperatures and typically does not occur after the brakes have reached operating temperature.

#### CAUSE:

This may be caused when lower ambient temperatures cause the friction levels at the front brake pad-todisc interface to increase, producing a high frequency noise during light braking applications.



## ∧ NOTE:

**Vehicles with 350mm front brake discs:** submit an Electronic Product Quality Report (EPQR) if the same issue is present and no other communication has been issued on this subject.

## **ACTION:**

Should a customer express this concern, follow the Workshop Procedure(s) below.

## PARTS:

PART NUMBER	DESCRIPTION	QUANTITY
J9C17007	Brake pad set - Front	1

## TOOLS:

Refer to Workshop Manual for any required special tools.

## WARRANTY:



## ∧ NOTES:

- Repair procedures are under constant review, and therefore times are subject to change; those quoted here must be taken as guidance only. Use TOPIx to obtain the latest repair time.
- The JLR claims submission system requires the use of causal part numbers. Labor only claims must show the causal part number with a quantity of zero.

DESCRIPTION	SRO	TIME (HOURS)	CONDITION CODE	CAUSAL PART
Brake pads - Front - Set - Renew	70.40.02	0.8	42	C2C41984



## NOTE:

Normal Warranty procedures apply.

## **SERVICE INSTRUCTION:**

Renew the front brake pads (see TOPIx Workshop Manual section 206-03: Front Disc Brake -Removal and Installation - Brake Pads - Vehicles With 325mm Front Brake Discs).